

MOLECULAR PHARMACOLOGY

July 2012

Volume 82

Number 1

molpharm.aspetjournals.org

ISSN 1521-0111

ARTICLES

- Membrane Potential-Dependent Inhibition of the Na⁺,K⁺-ATPase by *para*-Nitrobenzyltriethylammonium Bromide
R. Daniel Peluffo and Joshua R. Berlin 1
- Functional Evaluation of a Fluorescent Schweinfurthin: Mechanism of Cytotoxicity and Intracellular Quantification
Craig H. Kuder, Ryan M. Sheehy, Jeffrey D. Neighbors, David F. Wiemer, and Raymond J. Hohl 9
- Influence of the Accessory Protein SET on M3 Muscarinic Receptor Phosphorylation and G Protein Coupling
Violaine Simon, Sukru S. Oner, Joelle Cohen-Tannoudji, Andrew B. Tobin, and Stephen M. Lanier 17
- Fyn Inhibition by Cycloalkane-Fused 1,2-Dithiole-3-thiones Enhances Antioxidant Capacity and Protects Mitochondria from Oxidative Injury
Ja Hyun Koo, Woo Hyung Lee, Chan Gyu Lee, and Sang Geon Kim 27
- The *SLCO1A2* Gene, Encoding Human Organic Anion-Transporting Polypeptide 1A2, Is Transactivated by the Vitamin D Receptor
Jyrki J. Eloranta, Christian Hiller, Moritz Jüttner, and Gerd A. Kullak-Ublick 37
- Neratinib Reverses ATP-Binding Cassette B1-Mediated Chemotherapeutic Drug Resistance In Vitro, In Vivo, and Ex Vivo
Xiao-qin Zhao, Jing-dun Xie, Xing-gui Chen, Hong May Sim, Xu Zhang, Yong-ju Liang, Satyakam Singh, Tanaji T. Talele, Yueli Sun, Suresh V. Ambudkar, Zhe-Sheng Chen, and Li-wu Fu 47
- Role of the Transporter Regulator Protein (RS1) in the Modulation of Concentrative Nucleoside Transporters (CNTs) in Epithelia
Ekaitz Errasti-Murugarren, Paula Fernández-Calotti, Mayke Veyhl-Wichmann, Maximilian Diepold, Itziar Pinilla-Macua, Sandra Pérez-Torras, Helmut Kipp, Hermann Koepsell, and Marçal Pastor-Anglada 59
- Novel Transcriptome Profiling Analyses Demonstrate that Selective Peroxisome Proliferator-Activated Receptor γ (PPAR γ) Modulators Display Attenuated and Selective Gene Regulatory Activity in Comparison with PPAR γ Full Agonists
Yejun Tan, Eric S. Muise, Hongyue Dai, Richard Raubertas, Kenny K. Wong, G. Marie Thompson, Harold B. Wood, Peter T. Meinke, Pek Yee Lum, John R. Thompson, and Joel P. Berger 68
- Effects of Nucleotide Analogs at the P2X3 Receptor and Its Mutants Identify the Agonist Binding Pouch
Thomas Riedel, Sara Wiese, Anna Leichsenring, and Peter Illes 80
- Crotamine Pharmacology Revisited: Novel Insights Based on the Inhibition of K_v Channels
Steve Peigneur, Diego J. B. Orts, Alvaro R. Prieto da Silva, Nancy Oguiura, Malvina Boni-Mitake, Eduardo B. de Oliveira, André J. Zaharenko, Jose C. de Freitas, and Jan Tytgat 90

Architecture and Pore Block of Eukaryotic Voltage-Gated Sodium Channels in View of NavAb Bacterial Sodium Channel Structure

Denis B. Tikhonov and Boris S. Zhorov

97

- Methemoglobin Formation by Triapine, Di-2-pyridylketone-4,4-dimethyl-3-thiosemicarbazone (Dp44mT), and Other Anticancer Thiosemicarbazones: Identification of Novel Thiosemicarbazones and Therapeutics That Prevent This Effect

Patricia Quach, Elaine Gutierrez, Maram Talal Basha, Danuta S. Kalinowski, Philip C. Sharpe, David B. Lovejoy, Paul V. Bernhardt, Patric J. Jansson, and Des R. Richardson

105

- Muscarinic Type 3 Receptor Induces Cytoprotective Signaling in Salivary Gland Cells through Epidermal Growth Factor Receptor Transactivation

Mikihito Kajiya, Isao Ichimonji, Christine Min, Tongbo Zhu, Jun-O Jin, Qing Yu, Soulafa A. Almazrooa, Seunghee Cha, and Toshihisa Kawai

115

Balancing Antiviral Potency and Host Toxicity: Identifying a Nucleotide Inhibitor with an Optimal Kinetic Phenotype for HIV-1 Reverse Transcriptase

Christal D. Sohl, Rajesh Kasiviswanathan, Jiae Kim, Ugo Pradere, Raymond F. Schinazi, William C. Copeland, Hiroaki Mitsuya, Masanori Baba, and Karen S. Anderson

125

- The Polyphenolic Ellagitannin Vescalagin Acts As a Preferential Catalytic Inhibitor of the α Isoform of Human DNA Topoisomerase II

Céline Auzanneau, Danièle Montaudon, Rémi Jacquet, Stéphane Puyo, Laurent Pouységu, Denis Deffieux, Assia Elkaoukabi-Chaibi, Francesca De Giorgi, François Ichas, Stéphane Quideau, and Philippe Pourquier

134

ERRATUM

- Correction to “Polymorphism and Ligand Dependent Changes in Human Glucagon-Like Peptide-1 Receptor (GLP-1R) Function: Allosteric Rescue of Loss of Function Mutation”

142

- Supplemental material is available online at <http://molpharm.aspetjournals.org>.

About the cover: A cytoplasmic view (top left) of the superimposed KcsA-based (red) and NavAb-based (green) models of Nav1. For clarity, S5 helices not shown. Tetracaine is shown as rods with red oxygens, blue nitrogens, and orange carbons. A side view (top right) has two repeats removed for clarity and the selectivity-filter residues (DEKA, Asp-Glu-Lys-Ala) shown as sticks. Orthogonal side views (bottom) of the NavAb-based model of Nav1.4 with the local anesthetic-sensing residue Tyr⁴¹²² shown as sticks. Some residues that control the hydrophobic access pathway to the closed channels are space-filled. See article by Tikhonov and Zhorov on page 97 of this issue.