

AUTHOR INDEX FOR VOLUME 16

A

- Adamson, Doris J. See *Bennett, Rose, Allan, Smithers, Elliott, and Montgomery*, 482
- Albuquerque, E. X. See *Tsai, Oliveira, Eldefrawi, and Eldefrawi*, 382
- Albuquerque, Edson X. See *Tiedt, Bakry, Eldefrawi, and Eldefrawi*, 909
- Allan, Paula W. See *Bennett, Rose, Smithers, Adamson, Elliott, and Montgomery*, 981
- Arad, Hadas and Levitzki, Alexander. The Mechanism of Partial Agonism in the Beta-Receptor Dependent Adenylate Cyclase of Turkey Erythrocytes, 749
- Arrufat, A. Ortiz, Fernández-Alonso, J. I., Pardo, A., and Llabrés, J. A Study of the Semiconductivity of Cation Radicals of Certain Phenothiazine Derivatives, 1040
- Arya, S. K., Gordon, B., and Young, N. A. Polyribonucleotide Inhibition of Ribonucleic Acid Directed Deoxyribonucleic Acid Polymerase of Mouse Mammary Tumor (Type B) Virus and Simian Sarcoma (Type C) Virus, 297

B

- Bachur, Nicholas R. See *Caspary, Niziak, Lanzo, and Friedman*, 256
- Baker, Thomas. See *Riker, Sastre, Roth, and Riker*, 886
- Bakry, Nabil M. See *Tiedt, Albuquerque, Eldefrawi, and Eldefrawi*, 909
- Baksi, Samarendra N., and Kenny, Alexander D. Parathyroid Hormone Stimulation of 1,25-Dihydroxyvitamin D₃ Production in Antiestrogen-treated Japanese Quail, 932
- Barry, C. David. See *Weaver, McDaniel, Marshall, and Lacy*, 361
- Batzri, Shmuel and Gardner, Jerry D. Action of Histamine on Cyclic AMP in Guinea Pig Gastric Cells: Inhibition by H₁- and H₂-Receptor Antagonists, 406
- Beauregard, Guy. See *Roufogalis*, 189
- Bechtel, W. Dietrich. See *U'Prichard, Rouot, and Snyder*, 47
- Bennett, L. Lee Jr., Rose, Lucy M., Allan, Paula W., Smithers, Donald, Adamson, Doris J., Elliott, Robert D., and Montgomery, John A. Metabolism and Metabolic Effects of 8-Aza-6-Thioinosine and its rearrangement Product, N-β-D-Ribofuranosyl-[1,2,3]thiadiazolo[5,4-d]-pyrimidin-7-amine, 981
- Bennett, P. B. See *Simon, McIntosh, and Shrivastav*, 163
- Berenbeim, David M., Wong, Dona L., Masover, Steven J., and Ciaranello, Roland D. Regulation of Synthesis and Degradation of Rat Adrenal Phenylethanolamine N-methyltransferase. III. Stabilization of PNMT Against Thermal and Tryptic Degradation by S-Adenosylmethionine, 482
- Berenbeim, David M. See *Masover and Ciaranello*, 491
- Bertino, J. R. See *Scanlon, Moroson, and Hynes*, 261
- Blanc, Gerard. See *Premont, Perez, Tassin, Thierry, Herve, and Bockaert*, 790
- Blaustein, M. P. See *Nachshen*, 579
- Blumer, Jeffrey L., Novak, Raymond F., Lucas, Samuel V., Simpson, Janney M., and Webster, Leslie T. Jr. Aerobic Metabolism of Nirdazole by Rat Liver Microsomes, 1019
- Bockaert, Joël. See *Premont, Perez, Blanc, Tassin, Thierry, and Hervé*, 790
- Boraker, David. See *Bresnick, Hassuk, Levin, and Thomas*, 324
- Bösterling, B., Stier, A., Hildebrandt, A. G., Dawson, J. H., and Trudell, J. R. Reconstitution of Cytochrome P-450 and Cytochrome P-450 Reductase into Phosphatidylcholine-Phosphatidylethanolamine Bilayers: Characterization of Structure and Metabolic Activity, 332
- Brandts, John F. See *Krishnan*, 181
- Braun, Sergei and Levitzki, Alexander. The Attenuation of Epinephrine-Dependent Adenylate Cyclase by Adenosine and the Characteristics of the Adenosine Stimulatory and Inhibitory Sites 737
- Breakefield, Xandra O. See *Costa*, 242
- Brendel, Klaus. See *Byus, Hayes, and Russell*, 941
- Bresnick, Edward, Boraker, David, Hassuk, Bruce, Levin, Wayne, and Thomas, Paul E. Intracellular Localization of Hepatic Cytochrome P₄₅₀ by an Immunochemical Method, 324
- Brown, Joan Heller. Depolarization-Induced Inhibition of Cyclic AMP Accumulation: Cholinergic-Adrenergic Antagonism in Murine Atria, 841
- Brown, Oliver E. See *Sedwick, Fyfe, Frazer, Kutler, and Laszlo*, 607
- Bucholtz, C. A. See *Reisner and Ward*, 278
- Bücker, M., Golan, M., Schmassmann, H. U., Glatt, H. R., Stasiecki, P., and Oesch, F. The Epoxide Hydratase Inducer Trans-Stilbene Oxide Shifts the Metabolic Epoxidation of Benzo(a)pyrene from the Bay- to the K-Region and Reduces Its Mutagenicity, 656
- Byus, Craig V., Hayes, James S., Brendel, Klaus, and Russell, Diane Haddock. Regulation of

Glycogenolysis in Isolated Rat Hepatocytes by the Specific Activation of Type I Cyclic AMP-Dependent Protein Kinase, 941

C

- Cahill, Anne L., Hoornstra, Mark P., and Medzhiradsky, Fedor. Active Transport of Methadone in Synaptosomes, 587
- Callingham, Brian A. See *Fowler*, 546
- Camerman, Arthur. See *Camerman and Chan*, 729
- Camerman, Norman, Chan, Lillian Y. Y., and Camerman, Arthur. Stereochemical Characteristics of Dopamine Agonists: Molecular Structure of Bromocriptine and Structural Comparisons with Apomorphine, 729
- Caspary, William J., Niziak, Craig, Lanzo, D. Allan, Friedman, Rosalind, and Bachur, Nicholas R. Bleomycin A₂: A Ferrous Oxidase, 256
- Cass, Carol E. See *Paterson, Yang, and Lau*, 900
- Chan, Lillian Y. Y. See *Camerman and Camerman*, 729
- Chang, Kwen-Jen, Cooper, Barrett R., Hazum, Eli, and Cuatrecasas, Pedro. Multiple Opiate Receptors: Different Regional Distribution in the Brain and Differential Binding of Opiates and Opioid Peptides, 91
- Chang, Kwen-Jen. See *Viveros, Diliberto, and Hazum*, 1101
- Chang Sing, Peter D. G. See *Ferrell, Loew, King, Mansour, and Mansour*, 556
- Cho, Jung Soo K. See *Cho and Loh*, 393
- Cho, Tae Mook, Cho, Jung Sook, and Loh, Horace H. Physicochemical Basis of Opiate-Cerebroside Sulfate Interaction and Its Application to Receptor Theory, 393
- Ciaranello, Roland D. See *Berenbeim, Wong, and Masover*, 482
- Ciaranello, Roland D. See *Masover and Berenbeim*, 491
- Ciesielska, Ewa. See *Ślaska, Szmigiero, Jaros-Kamińska, and Gniazdowski*, 287
- Citri, Nathan. See *Samuni*, 250
- Cohen, Sasson. See *Landau and Richter*, 1075
- Conn, P. Michael. See *Marian*, 196
- Conney, A. H. See *Nordqvist, Thakker, Levin, Yagi, Ryan, Thomas, and Jerina*, 643
- Cooke, Roger. See *Johnson and Loh*, 154
- Coon, M. J. See *Deutsch, Vatsis, Leutz, and Gelboin*, 1011
- Cooper, Barrett R. See *Chang, Hazum, and Cuatrecasas*, 91
- Costa, E. See *Kumakura and Guidotti*, 865
- Costa, Maria R. Castro and Breakefield, Xandra O. Electrophoretic Characterization of Monoamine Oxidase by [³H]Pargyline Binding in Rat Hepatoma Cells with A and B Activity, 242
- Cox, B. M. See *Dunlap, Leslie, and Rado*, 105

Creese, Ian, Usdin, Ted B., and Snyder, Solomon H. Dopamine Receptor Binding Regulated by Guanine Nucleotides, 69

Crooke, Stanley T. See *DuVernay and Pachter*, 623

Cuatrecasas, Pedro. See *Chang, Cooper, and Hazum*, 91

D

- Dawson, J. H. See *Bösterling, Stier, Hildebrandt, and Trudell*, 332
- Dawson, Keith M. See *Stebbing*, 313
- DeFeo, D. See *Mufson and Weinstein*, 569
- DeLean, Andre L. See *Hancock and Lefkowitz*, 1
- Dershwitz, Mark. See *Novak and Novak*, 1046
- Detmer, Kristina. See *Salach and Youdim*, 234
- Deutsch, J., Vatsis, K. P., Coon, M. J., Leutz, J. C., and Gelboin, H. V. Catalytic Activity and Stereoselectivity of Purified Forms of Rabbit Liver Microsomal Cytochrome P-450 in the Oxygenation of (-) and (+) Enantiomers of trans-7,8-Dihydroxy-7,8-Dihydrobenzo[*a*]Pyrene, 1011
- Dilberto, Emanuel J. See *Viveros, Hazum, Chang*, 1101
- Do Khac, Lien. See *Vesin and Harbon*, 823
- Drummond, Alan H. See *Norman and Moser*, 1089
- Drummond, George I. See *Huang*, 462
- Dunlap, C. E., III, Leslie, F. M., Rado, M., and Cox, B. M. Ascorbate Destruction of Opiate Stereospecific Binding in Guinea Pig Brain Homogenate, 105
- DuVernay, Virgil H., Jr., Pachter, Jonathan A., and Crooke, Stanley T. DNA Binding Studies on Several New Anthracycline Antitumor Antibiotics: II. The Importance of the Carbo-methoxy-group at Position-10 of the Class II Anthracycline Molecule, 623

E

- Ekman, Bo. See *Sjöholm, Kober, Ljungstedt-Påhlman, Seiving, and Sjödin*, 767
- Eldefrawi, A. T. See *Tsai, Oliveira, Albuquerque, and Eldefrawi*, 382
- Eldefrawi, Amira T., See *Tiedt, Albuquerque, Bakry, and Eldefrawi*, 909
- Eldefrawi, M. E. See *Tsai, Oliveira, Albuquerque, and Eldefrawi*, 382
- Eldefrawi, Mohyee E. See *Tiedt, Albuquerque, Bakry, and Eldefrawi*, 909
- Elliott, Robert D. See *Bennett, Rose, Allan, Smithers, Adamson, and Montgomery*, 981
- Ernst, L. See *Kang, Weinstein, and Osman*, 1031

F

- Fehske, Klaus J., Müller, Walter E., Wollert, Uwe, and Velden, Luzian J. The Lone Tryptophan Residue of Human Serum Albumin as Part of the Specific Warfarin Binding Site, 778

- Feinstein, Maurice B. See *Vanderhoeck*, 171
 Fernández-Alonso, J. I. See *Arrufat, Pardo, and Llabrés*, 1040
 Ferrell, James E., Jr., Chang Sing, Peter D. G., Loew, Gilda, King, Roy, Mansour, Joan M., and Mansour, Tag E. Structure/Activity Studies of Flavonoids As Inhibitors of Cyclic AMP Phosphodiesterase and Relationship to Quantum Chemical Indices, 556
 Finkelstein, Eli, Rosen, Gerald M., Rauckman, Elmer J., and Paxton, John. Spin Trapping of Superoxide, 676
 Fowler, Christopher J. and Callingham, Brian A. The Inhibition of Rat Heart Type A Monoamine Oxidase by Clorgyline as a Method for the Estimation of Enzyme Active Centers, 546
 Frazer, Thomas A. See *Sedwick, Fyfe, Brown, Kutler, and Laszlo*, 607
 Freychet, Pierre. See *Meezan*, 1096
 Friedman, Rosalind. See *Caspary, Niziak, Lanzo, and Bachur*, 256
 Frigon, Ronald P. See *O'Connor and Stone*, 529
 Fyfe, Mary Jo. See *Sedwick, Brown, Frazer, Kutler, and Laszlo*, 607

G

- Galgoci, Bernard. See *Steer and Khorana*, 719
 Gardner, Jerry D. See *Batzri*, 406
 Gelboin, H. V. See *Menard, Guenther, Taburet, Kon, Pohl, Gillette, and Trager*, 997
 Gelboin, H. V. See *Deutsch, Vatsis, Coon, and Leutz*, 1011
 Gillette, J. R. See *Menard, Guenther, Taburet, Kon, Pohl, Gelboin, and Trager*, 997
 Glatt, H. R. See *Bücker, Golan, Schmassmann, Stasiecki, and Oesch*, 656
 Glazer, Robert I. and Peale, Ann L. The Effect of 5-Fluorouracil on the Synthesis of Nuclear RNA in L1210 Cells In Vitro, 270
 Gniazdowski, Marek. See *Ślaska, Szmigiero, Jaros-Kamińska, and Ciesielska*, 287
 Golan, M. See *Bücker, Schmassmann, Glatt, Stasiecki, and Oesch*, 656
 Gordon, B. See *Arya and Young*, 297
 Grant, M. and Phillips, D. R. Dissociation of Polydeoxynucleotide-Daunomycin Complexes, 357
 Green, Jack Peter. See *Johnson and Weinstein*, 417
 Greengard, Paul. See *Rudolph, Hegstrand, and Malawista*, 805
 Grindey, Gerald B., Wang, Ming C., and Kinahan, James J. Thymidine Induced Perturbations in Ribonucleoside and Deoxyribonucleoside Triphosphate Pools in Human Leukemic CCRF-CEM Cells, 601
 Guenther, T. M. See *Taburet, Kon, Pohl, Gillette, Gelboin, and Trager*, 997
 Guidotti, A. See *Kumakura, and Costa*, 865

H

- Hait, William N. and Weiss, Benjamin. Cyclic Nucleotide Phosphodiesterase of Normal and Leukemic Lymphocytes Kinetic Properties and Selective Alteration of the Activity of the Multiple Molecular Forms, 851
 Hancock, Arthur A., DeLean, Andre L., and Lefkowitz, Robert J. Quantitative Resolution of Beta-Adrenergic Receptor Subtypes by Selective Ligand Binding: Application of a Computerized Model Fitting Technique, 1
 Harbon, Simone. See *Vesin, Do Khac*, 823
 Harkey, M. R., Settle, W. L., James, T. L., and Trevor, A. J. Spectral Studies on the Interaction of Dichloromethane with Hemoglobin, 1065
 Harris, Peter Q. See *Stolk, Hurst, and Van Riper*, 922
 Hassuk, Bruce. See *Bresnick, Boraker, Levin, and Thomas*, 324
 Hayes, James S. See *Byus, Brendel, and Russell*, 942
 Hazum, Eli. See *Chang, Cooper, and Cuatrecasas*, 91
 Hazum, Eli. See *Viveros, Dilberto, and Chang*, 1101
 Hegstrand, Linda R. See *Minneman and Molinoff*, 21
 Hegstrand, Linda R. See *Minneman and Molinoff*, 34
 Hegstrand, Linda R. See *Rudolph, Greengard, and Malawista*, 805
 Hencin, Ronald S., and Preston, James F. Differential Inhibition of Cultured Cell Types by α -Amanitin-Bovine Serum Albumin Conjugates, 961
 Hervé, Denis. See *Premont, Perez, Blanc, Tassin, Thierry, and Bockaert*, 790
 Hesse, Sigrun and Mezger, Margot. Involvement of Phenolic Metabolites in the Irreversible Protein-Binding of Aromatic Hydrocarbons: Reactive Metabolites of [^{14}C]Naphthalene and [^{14}C]1-Naphthol Formed by Rat Liver Microsomes, 667
 Hildebrandt, A. G. See *Bösterling, Stier, Dawson, and Trudell*, 332
 Hoebeke, Johan. See *Maes, Vercruysse, and Kanarek*, 147
 Holck, Mark I., Marks, Bernard H., and Wilberding, Cynthia A. Characterization of Alpha-Adrenergic Receptors in Guinea-pig Vas Deferens by [^3H]Dihydroergocryptine Binding, 77
 Holohan, Peter D., Pessah, Ness I., Pessah, Isaac N., and Ross, Charles R. Reconstitution on N¹-Methylnicotinamide and p-Aminohippuric Acid Transport in Phospholipid Vesicles with a Protein Fraction Isolated from Dog Kidney Membranes, 343

- Holtzman, Jordan L. See *Kalyanaraman, Perez-Reyes, Mason, and Peterson*, 1059
- Hoornstra, Mark P. See *Cahill and Medzihradsky*, 587
- Huang, Minta and Drummond, George I. Adenylate Cyclase in Cerebral Microvessels: Action of Guanine Nucleotides, Adenosine, and other Agonists, 462
- Hurst, Jeffrey H. See *Stolk, Van Riper, and Harris*, 922
- Hynes, J. B. See *Scanlon, Moroson, and Bertino*, 261

I

- Insel, Paul A. See *Kennedy*, 215

J

- Jackowski, Suzanne and Sha'afi, R. I. Response of Adenosine Cyclic 3',5'-Monophosphate Level in Rabbit Neutrophils to the Chemotactic Peptide Formyl-Methionyl-Leucyl-Phenylalanine, 473
- Jakubovic, A., and McGeer, E. G. Narcotics and Rat Testicular Metabolism, 970
- James, T. L. See *Harkey, Settle, and Trevor*, 1065
- Jerina, D. M. See *Nordqvist, Thakker, Levin, Yagi, Ryan, Thomas, and Conney*, 643
- Johnson, Carl L., Weinstein, Harel, and Green, Jack Peter. Studies on Histamine H₂ Receptors Coupled to Cardiac Adenylate Cyclase. Blockade by H₂ and H₁ Receptor Antagonists, 417
- Johnson, David A., Cooke, Roger, and Loh, Horace H. Effect of Opiate Agonists and Antagonists on Lipid Bilayer Fluidity, 154
- Jaros-Kamińska, Barbara. See *Ślaska, Szmigiero, Ciesielska, and Gniazdowski*, 287
- Jung, Michel J. See *Metcalf*, 539

K

- Kalyanaraman, B., Perez-Reyes, Edward, Mason, Ronald P., Peterson, Francis J., and Holtzman, Jordan L. Electron Spin Resonance Evidence for a Free Radical Intermediate in the Cis-Trans Isomerization of Furfylfuranide by Oxygen-Sensitive Nitroreductases, 1059
- Kanarek, Louis. See *Maes, Hoebeke, and Ver-crussse*, 147
- Kang, S., Ernst, L., Weinstein, H., and Osman, R. [¹³C]NMR Chemical Shifts and Calculated Electronic Structures of Serotonin Congeners: Relation to Biological Activity, 1031
- Kennedy, Michael S. and Insel, Paul A. Inhibitors of Microtubule Assembly Enhance Beta-adrenergic and Prostaglandin E₁-Stimulated Cyclic AMP Accumulation in S49 Lymphoma Cells, 215

- Kenny, Alexander D. See *Baksi*, 932
- Kessel, David. Enhanced Glycosylation Induced by Adriamycin, 306
- Khonrana, Julia. See *Steer and Galgoci*, 719
- Kinahan, James J. See *Grindey and Wang*, 601
- King, Roy. See *Ferrell, Chang Sing, Loew, Mansour, and Mansour*, 556
- Kober, Anita. See *Sjöholm, Ekman, Ljungstedt-Påhlman, Seiving and Sjödin*, 767
- Kon, H. See *Menard, Guenther, Taburet, Pohl, Gillette, Gelboin, and Trager*, 998
- Koruda, Mark. See *Umans and Sardella*, 633
- Koteen, Gleen M. See *Malik and Owens*, 950
- Kramer, G. L., and Wells, J. N. Effects of Phosphodiesterase Inhibitors on Cyclic Nucleotide Levels and Relaxation of Pig Coronary Arteries, 813
- Krishnan, K. S. and Brandts, John F. Interaction of Phenothiazines and Lower Aliphatic Alcohols with Erythrocyte Membranes: A Scanning Calorimetric Study, 181
- Kuhar, Michael J. See *Palacios*, 1084
- Kumakura, K., Guidotti, A., and Costa, E., Primary Cultures of Chromaffin Cells: Molecular Mechanisms for the Induction of Tyrosine Hydroxylase Mediated by 8-Br-cyclic AMP, 865
- Kutler, Marc. See *Sedwick, Fyfe, Brown, Frazer, and Laszlo*, 607

L

- Lacy, Paul E. See *Weaver, Barry, McDaniel, and Marshall*, 361
- Landau, Emmanuel M., Richter, Jacob, and Cohen, Sasson. The Mean Conductance and Open-Time of the Acetylcholine Receptor Channels Can Be Independently Modified by Some Anesthetic and Convulsant Ethers, 1075
- Lanzo, D. Allan. See *Caspary, Niziak, Friedman, and Bachur*, 256
- Laszlo, John. See *Sedwick, Fyfe, Brown, Frazer, and Kutler*, 607
- Lau, Christopher and Slotkin, Theodore A. Regulation of Rat Heart Ornithine Decarboxylase: Change in Affinity for Ornithine Evoked by Neuronal, Hormonal, and Ontogenetic Stimuli, 504
- Lau, Eda Y. See *Paterson, Yang, and Cass*, 900
- Lebovitz, Richard M. See *Peroutka and Snyder*, 700
- Lefkowitz, Robert J. See *Hancock and DeLean*, 1
- Lefkowitz, Robert J. See *Wessels and Mullikin*, 10
- Lefkowitz, Robert J. See *Tsai*, 61
- Lefkowitz, Robert J. See *Stadel*, 709
- Leslie, F. M. See *Dunlap, Rado, and Cox*, 105
- Leutz, J. C. See *Deutsch, Vatsis, Coon, and Gelboin*, 1011
- Levin, Robert M. and Wein, Alan J. Distribution and Function of Adrenergic Receptors in the Urinary Bladder of the Rabbit, 441

- Levin, Wayne. See *Bresnick, Boraker, Hassuk, and Thomas*, 324
- Levin W. See *Nordqvist, Thakker, Yagi, Ryan, Thomas, Conney, and Jerina*, 643
- Levitzki, Alexander. See *Braun*, 737
- Levitzki, Alexander. See *Arad*, 749
- Ljungstedt-Phälman, Ingrid. See *Sjöholm, Ekman, Kober, Seiving, and Sjödin*, 767
- Llabrés, J. See *Arrufat, Fernández-Alonso, and Pardo*, 1040
- Loew, Gilda. See *Ferrell, Chang Sing, King, Mansour, and Mansour*, 556
- Loh, Horace H. See *Johnson and Cooke*, 154
- Loh, Horace H. See *Cho and Cho*, 393
- Loh, Horace H. See *Smith*, 757
- Lucas, Samuel V. See *Blumer, Novak, Simpson, and Webster*, 1019
- M**
- Maes, Viviane, Hoebeke, Johan, Vercruysse, Antione, and Kanarek, Louis. Optical Studies into the Nature of the High Affinity Binding Site of Human Serum Albumin for Phenylbutazone, 147
- Malawista, Stephen E. See *Rudolph, Hegstrand, and Greengard*, 805
- Malik, Najma, Koteen, Glenn M., and Owens, Ida S. Induction of UDP-Glucuronosyltransferase Activity in the Reuber H-4-II-E Hepatoma Cell Culture, 950
- Mansour, Joan M. See *Ferrell, Chang Sing, Loew, King, and Mansour*, 556
- Mansour, Tag E. See *Ferrell, Chang Sing, Loew, King, and Mansour*, 556
- Marian, Jan and Conn, P. Michael. Gonadotropin Releasing Hormone Stimulation of Cultured Pituitary Cells Requires Calcium, 196
- Marks, Bernard H. See *Holck and Wilberding*, 77
- Marshall, Garland R. See *Weaver, Barry, McDaniel, and Lacy*, 361
- Mason, Ronald P. See *Kalyanaraman, Perez-Reyes, Peterson, and Holtzman*, 1059
- Masover, Steven J. See *Berenbeim, Wong, and Ciaranello*, 482
- Masover, Steven J., Berenbeim, David M., and Ciaranello, Roland D. Regulation of Synthesis and Degradation of Rat Adrenal Phenylethanolamine *N*-methyltransferase. IV. Synergistic Stabilization of the Enzyme against Thermal and Tryptic Degradation by S-Adenosylmethionine and Biogenic Amine Substrates, 491
- Masserano, Joseph M. and Weiner, Norman. The Rapid Activation of Adrenal Tyrosine Hydroxylase by Decapitation and its Relationship to a Cyclic AMP-dependent Phosphorylating Mechanism, 513
- McDaniel, Michael L. See *Weaver, Barry, Marshall, and Lacy*, 361
- McDermed, J. D. See *Tedesco and Seeman*, 369
- McGee, Richard Jr., and Schneider, Jo Ella. Inhibition of High Affinity Synaptosomal Uptake Systems by Verapamil, 877
- McGeer, E. G. See *Jakubovic*, 970
- McIntosh, T. J. See *Simon, Bennett, and Shrivastav*, 163
- Medzihradsky, Fedor. See *Cahill and Hoornstra*, 587
- Meezan, Elias, and Freychet, Pierre. Rat Renal Glomeruli and Tubules Have Specific Insulin Receptors of Differing Affinity, 1095
- Menard, R. H., Guenther, T. M., Taburet, A. M., Kon, H., Pohl, L. R., Gillette, J. R., Gelboin, H. V., and Trager, W. F. Specificity of the *In Vitro* Destruction of Adrenal and Hepatic Mitochondrial Steroid Hydroxylases by Thioesters, 997
- Metcalf, Brian W. and Jung, Michel J. Molecular Basis for the Irreversible Inhibition of 4-Aminobutyric Acid:2-Oxoglutarate and L-Ornithine:2-Oxoacid Aminotransferases by 3-Amino-1,5-Cyclohexadienyl Carboxylic Acid (Isogabaculine), 539
- Mezger, Margot. See *Hesse*, 667
- Michael, Lloyd H., Schwartz, Arnold, and Wallick, Earl T. Nature of the Transport Adenosine Triphosphatase-Digitalis Complex: XIV. Inotropy and Cardiac Glycoside Interaction with Na⁺, K⁺-ATPase of Isolated Cat Papillary Muscles, 135
- Minneman, Kenneth P., Hegstrand, Linda R., and Molinoff, Perry B. The Pharmacological Specificity of *Beta*-1 and *Beta*-2 Adrenergic Receptors in Rat Heart and Lung *In Vitro*, 21
- Minneman, Kenneth P., Hegstrand, Linda R., and Molinoff, Perry B. Simultaneous Determination of *Beta*-1 and *Beta*-2-Adrenergic Receptors in Tissues Containing Both Receptor Subtypes, 34
- Molinoff, Perry B. See *Minneman and Hegstrand*, 21
- Molinoff, Perry B. See *Minneman and Hegstrand*, 34
- Montgomery, John A. See *Bennett, Rose, Allan, Smithers, Adamson, and Elliott*, 981
- Morosan, B. A. See *Scanlon, Bertino, and Hynes*, 261
- Moser, Peter. See *Norman and Drummond*, 1089
- Mufson, R. A., DeFeo, D., and Weinstein, I. B. Effects of Phorbol Ester Tumor Promoters on Arachidonic Acid Metabolism in Chick Embryo Fibroblasts, 569
- Müller, Walter E. See *Fehske, Wollert, and Velden*, 778
- Mullikin, Debra. See *Wessels and Lefkowitz*, 10
- N**
- Nachshen, D. A. and Blaustein, M. P. The Effects of Some Organic "Calcium Antagonists" on Cal-

- cium Influx in Presynaptic Nerve Terminals, 579
- Niziak, Craig. See *Caspary, Lanzo, Friedman, and Bachur*, 256
- Nordqvist, M., Thakker, D. R., Levin, W., Yagi, H., Ryan, D. E., Thomas, P. E., Conney, A. H., and Jerina, D. M. The Highly Tumorigenic 3,4-Dihydrodiol Is a Principal Metabolite Formed from Dibenzo[a,h]anthracene by Liver Enzymes, 643
- Norman, Jon A., Drummond, Alan H., and Moser, Peter. Inhibition of Calcium-Dependent Regulator-Stimulated Phosphodiesterase Activity by Neuroleptic Drugs Is Unrelated to Their Clinical Efficacy, 1069
- Novak, Frances C. See *Novak and Dershwitz*, 1046
- Novak, Raymond R. See *Blumer, Lucas, Simpson, and Webster*, 1019
- Novak, Raymond F., Dershwitz, Mark, and Novak, Frances C. Characterization of the Interaction of the Aromatic Hydrocarbons Benzene and Toluene with Human Hemoglobin, 1046
- O**
- O'Connor, Daniel T., Frigon, Ronald P., and Stone, Richard A. Human Pheochromocytoma Dopamine-Beta-Hydroxylase: Purification and Molecular Parameters of the Tetramer, 529
- Oesch, F. See *Bücker, Golan, Schmassmann, Glatt, and Stasiecki*, 656
- Oliveira, A. C. See *Tsai, Albuquerque, Eldefrawi, and Eldefrawi*, 382
- Osman, R. See *Kang, Ernst, and Weinstein*, 1031
- Owens, Ida S. See *Malik and Koteen*, 950
- P**
- Pachter, Jonathan A. See *DuVernay and Crooke*, 623
- Palacios, Jose M., and Kuhar, Michael J. Choline: Binding Studies Provide Some Evidence for a Weak, Direct Agonist Action in Brain, 1084
- Pardo, A. See *Arrufat, Fernández-Alonso, and Llabrés*, 1040
- Paterson, Alan R. P., Yang, Suh-Er, Lau, Eda Y., and Cass, Carol E. Low Specificity of the Nucleoside Transport Mechanism of RPMI 6410 Cells, 900
- Paxton, John. See *Finkelstein, Rosen, and Rauckman*, 676
- Peale, Ann L. See *Glazer*, 270
- Perez, Michelle. See *Premont, Blanc, Tassin, Thierry, Hervé, and Bockaert*, 790
- Perez-Reyes, Edward. See *Kalyanaraman, Mason, Peterson, and Holtzman*, 1059
- Peroutka, Stephen J. and Snyder, Solomon H. Multiple Serotonin Receptors: Differential Binding of [³H]5-Hydroxytryptamine, [³H]Lysergic Acid Diethylamide and [³H]Spiroperidol, 687
- Peroutka, Stephen J., Lebovitz, Richard M., and Snyder, Solomon H. Serotonin Receptor Binding Sites Affected Differentially by Guanine Nucleotides, 700
- Pessah, Isaac N. See *Holohan, Pessah, and Ross*, 343
- Pessah, Ness I. See *Holohan, Pessah, and Ross*, 343
- Peterson, Francis J. See *Kalyanaraman, Perez-Reyes, Mason, and Holtzman*, 1059
- Phillips, D. R. See *Grant*, 357
- Pohl, L. R. See *Menard, Guenther, Taburet, Kon, Gillette, Gelboin, and Trager*, 997
- Premont, Joël, Perez, Michelle, Blanc, Gerard, Tassin, Jean-Pol, Thierry, Anne-Marie, Hervé, Denis, and Bockaert, Joël. Adenosine-Sensitive Adenylate Cyclase in Rat Brain Homogenates: Kinetic Characteristics, Specificity, Topographical, Sub-Cellular and Cellular Distribution, 790
- Preston, James F. See *Hencin*, 961
- R**
- Rado, M. See *Dunlap, Leslie, and Cox*, 105
- Rauckman, Elmer J. See *Finkelstein, Rosen, and Paxton*, 676
- Reisner, A. H., Bucholtz, C. A., and Ward, K. A. Effects of the Plant Amino Acid Mimosine on Cell Division, DNA, RNA and Protein Synthesis in Paramecium, 278
- Richter, Jacob. See *Landau and Cohen*, 1075
- Riker, Donald K., Sastre, Antonio, Baker, Thomas, Roth, Robert H., and Riker, Walter F. Jr. Regional High-Affinity [³H]Choline Accumulation in Cat Forebrain Selective Increase in the Caudate-Putamen After Corticosteroid Pretreatment, 886
- Riker, Walter F. Jr. See *Riker, Sastre, Baker, and Roth*, 886
- Rose, Lucy M. See *Bennett, Allan, Smithers, Adamson, Elliott, and Montgomery*, 981
- Rosen, Gerald M. See *Finkelstein, Rauckman, and Paxton*, 676
- Ross, Charles R. See *Holohan, Pessah, and Pessah*, 343
- Roth, Robert H. See *Simon*, 224
- Roth, Robert H. See *Riker, Sastre, Baker, and Riker*, 886
- Roufogalis, Basil D. and Beauregard, Guy. Role of Phospholipid (Cardiolipin) in the Modulation of Substrate and Inhibitor Interactions with Erythrocyte Acetylcholinesterase, 189
- Rouot, Bruno M. See *U'Prichard, Bechtel, and Snyder*, 47
- Rudolph, Stephen A., Hegstrand, Linda R., Greengard, Paul, and Malawista, Stephen E. The Interaction of Colchicine with Hor-

- mone-Sensitive Adenylate Cyclase in Human Leukocytes, 805
- Russell, Diane Haddock. See *Byus, Hayes, and Brendel*, 941
- Ryan, D. E. See *Nordqvist, Thakker, Levin, Yagi, Thomas, Conney, and Jerina*, 643
- Ryser, Hugues J.-P. See *Shen*, 614
- S**
- Salach, James I., Detmer, Kristina, and Youdim, Moussa B. H. The Reaction of Bovine and Rat Liver Monoamine Oxidase with [¹⁴C]-Clorgyline and [¹⁴C]-Deprenyl, 234
- Samuni, Amram and Citri, Nathan. How Specific is the Effect of Penicillins on the Conformation of Penicillinase? An Experimental Model, 250
- Sardella, D. J. See *Umans and Koruda*, 633
- Sastre, Antonio. See *Riker, Baker, Roth, and Riker*, 886
- Scanlon, K. J., Moroson, B. A., Bertino, J. R., and Hynes, J. B. Quinazoline Analogues of Folic Acid as Inhibitors of Thymidylate Synthetase from Bacterial and Mammalian Sources, 261
- Schmassmann, H. U. See *Bücker, Golan, Glatt, Stasiecki, and Oesch*, 656
- Schneider, Jo Ella. See *McGee*, 877
- Schwartz, Arnold. See *Michael and Wallick*, 135
- Sedwick, W. David, Fyfe, Mary Jo, Brown, Oliver E., Frazer, Thomas A., Kutler, Marc, and Laszlo, John. Deoxyuridine Incorporation as a Useful Measure of Methotrexate and Metoprine Uptake and Metabolic Effectiveness, 607
- Seeman, P. See *Tedesco and McDermed*, 369
- Seiving, Birgitta. See *Sjöholm, Ekman, Kober, Ljungstedt-Påhlman, and Sjödin*, 767
- Settle, W. L. See *Harkey, James, and Trevor*, 1065
- Sha'afi, R. I. See *Jackowski*, 473
- Shen, Wei-Chiang and Ryser, Hugues J.-P. Poly (L-Lysine) and Poly (D-Lysine) Conjugates of Methotrexate: Different Inhibitory Effect on Drug Resistant Cells, 614
- Shrivastav, B. B. See *Simon, McIntosh, and Bennett*, 163
- Simon, Jay R. and Roth, Robert H. Striatal Tyrosine Hydroxylase: Comparison of the Activation Produced by Depolarization and Dibutyryl-cAMP, 224
- Simon, S. A., McIntosh, T. J., Bennett, P. B., and Shrivastav, B. B. Interaction of Halothane with Lipid Bilayers, 163
- Simpson, Janney M. See *Blumer, Novak, Lucas, and Webster*, 1019
- Sjödin, Torgny. See *Sjöholm, Ekman, Kober, Ljungstedt-Påhlman, and Seiving*, 767
- Sjöholm, Ingvar, Ekman, Bo, Kober, Anita, Ljungstedt-Påhlman, Ingrid, Seiving, Birgitta, and Sjödin, Torgny. Binding of Drugs to Human Serum Albumin: XI. The Specificity of Three Binding Sites as Studied with Albumin Immobilized in Microparticles, 767
- Ślaska, Krystyna, Szmigiero, Leszek, Jaros-Kamińska, Barbara, Ciesielska, Ewa, and Gniazdowski, Marek. The Mechanism of Inhibition of DNA Transcription *In Vitro* by Nitracrine (Ledakrin, C-283), 287
- Slotkin, Theodore A. See *Lau*, 504
- Smilowitz, Henry. Monovalent Ionophores Inhibit Acetylcholinesterase Release from Cultured Chick Embryo Skeletal Muscle Cells, 202
- Smith, Andrew P., and Loh, Horace H. Multiple Molecular Forms of Stereospecific Opiate Binding, 757
- Smithers, Donald. See *Bennett, Rose, Allan, Adamson, Elliott, and Montgomery*, 981
- Snyder, Solomon H. See *U'Prichard, Bechtel, and Rouot*, 47
- Snyder, Solomon H. See *Creese and Usdin*, 69
- Snyder, Solomon H. See *Peroutka*, 687
- Snyder, Solomon H. See *Peroutka and Lebovitz*, 700
- Stadel, Jeffrey M., and Lefkowitz, Robert J. Multiple Reactive Sulfhydryl Groups Modulate the Function of Adenylate Cyclase Couple Beta-Adrenergic Receptors, 709
- Stasiecki, P. See *Bücker, Golan, Schmassmann, Glatt, and Oesch*, 656
- Stebbing, Nowell and Dawson, Keith M. The Formation of Complexes between Polynucleotides, Carboxymethylcellulose and Polylysine Which Are Anti-viral in Mice without Inducing Interferon, 313
- Steer, Michael L., Khorana, Julia and Galgoczi, Bernard. Quantitation and Characterization of Human Platelet α -Adrenergic Receptors Using [³H]Phentolamine, 719
- Stier, A. See *Bösterling, Hildebrandt, Dawson, and Trudell*, 332
- Stolk, Jon M., Hurst, Jeffrey H., Van Riper, Dee A., and Harris, Peter Q. Genetic Analysis of Serum Dopamine-Beta-Hydroxylase Activity in Rats, 922
- Stone, Richard A. See *O'Connor and Frigon*, 529
- Szmigiero, Leszek. See *Ślaska, Jaros-Kamińska, Ciesielska, and Gniazdowski*, 287
- T**
- Taburet, A. M. See *Menard, Guenther, Kon, Pohl, Gillette, Gelboin, and Trager*, 997
- Tassin, Jean-Pol. See *Premont, Perez, Blanc, Thierry, Hervé, and Bockaert*, 790
- Tedesco, J. L., Seeman, P., and McDermed, J. D. The Conformation of Dopamine at Its Receptor: Binding of Monohydroxy-2-aminotetralin Enantiomers and Positional Isomers, 369
- Thakker, D. R. See *Nordqvist, Levin, Yagi, Ryan, Thomas, Conney, and Jerina*, 643
- Thierry, Anne-Marie. See *Premont, Perez, Blanc,*

- Tassin, Hervé, and Bockaert*, 790
Thomas, Paul E. See *Bresnick, Boraker, Hassuk, and Levin*, 324
Thomas, P. E. See *Nordqvist, Thakker, Levin, Yagi, Ryan, Conney, and Jerina*, 643
Tiedt, Thomas N., Albuquerque, Edson X., Bakry, Nabil M., Eldefrawi, Mohyee E., and Eldefrawi, Amira T. Voltage- and Time-dependent Actions of Piperocaine on the Ion Channel of the Acetylcholine Receptor, 909
Trager, W. F. See *Menard, Guenther, Taburet, Kon, Pohl, Gillette, and Gelboin*, 997
Trevor, A. J. See *Harkey, Settle, and James*, 1065
Trudell, J. R. See *Bösterling, Stier, Hildebrandt, and Dawson*, 332
Tsai, Bie Shung, and Lefkowitz, Robert J. Agonist-Specific Effects of Guanine Nucleotides on Alpha-Adrenergic Receptors in Human Platelets, 61
Tsai, M.-C., Oliveira, A. C., Albuquerque, E. X., Eldefrawi, M. E., and Eldefrawi, A. T. Mode of Action of Quinacrine on the Acetylcholine Receptor Ionic Channel Complex, 382

U

- Umans, Robert S., Koruda, Mark, and Sardella, D. J.** Metabolic Activation of Polycyclic Aromatic Carcinogens: A Theoretical Study, 633
U'Prichard, David C., Bechtel, W. Dietrich, Rouot, Bruno M., and Snyder, Solomon H. Multiple Apparent Alpha-Noradrenergic Receptor Binding Sites in Rat Brain: Effect of 6-Hydroxydopamine, 47
Usdin, Ted B. See *Creese and Snyder*, 69

V

- Vanderhoek, Jack Y. and Feinstein, Maurice B.** Local Anesthetics, Chlorpromazine and Propranolol Inhibit Stimulus-Activation of Phospholipase A₂ in Human Platelets, 171
Van Riper, Dee A. See *Stolk, Hurst, and Harris*, 922
Vatsis, K. P. See *Deutsch, Coon, Leutz, and Gelboin*, 1011
Velden, Luzian M. See *Fehske, Müller, and Wollert*, 778
Venter, J. Craig. High Efficiency Coupling Between Beta-adrenergic Receptors and Cardiac Contractility: Direct Evidence for "Spare" Beta-adrenergic Receptors, 429
Vercruysse, Antoine. See *Maes, Hoebeke, and Kanarek*, 147
Vesin, Marie-Françoise, Do Khac, Lien, and Harbon, Simone. Prostacyclin as an Endogenous Modulator of Adenosine Cyclic 3',5'-Monophos-

phate Levels in Rat Myometrium and Endometrium, 823

- Viveros, O. Humberto, Diliberto, Emanuel J. Jr., Hazum, Eli, and Chang, Kwen-Jen.** Opiate-like Materials in the Adrenal Medulla: Evidence for Storage and Secretion with Catecholamines, 1101

W

- Wallick, Earl T.** See *Michael and Schwartz*, 135
Wang, Ming C. See *Grindey and Kinahan*, 601
Ward, K. A. See *Reisner and Bucholtz*, 278
Weaver, Daniel C., Barry, C. David, McDaniel, Michael L., Marshall, Garland R., and Lacy Paul E. Molecular Requirements for Recognition at a Glucoreceptor for Insulin Release, 361
Webster, Leslie T. Jr. See *Blumer, Novak, Lucas, and Simpson*, 1019
Wein, Alan J. See *Levin*, 441
Weiner, Norman. See *Masserano*, 513
Weinstein, Harel. See *Johnson and Green*, 417
Weinstein, H. See *Kang, Ernst, and Osman*, 1031
Weinstein, I. B. See *Mufson and DeFeo*, 569
Weiss, Benjamin. See *Hait*, 841
Wells, J. N. See *Kramer*, 813
Wessels, Michael R., Mullikin, Debra, and Lefkowitz, Robert J. Selective Alteration in High Affinity Agonist Binding: A Mechanism of Beta-Adrenergic Receptor Desensitization, 10
Wicks, Wesley D. See *Wimalasena*, 449
Wilberding, Cynthia A. See *Holck and Marks*, 77
Wimalasena, Jayantha and Wicks, Wesley D. Coordinate Protein Kinase Activation and Specific Enzyme Induction by Cyclic Nucleotide Derivatives in Intact Cultured Hepatoma Cells, 449
Wollert, Uwe. See *Fehske, Müller, and Velden*, 778
Wong, Dona L. See *Berenbeim, Masover, and Ciaranello*, 482

Y

- Yagi, H.** See *Nordqvist, Thakker, Levin, Ryan, Thomas, Conney, and Jerina*, 643
Yang, Suh-Er. See *Paterson, Lau, Cass*, 900
Yoda, Atsunobu and Yoda, Shizuko. Suppression by Sodium, Potassium or Nucleotides of Binding between Cardiac Steroid (Digoxigenin) and Sodium- and Potassium-Dependent Adenosine Triphosphatase Formed in the Presence of Magnesium and Phosphate, 120
Yoda, Shizuko. See *Yoda*, 120
Youdim, Moussa B. H. See *Salach and Detmer*, 234
Young, N. A. See *Arya and Gordon*, 297

CUMULATIVE SUBJECT INDEX¹ FOR VOLUMES 15 AND 16

A

Acetylcholine

- release, atrium (mouse), **16**, 841
- stimulated secretion of opiate-like materials in ad-renal (dog), **16**, 1101

Acetylcholine receptor

- channels, effects of anesthetic and convulsant ethers, **16**, 1075
- electric eel electroplaques, **15**, 559
- electric ray
 - electric organ membranes, **15**, 197, 213; **16**, 382, 909
 - electroplax postsynaptic membranes, **15**, 747
- frog skeletal muscle end-plate, **16**, 382, 1075
- ionic channel, inhibition, **16**, 382, 909
- labeling, **15**, 213
- rat skeletal muscle, **16**, 382
- thiamine binding, **15**, 747
- voltage-jump relaxations, **15**, 559

Acetylcholinesterase

- bovine erythrocytes, **16**, 189
- chicken embryo skeletal muscle cells, **16**, 202
- echothiophate inhibition of (rabbit), **15**, 641
- phospholipid dependence, **16**, 189
- sciatic nerve, molecular forms: axonal transport (rabbit), **15**, 641
- secretion, inhibition by monovalent ionophores, **16**, 202

Acridines

- effect on RNA synthesis, **16**, 287

ACTH

- inhibitory analogs (rat), **15**, 271
- regulation of microsomal aryl hydrocarbon hydrox-ylase in adrenal (rat), **15**, 719

ACTH receptor

- rat adrenal, **15**, 271

Actin-myosin

- interaction, inhibitors (bovine, rabbit), **15**, 49

Activator protein, *see* Protein, activator

Acyl phosphatase (K⁺)

- membranes, brain: inhibition by harmala alkaloids (bovine), **15**, 620

Adenosine

- activation of adenylate cyclase (guinea pig), **16**, 462
- analogs, and adenylate cyclase in brain homogenates (rat), **16**, 790
- attenuation of epinephrine-dependent adenylate cy-clase, **16**, 737
- sensitive adenylate cyclase, brain homogenates (rat), **16**, 790

- uptake, brain homogenates (rat), **16**, 790

Adenosine 3',5'-monophosphate

- brain (rat), **15**, 246
- 8-Br-cyclic AMP, tyrosine hydroxylase induction (bovine), **16**, 865
- cat heart muscle, **16**, 429
- dependent phosphorylating system, adrenal tyro-sine hydroxylase activation relation to (rat), **16**, 513
- dependent protein kinase
 - glycogenolysis regulation (rat), **16**, 941
 - heart, prostaglandin E₁ activation (rat), **15**, 235
 - translocation (rat), **15**, 115
- enhancement by microtubule assembly inhibitors, **16**, 215
- guinea pig stomach, **16**, 406
- induction of catecholaminergic enzymes, **15**, 78
- inhibition, atrium (mouse), **16**, 841
- levels

- coronary arteries (swine), **16**, 813
- heart: effect of histamine (guinea pig), **15**, 445
- myometrium and endometrium: prostacyclin as endogenous modulator of (rat), **16**, 823
- response to formyl-methionyl-leucyl-phenylala-nine, **16**, 473

mouse

- lymphocytes, normal and leukemic, **16**, 851
- neuroblastoma cultured cells, **15**, 78
- production, effect of β -adrenergic receptor desensi-tization (frog), **16**, 10
- rabbit neutrophil, **16**, 473
- rat pheochromocytoma cells, **15**, 263
- S49 lymphoma cells, **16**, 215
- stimulation by histamine, **16**, 406
- tyrosine 3-monooxygenase activity regulation, **15**, 263

Adenosinetriphosphatase (Na⁺ + K⁺)

- binding with digoxigenin, effect of sodium, potas-sium, or nucleotides, **16**, 120
- cat peripheral organs, chemically sympathecto-mized, **15**, 35
- effects of Pb²⁺, **15**, 43
- electric eel electroplax, **15**, 43
- ouabain binding, **15**, 35, 43
- positive inotropy, **16**, 135

Adenosinetriphosphatase-digitalis

- complex, nature of transport, **16**, 135

Adenosine 5'-triphosphate

- effect on cardiac steroid binding, **16**, 120

S-Adenosylmethionine

- stabilization of phenylethanolamine N-methyltrans-

¹ Boldface numbers indicate appropriate volume; lightface numbers indicate pagination.

- ferase, 16, 482, 491
- S*-Adenosyl-L-methionine
enzymatic synthesis, inhibition by L-methionine analogues (bacteria, rat liver, yeast), 15, 661
- Adenylate cyclase
activation
by adenosine, 16, 462
by histamine, catecholamines, and prostaglandins, 16, 462
adenosine sensitive: topographical, subcellular, and cellular distribution, 16, 790
 β -adrenergic sensitive
in CNS, 15, 1
inhibition, 15, 588
catalytic activity, effect of β -adrenergic receptor desensitization, 16, 10
cat brain, 15, 1
desensitization by epinephrine and gonadotropins, 15, 439
epinephrine dependent, attenuation by adenosine, 16, 737
frog erythrocytes, 16, 10, 709
ganglioside activation, 15, 484
guinea pig
brain, 16, 417; microvessel, 16, 462
heart, 16, 417; ventricular muscle, 15, 445
histamine-sensitive, 15, 445; 16, 805
human
erythrocytes, 15, 472
leukocyte, 16, 805
in vitro assembly, 15, 472
mouse atrium, inhibition, 16, 841
rat
brain, 15, 1; 16, 737, 790
cerebral cortical membranes, 15, 484
ovary, luteinized, 15, 439
 β -receptor dependent, mechanism of partial agonism in, 16, 749
S49 lymphoma cells, 15, 16, 472; 16, 215
turkey erythrocytes, 15, 472; 16, 737, 749
- Adrenal
cells: steroidogenesis, persistence (rat), 15, 271
cortex
aryl hydrocarbon hydroxylase activity (rat), 15, 719
microsomes, cytochrome *P*-450 content (rat), 15, 719
mitochondria, cytochrome *P*-450 content (rat), 15, 719
progesterone 21-hydroxylase activity (rat), 15, 719
medulla
chromaffin cell primary culture: protein kinase translocation and tyrosine hydroxylase induction (bovine), 16, 865
enkephalins in, 16, 1101
opiate-like materials in (mammals), 16, 1101
protein kinase translocation (rat), 15, 115
stereospecific opiate binding (bovine), 15, 751
microsomal steroid hydroxylases, *in vitro* destruction by thioesters (guinea pig), 16, 997
phenylethanolamine *N*-methyltransferase, regulation (rat), 16, 482, 491
tyrosine hydroxylase, activation (rat), 16, 513
- α -Adrenergic blockade
by verapamil, in liver cells (rat), 15, 598
- α -Adrenergic receptor
binding, multiple sites: effect of 6-hydroxydopamine, 16, 47
characterization using [3 H]phentolamine, 16, 719
guinea pig vas deferens, 16, 77
human platelets, 16, 61, 719
rabbit urinary bladder, 16, 441
rat brain, 16, 47
regulation by guanine nucleotides, 16, 61
- β -Adrenergic receptor
antagonist, irreversible: *N*-[2-hydroxy-3-(1-naphthoxy)-propyl]-*N*-bromoacetylenediamine, 16, 429
- cat
brain, 15, 1
heart muscle, 16, 429
- C6 glioma cells, 15, 588
deficient variants, 15, 16
-dependent adenylate cyclase, mechanism of partial agonism in, 16, 749
desensitization, mechanism, 16, 10
- frog
erythrocytes, 16, 10
myocardium, 16, 1
high affinity agonist binding, 16, 709
human lung cell (VA₂) culture, 16, 429
irreversible blockade, 15, 588
rabbit urinary bladder, 16, 441
- rat
brain, 15, 1, 588
myocardium, 16, 1
S49 lymphoma cells, 15, 16; 16, 215
subtypes, computer resolution, 16, 1
- β -1 Adrenergic receptor
rat heart and lung, 16, 21; and brain, 16, 34
- β -2 Adrenergic receptor
rat heart and lung, 16, 21; and brain, 16, 34
- Adrenocorticotrophic hormone, *see* ACTH
Adrenocorticotropin, *see* ACTH
- Adriamycin
enhancement of glycoprotein synthesis (leukemia cells), 16, 306
- Affinity chromatography
quantitative, antipsychotic drug binding to glutamate dehydrogenase (bovine), 15, 313
- Affinity labeling
cholinergic receptor, 15, 213
- Age
effect on enzyme content (rat), 16, 546
- Agonism
partial, mechanism: β -receptor dependent adenylate cyclase, 16, 749

- Agonist**
 binding, high affinity: effect of β -adrenergic receptor desensitization (frog), 16, 10
 effect on adenylate cyclase in cerebral microvessels (guinea pig), 16, 462
 opiate, 16, 91, 154
- Agonist-receptor**
 binding, 15, 197
- Albumin**
 serum
 binding site on flurazepam (human), 15, 71
 conjugate of α -amanitin, inhibition of cultured cells (bovine), 16, 961
 phenylbutazone binding to (human), 16, 147
 specific drug binding site (human), 15, 754
 specificity of drug binding sites (human), 16, 767
 tryptophan residue, as part of warfarin binding site (human), 16, 778
- Alcohols**
 interaction with erythrocyte membranes (human), 16, 181
- n*-Alkylamines**
 inhibition of norepinephrine uptake (rat), 15, 607
- Alloxan**
 inhibition, insulin release, 16, 361
- α -Amanitin**
 -protein conjugate, inhibition of cultured cells, 16, 961
- Amino acid**
 monocyclic, bicyclic, and tricyclic: L-methionine analogues, 15, 661
 residue modification, in warfarin binding site of serum albumin (human), 16, 778
 uptake, effects of Δ^9 -tetrahydrocannabinol (hepatoma cells), 15, 627
- 3-Aminobicyclo[3.2.0]heptane-3-carboxylic acid**
 inhibition of S-adenosyl-L-methionine synthesis, 15, 661
- 2-Aminobicyclo[2.1.1]hexane-2-carboxylic acid**
 inhibition of S-adenosyl-L-methionine synthesis, 15, 661
- 2-Aminobicyclo[3.2.1]octane-2-carboxylic acid**
 isomer, inhibition of S-adenosyl-L-methionine synthesis, 15, 661
- Aminobutyrate aminotransferase**
 swine brain, 16, 539
- 3-Amino-1,5-cyclohexadienyl carboxylic acid**, *see* **Iso-gabaculine**
- 1-Aminocyclopentane-1-carboxylic acid**, *see* **Cycloleucine**
- 1-Amino-2,5-dimethylcyclopentane-1-carboxylic acid**
 in study of conformational requirements of enzyme active site, 15, 661
- 1-Amino-3,4-dimethylcyclopentane-1-carboxylic acid**
 in study of conformational requirements of enzyme active site, 15, 661
- p*-Aminohippuric acid**
 transport in phospholipid vesicles, 16, 343
- 2-Aminonornbornane-2-carboxylic acid**
 isomer, inhibition of S-adenosyl-L-methionine synthesis, 15, 661
- 7-Aminonornbornane-7-carboxylic acid**
 in study of conformational requirements of enzyme active site, 15, 661
- 3-Aminonortricyclene-3-carboxylic acid**
 in study of conformational requirements of enzyme active site, 15, 661
- Aminopyrine *N*-demethylase**
 rat liver microsomes, 15, 396
- 2-Aminotetralins**
 enantiomers, β -rotamers, α -rotamers, monohydroxyl isomers: binding to dopamine receptor, 16, 369
- 2-Amino-5,6-*exo*-trimethylenenorbornane-2-carboxylic acid**
 isomer, inhibition of S-adenosyl-L-methionine synthesis, 15, 661
- Anesthetics**
 general, effects on
 cation permeability in lipid vesicles, 15, 729
 lipid fluidity, 15, 729
 halothane interaction with lipid bilayers, 16, 163
 local
 action on nicotinic acetylcholine receptor of electropoques (electric eel), 15, 559
 equilibrium binding, 15, 294
 inhibition of platelet phospholipase A₂ activation, 16, 171
 voltage dependence (electric eel), 15, 559
- Angiotensinase**
 inhibitors, effect on angiotensin receptors in aorta (rabbit), 15, 525
- Angiotensin receptors**
 rabbit aorta, 15, 525
- Aniline hydroxylase**
 inhibition, 15, 410
- Antagonists**
 histamine receptor, 16, 417
 opiate, 16, 91, 154
- Anthracycline**
 carbomethoxy-group inhibition of nucleic acid synthesis, 15, 341; 16, 1109
 effect on glycosylation (leukemia cells), 16, 306
 mechanism of action, 15, 341; 16, 1109
- Anthracycline antitumor antibiotics**
 DNA binding, 16, 623
- Antibodies**
 cytochrome P-450 (rat), 15, 154
- Antiestrogen**
 vitamin D regulation (quail), 16, 932
- Antifolate**
 uptake, kinetics, 16, 607
- Antihistaminics**
 effect on histamine-sensitive adenylate cyclase (guinea pig), 15, 445

- Antipsychotic drugs
binding to glutamate dehydrogenase (bovine), 15, 313
- Antitumor
activity *in vivo*, anthracyclines (mouse), 15, 341; 16, 1109
- Antiviral activity
wrapped poly(I) and poly(C) (mouse), 16, 313
- ANTU, *see* 1-Naphthylthiourea
- Aorta
angiotensin receptors, effect of angiotensinase inhibitors (rabbit), 15, 525
inhibitors of actin-myosin interaction (bovine, rabbit), 15, 49
- Apomorphine
binding to dopamine receptors in brain (rat), 16, 69
structure, comparison with bromocriptine, 16, 729
- Arabinofuranosyl cytosine
inhibition of DNA repair, fibroblasts (human), 15, 367
- Arachidonic acid
biotransformation in platelets: effect of local anesthetics, chlorpromazine, and propranolol (human), 16, 171
effects on myometrium (rat), 16, 823
metabolism, effect of phorbol esters (chicken), 16, 569
- Aromatic L-amino acid decarboxylase
inhibition, 15, 108
reduction after α -methyldopa (rat), 15, 86
- Aromatic hydrocarbons
reactive metabolites, liver microsomes (rat), 16, 667
- Arteries
smooth muscle
cyclic nucleotide levels (swine), 16, 813
relaxation by xanthines (swine), 16, 813
- Aryl hydrocarbon hydroxylase, *see* Benzopyrene 3-monooxygenase
- Ascorbate
destruction of opiate binding by, in brain (guinea pig), 16, 105
- ATP:L-methionine S-adenosyltransferase, *see* Methionine adenosyltransferase
- Atrium
cholinergic-adrenergic antagonism: cyclic AMP inhibition (mouse), 16, 841
- Autoradiography
mitochondrial protein (hepatoma cells), 16, 242
- Axon
transport, average velocities (rabbit), 15, 641
- 5-Azacytidine
competitive inhibitor of cytidine phosphorylation, 15, 331
phosphorylation, single enzyme, 15, 331
- 8-Azaguanine
activity toward *E. coli*, 15, 691
- 8-Aza-6-thiinosine
and rearrangement product, *N*- β -D-ribofurano-
syl[1,2,3]thiadiazolo[5,4-*d*]pyrimidin-7-amine:
metabolism and metabolic effects (cell culture),
16, 981
- ## B
- Bacteria
Bacillus cereus, penicillinase: conformational response to substrates, 16, 250
Clostridium perfringens, DNA binding of anthracycline antitumor antibiotics, 16, 623
Escherichia coli
ATP:L-methionine S-adenosyltransferase: inhibition by L-methionine analogues, 15, 661
inhibition by 3-deazaguanine, 15, 691
RNA polymerase, binding to DNA, 16, 287
L. casei, thymidylate synthetase from, 16, 261
Micrococcus luteus, DNA binding of anthracycline antitumor antibiotics, 16, 623
Salmonella typhimurium
mutagenic effect of 7,12-dimethylbenzo[*a*]anthracene-epidioxide, 15, 189
mutagenicity of 1-naphthylthiourea, 15, 678
- Barbiturates
acute and chronic administration, effects on synaptic calcium accumulation (mouse), 15, 386
- Bay region
to K-region, shift of benzo[*a*]pyrene epoxidation, 16, 656
molecular orbital calculations, 16, 633
- β cells
insulin release, 16, 361
- Benzene
interaction with hemoglobin (human), 16, 1046
- Benzo[*a*]anthracene
metabolism, 15, 138
- Benzo[*a*]anthracene 3,4-dihydrodiol
carcinogenicity, 15, 138
metabolite of benzo[*a*]anthracene, fluorimetric determination in liver microsomes (rat), 15, 138
- Benzo[*a*]anthracene phenols
inhibitors, 15, 138
- Benzodiazepin
binding site, serum albumin (human), 16, 778
-human serum albumin dipolar interactions, 15, 71
- Benzodiazepinone
flurazepam-human serum albumin binding, 15, 71
- Benzo[*a*]pyrene
enantiomers (-) and (+), of *trans*-7,8-dihydroxy-7,8-dihydrobenzo[*a*]pyrene: stereospecific oxygenation (rabbit), 16, 1011
mutagenicity, reduction, 16, 656
shift of metabolism, 16, 656
- Benzo[*a*]pyrene (-)-7,8-diol
cytochrome P-450 stereoselectivity, liver microsomes (rabbit), 16, 1011
- Benzo[*a*]pyrene hydroxylase, *see* Benzopyrene 3-monooxygenase

- Benzopyrene 3-monoxygenase**
 activity, inhibition (rat), 15, 154
 rat adrenal cortex microsomes and mitochondria, 15, 719
 regulation by ACTH but not by polycyclic hydrocarbons, 15, 719
- Benzphetamine *N*-demethylase**
 rat liver microsomes, 15, 396
- Binding**
 agonist
 and antagonist to muscarinic receptor, role of thiol and disulfide groups (rat), 15, 531
 high affinity: effect of β -adrenergic receptor desensitization (frog), 16, 10
 antipsychotic drugs, to glutamate dehydrogenase (bovine), 15, 313
 [^3H]apomorphine, [^3H]dopamine, and [^3H]spiperone, 16, 369
 cardiac steroid, 16, 120
 dopamine receptor, regulation by guanine nucleotides, 16, 69
 drugs, to serum albumin (human), 15, 754; 16, 767
 insulin in renal glomeruli and tubules (rat), 16, 1095
 ligand, selective, 16, 1
 local anesthetic, to postsynaptic membranes (electric ray), 15, 294
 muscarinic
 neutrophils (human), 15, 28
 receptor, structural and stereochemical requirements (rat), 15, 227
 opiate, stereospecific: in adrenal medulla (bovine), 15, 751
 pargyline (hepatoma cells), 16, 242
 phenylbutazone to serum albumin (human), 16, 147
 photolytic, ethidium monoazide to nucleic acids and polynucleotides, 15, 322
 sites, multiple: α -noradrenergic receptors in brain (rat), 16, 47
 specific, kainic acid to receptor sites in brain (rat), 15, 492
 spectrum, type I: loss due to fatty acyl CoA, 15, 410
 spiperone, in limbic system (rat), 15, 506
- Biological activity**
 serotonin congeners, 16, 1031
- Bladder**
 urinary, response to adrenergic agonists (rabbit), 16, 441
- Blenoxane, see Bleomycin**
- Bleomycin**
 A₂, ferrous oxidase (fungus), 16, 256
- α -Bungarotoxin**
 acetylcholine, binding, 16, 382
- Butyrophenones**
 binding to glutamate dehydrogenase (bovine), 15, 313
- Blockade**
 voltage-dependent and voltage-independent, of acetylcholine receptors by local anesthetics (electric eel), 15, 559
- Brain**
 β -adrenergic receptors, norbornyl derivative of propranolol interaction with, 15, 588
 4-aminobutyrate aminotransferase inhibition by isogabaculine (swine), 16, 539
 caudate nucleus, adenylate cyclase regulation by adenosine (rat), 16, 737
 cerebellum, guanosine 3',5'-monophosphate: drug-induced changes after paralysis (rat), 15, 246
 cerebrum
 cortex, thiol and disulfide groups of muscarinic receptor (rat), 15, 531
 cortical membranes: gangliosides and adenylate cyclase (rat), 15, 484
 choline
 as muscarinic agonist (rat), 16, 1084
 uptake, effect of corticosteroids (cat), 16, 886
 cortex, [^3H]dihydroalprenolol binding sites and β -adrenergic receptors coupled with adenylate cyclase (cat, rat), 15, 1
 dopamine receptor binding, regulation by guanine nucleotides (rat), 16, 69
 histamine receptors and adenylate cyclase (guinea pig), 16, 417
 homogenates, adenosine-sensitive adenylate cyclase topographical, subcellular, and cellular distribution (rat), 16, 790
 kainic acid receptor binding (rat), 15, 492
 limbic system, [^3H]spiperone binding sites (rat), 15, 506
 lipid bilayers, ethanol-induced fluidization (mouse), 15, 739
 measurement of β -1 and β -2 adrenergic receptors (rat), 16, 34
 membranes
 K⁺-acyl phosphatase reaction: inhibition by harmala alkaloids (bovine), 15, 620
 multiple opiate receptors (rat), 16, 91
 multiple serotonin receptor binding (rat), 16, 687
 proteins in stereospecific opiate binding (mouse), 16, 757
 serotonin receptor binding sites (mammalian), 16, 700
 muscarinic acetylcholine receptors, regional heterogeneity and isomerization (mouse), 15, 545
 α -noradrenergic receptor binding sites, multiple: effect of 6-hydroxydopamine (rat), 16, 47
 opiate binding, destruction by ascorbate (guinea pig), 16, 105
 presynaptic nerve terminals, organic calcium antagonists and (rat), 16, 579
 striatum
 2-aminotetralin binding to dopamine receptor (bovine), 16, 369
 slices, activation of tyrosine hydroxylase (rat), 16, 224
 synaptic vesicles: norepinephrine uptake, inhibition (rat), 15, 607
 synaptosomes, effect of verapamil (rat), 16, 877

- Brij 36-T
solubilization, ³H-enkephalinamide in brain membranes (mouse), 16, 757
- Bromocriptine
molecular structure, comparison with apomorphine, 16, 729
- 8-Bromo-3',5'-cyclic AMP
induction of tyrosine hydroxylase and dopamine β -hydroxylase (neuroblastoma cells), 15, 78
- C
- Cadmium
inhibition of ligand binding to muscarinic receptor (rat), 15, 531
- Calcium
antagonist, effect on Ca influx in presynaptic nerve terminals, 16, 579
Ca²⁺-binding activator protein (bovine, rabbit), 15, 49
Ca²⁺-dependent phosphodiesterase, phenothiazine inhibition, 15, 257
channel,
effects of organic calcium antagonists, 16, 579
heart cell culture: effect of D600, 15, 174
-dependent
activator protein (rat), 15, 484
regulator, inhibition by neuroleptic drugs, 16, 1089
fluxes in hepatocytes
 α -adrenergic modulation of (rat), 15, 598
effects of verapamil (rat), 15, 598
pituitary cells, requirement in release mechanism (rat), 16, 196
role as intracellular regulator, 16, 196
- Calmodulin
effect on phosphodiesterases in lymphocytes (mouse), 16, 851
- Cancer
chemotherapy, resistance: effect of methotrexate, 16, 614
- Cannabinoids
inhibition of nucleoside uptake by (hepatoma cells), 15, 627
- Carbamylcholine
binding to muscarinic receptors (rat), 15, 531
- Carbodiimide
inhibition of acetylcholinesterase (bovine), 16, 189
- β -Carbolines
inhibition of norepinephrine uptake (rat), 15, 607
- Carbomethoxy group
in anthracycline class II, 16, 623
- Carbon dioxide
effect on brain guanosine 3',5'-monophosphate (rat), 15, 246
- Carbon monoxide
binding to hemoglobin, 16, 1065
- Carboxyhemoglobin
in interaction of dichloromethane with hemoglobin, 16, 1065
- Carboxymethylcellulose
complexes with polylysine and polynucleotides (mouse), 16, 313
- Carcinogen
polycyclic aromatic, metabolic activation, 16, 633
- Carcinogenicity
polycyclic aromatic hydrocarbon, 16, 643
- Cardiac glycosides
positive inotropy, 16, 135
- Cardiac steroid
digoxigenin binding with (Na⁺ + K⁺)-adenosinetriphosphatase, 16, 120
- Cardiolipin
acetylcholinesterase modulation, erythrocytes (bovine), 16, 189
- Carrier-mediated drug transport
processes, characterization, 16, 587
- Catalase
liver, effects of interferon-inducing agents (rat), 15, 698
- Catecholamine enzymes
induction by cAMP (neuroblastoma cells), 15, 78
- Catecholamines
adrenal medulla, storage and secretion of opiate-like materials with, 16, 1101
secretion, pheochromocytoma cells (rat), 15, 263
stereospecificity, inhibition of binding of [³H]dihydroergocryptine (guinea pig), 16, 77
synthesis
pheochromocytoma cells (rat), 15, 263
and release, chromaffin cell culture (bovine), 16, 865
- Cations
divalent, inhibition of ouabain binding (electric eel), 15, 43
- Caudate nucleus
choline uptake, effect of corticosteroids (cat), 16, 886
- CCRF-CEM cells
leukemic, thymidine inhibition of DNA synthesis (human), 16, 601
- Cell
division, inhibition by mimosine (protozoa), 16, 278
- Central nervous system
depressants, 15, 246
stimulants, 15, 246
- Cerebroside sulfate
interaction with opiates, 16, 154
- [³H]Cerebroside sulfate
transfer, induction by opiate agonists and inhibition by opiate antagonists, 16, 393
- Cerebrum, *see* Brain
- Chemotherapy
leukemia, selective inhibition of phosphodiesterase activity (mouse), 16, 851
- Chlordecone
effects on uterine estrogen receptor (rat), 15, 515

- Chlorpromazine
 effect on phosphodiesterases in lymphocytes (mouse), 16, 851
 inhibition of platelet phospholipase A₂ activation, 16, 171
- Cholera toxin
 effect on tyrosine 3-monooxygenase, pheochromocytoma cells (rat), 15, 263
 increase of endogenous cyclic AMP and induction of tyrosine hydroxylase (bovine), 16, 865
 substrates, in regulation of adenylate cyclase, 15, 472
- Cholesterol
 synaptosomal membranes, required for expression of ethanol tolerance (mouse), 15, 739
- Cholesterol esterase
 inhibition by Δ^9 -tetrahydrocannabinol (mouse, rat), 15, 633
- Choline
 muscarinic agonist in brain (rat), 16, 1064
 uptake, high affinity: forebrain (cat), 16, 886
- Cholinergic-adrenergic antagonism
 mouse atrium, 16, 841
- Cholinergic receptor
 electric ray electric organ membranes, 15, 197, 213
 nicotinic, local anesthetic binding site, 15, 294
 subunits, labeling, 15, 213
- Cholinergic transmission
 effects of quinuclidine (frog, rat), 16, 382
- Chromaffin cells
 opiate-like materials in, 16, 1101
 primary culture, protein kinase translocation and tyrosine hydroxylase induction (bovine), 16, 865
- Cimetidine
 effect on histamine receptors and adenylate cyclase, 16, 417
- Circular dichroism
 measurements, dicumarol bound to serum albumin (human), 16, 778
- Citrate
 transport, inhibition by (-)-erythro-fluorocitrate, 16, 686
- Clones
 variant, cyclic AMP enhancement by microtubule assembly inhibitors, 16, 215
- Clonidine
 binding, brain membranes (rat), 16, 47
- Clorgyline
 inhibition of heart type A monoamine oxidase (rat), 16, 546
 monoamine oxidase inhibition and binding (bovine, rat), 16, 234
- Codeine N-demethylase
 liver microsomes (guinea pig, mouse, rabbit, rat), 15, 396
- Colchicine
 effects on
 leukocyte adenylate cyclase (human), 16, 805
 tyrosine hydroxylase activity (bovine), 16, 865
 inhibition of microtubule assembly (lymphoma cells), 16, 215
- Collagen
 synthesis, in dermis: effect of glucocorticoids (rat), 15, 99
 underhydroxylated, no cellular accumulation after glucocorticoids (rat), 15, 99
- Compound 48/80
 structure, nuclear magnetic resonance, 15, 179
- Computer
 resolution of β -adrenergic receptor subtypes, 16, 1
- Concanavalin A
 in purification of pheochromocytoma dopamine- β -hydroxylase (human), 16, 529
- Contractile force
 effect of prostaglandin E₁ activation of heart protein kinase (rat), 15, 235
- Corticosteroids
 effect on brain choline uptake (cat), 16, 886
- Coumarin
 anticoagulants, binding sites of serum albumin (human), 16, 778
- Covalent modification
 β -adrenergic receptors, 16, 429
- Culture
 HEp 2 cells, metabolism and metabolic effects of 8-aza-6-thioinosine and rearrangement product, 16, 981
 primary, chromaffin cells: protein kinase translocation and tyrosine hydroxylase induction (bovine), 16, 865
 Reuber H-4-II-E hepatoma cells, UDP-glucuronosyltransferase activity, 16, 950
 RPMI 6410 cells, low specificity of nucleoside transport mechanism, 16, 900
- Currents
 time- and voltage-dependent: effects of piperocaine on ion channel of acetylcholine receptor (electric ray), 16, 909
- Curve fitting
 by computer program, 16, 1
- Cyclic AMP, *see* Adenosine 3',5'-monophosphate
- Cyclic AMP phosphodiesterase
 flavonoid inhibition, 16, 556
- Cyclic GMP, *see* Guanosine 3',5'-monophosphate
- Cyclic GMP phosphodiesterase
 Ca²⁺-dependent regulatory protein activation, 15, 257
 swine cerebral cortex, 15, 257
- Cyclic nucleotide
 derivatives, enzyme induction by (hepatoma cells), 16, 449
- Cyclic nucleotide phosphodiesterase
 bovine aorta smooth muscle, 15, 49
 inhibition (swine), 16, 813
 mouse lymphocytes, normal and leukemic, 16, 851
 rabbit aortic strip, 15, 49

- Cycloleucine
inhibition of *S*-adenosyl-*L*-methionine synthesis, 15, 661
- Cyclopentaneglycine
inhibition of *S*-adenosyl-*L*-methionine synthesis, 15, 661
- Cytochrome *P*-448
nuclear, liver: localization by immunochemical method (rat), 16, 324
- Cytochrome *P*-450
effect of
ACTH, 15, 719
hypophysectomy, 15, 719
hepatic and extrahepatic, immunological comparison (rat), 15, 154
liver
effects of interferon-inducing agents (rat), 15, 698
microsomes, catalytic activity and stereoselectivity (rabbit), 16, 1011
metabolic activity, 16, 332
monooxygenase systems
effect of nucleotide pyrophosphatase on stoichiometry, 15, 396
inhibition by 2',5'-ADP, 15, 396
multiple forms, liver microsomes: catalytic differences (rabbit), 15, 708
rat
adrenal cortex microsomes and mitochondria, 15, 719
liver nuclear membranes, 15, 192
systems, liver: inhibition by fatty acyl CoA, 15, 410
- Cytochrome *P*-450 reductase
interaction with cytochrome *P*-450, 16, 332
- Cytotoxicity
in vitro, anthracyclines, 15, 341; 16, 1109
- D**
- D-600
effects on brain synaptosomes (rat); and neuromuscular junction (frog), 16, 579
inhibition of
neurotransmitter uptake (rat), 16, 877
sodium channels, heart cell culture, 15, 174
- Data
analysis of ligand-receptor interactions, 16, 1
- Daunomycin-polydeoxynucleotide
complexes, dissociation: rate constants, kinetics, 16, 357
- DDMP, *see* Metoprine
- 3-Deazaguanine
activity toward *E. coli*, 15, 691
- Degradation
adrenal phenylethanolamine *N*-methyltransferase, regulation (rat), 16, 482, 491
- N*-Demethylase
reactions, by liver microsomes (guinea pig, mouse, rabbit, rat), 15, 396
- Deoxyribonucleotide
pools, effect of thymidine (human), 16, 601
- Deoxyuridine
incorporation, inhibition by metoprine and methotrexate, 16, 607
- Depolarization
activation of striatal tyrosine hydroxylase (rat), 16, 224
- Deprenyl
monoamine oxidase inhibition and binding (bovine, rat), 16, 234
- Descarbomethoxy-marcellomycin
antitumor effects, 15, 341; 16, 1109
- Descarbomethoxy-rudolfomycin
antitumor effects, 15, 341; 16, 1109
- Desensitization
adenylate cyclase: by hormones, specificity, 15, 439
 β -adrenergic receptor, mechanism, 16, 10
erythrocytes, mechanism (frog), 16, 709
histamine H_1 receptors of nerve cells (mouse), 15, 462
- 2,4-Diamino-5-cyano-6-halopyridines
as insulin secretagogues (rat), 15, 287
- 2,4-Diamino-5-(3',4'-dichlorophenyl)-6-methylpyrimidine, *see* Metoprine
- Dibenzo[*a,h*]anthracene
DBA 3,4-dihydrodiol, formation (rat), 16, 643
DBA 3,4-diol-1,2-epoxides, formation (rat), 16, 643
metabolism, liver (rat), 16, 643
- Dibutyl-*c*AMP
activation of striatal tyrosine hydroxylase (rat), 16, 224
- Dichloromethane
effect on hemoglobin, 16, 1065
- Dicumarol
binding to warfarin, indole, and benzodiazepine
binding sites of serum albumin (human), 16, 778
- Diethyl ether
effect on conductance and open-time of acetylcholine receptor channels (frog), 16, 1075
- Digitalis receptor
occupation, papillary muscle (cat), 16, 135
- Digoxigenin
binding to ($Na^+ + K^+$)-adenosinetriphosphatase, 16, 120
- Digoxin
positive, inotropy, 16, 135
- [3H]Dihydroalprenolol
binding
effect of β -adrenergic receptor desensitization (frog), 16, 10
myocardium (frog, rat), 16, 1
sites, CNS (cat, rat), 15, 1
- [3H]Dihydroergocryptine
binding, platelets
guinea pig, 16, 77
human, 16, 61
- L-3,4-Dihydroxyphenylalanine, *see* Dopa aminotransferase

- 1,25-Dihydroxyvitamin D₃
production and regulation (quail), 16, 932
- 7,12-Dimethylbenz[a]anthracene-epidioide
mutagenic effect (bacteria), 15, 189
- 5,5-Dimethyl-1-pyrroline-*N*-oxide
spin trapping of superoxide by, 16, 676
- Diol epoxide
formation, reactivity in steps in, 16, 633
- Dioxolane derivatives
muscarinic receptor interactions, 15, 227
- Dipyridamole
effect on phosphodiesterases in lymphocytes
(mouse), 16, 851
- Disulfide
groups, in agonist and antagonist binding to muscarinic receptor (rat), 15, 531
- Dithiothreitol
in agonist and antagonist binding to muscarinic receptor (rat), 15, 531
- DNA
binding of anthracycline antitumor antibiotics, 16, 623
synthesis
effect of anthracyclines, 15, 341; 16, 1109
inhibition by mimosine (protozoa), 16, 278
testis: inhibition by narcotics (rat), 16, 970
thymidine inhibition (human), 16, 601
transcription *in vitro*, inhibition by nitracrine, 16, 287
- DNA polymerase
deoxynucleotide inhibition (human), 16, 601
RNA-directed, polyribonucleotide inhibition of (viruses), 16, 297
- Dopa aminotransferase
liver homogenates, inhibition (human, rat), 15, 108
- Dopamine
agonists, stereochemistry, 16, 729
conformation, 16, 369
effect on binding to multiple serotonin receptors, 16, 687
- Dopamine β -hydroxylase, *see* Dopamine β -monooxygenase
- Dopamine β -monooxygenase
induction (neuroblastoma cells), 15, 78
pheochromocytoma, purification and molecular parameters (human), 16, 529
plasma, thermal stability (human), 15, 649
serum, genetic analysis (rat), 16, 922
- Dopamine/neuroleptic receptors
rat limbic system, 15, 506
- Dopamine receptor
agonist and antagonist forms, 16, 369
binding, regulation by guanine nucleotides, 16, 69
bovine brain, 16, 369
rat brain, 16, 69
- Drug
binding, to serum albumin (human), 15, 754; 16, 767
metabolism, liver (rat), 16, 324
resistance, effect of poly(L-lysine) conjugates of
methotrexate, 16, 614
serotonin congeners: prediction of biological potency, 16, 1031
- Drug-protein
interactions, antipsychotic drug binding to glutamate dehydrogenase (bovine), 15, 313
- Drug-receptor
complex, interactions: theory, 15, 60
multi-subsite, for multivalent ligands, 15, 60
- E**
- Echothiophate
inhibition of acetylcholinesterase (rabbit), 15, 641
- Electric eel
Electrophorus electricus
electroplaques from organ of Sachs, acetylcholine receptors in, 15, 559
electroplax microsomes: (Na⁺ + K⁺)-ATPase from, 15, 43
- Electric organ
effect of
piperocaine, 16, 909
quinocrine, 16, 382
- Electric ray
Torpedo californica
electric organ membranes: receptor state transitions 15, 197, 213
electroplax, postsynaptic membranes, effect of thiamine, 15, 747
Torpedo marmorata, electric organ: postsynaptic membranes, local anesthetic binding, 15, 294
Torpedo ocellata, electric organ
effect of piperocaine, 16, 909
effect of quinacrine, 16, 382
- Electron paramagnetic resonance
furylfuramide isomerization, free radical intermediate, 16, 1059
in spin trapping of superoxide, 16, 676
- Electron spin resonance, *see* Electron paramagnetic resonance
- Electrophoresis
gel, cyclic nucleotide phosphodiesterases of normal and leukemic lymphocytes (mouse), 16, 851
polyacrylamide gel, monoamine oxidase, forms A and B (hepatoma cells), 16, 242
- End-plate
current, shortened time course, 16, 382
- Enkephalin
in adrenal medulla, 16, 1101
binding, opiate receptors in brain (rat), 16, 91
- ³H-Enkephalinamide
binding, brain membranes (mouse), 16, 757
- Enzyme
active center titration, 16, 546
induction by cyclic nucleotide derivatives (hepatoma cells), 16, 449
inhibition, by polyribonucleotides (viruses), 16, 297
specificity, acquisition (bacteria), 16, 250

- Epinephrine**
 -dependent adenylate cyclase, attenuation by adenosine, 16, 737
 desensitization of adenylate cyclase, 15, 439
 oxidation, mechanism, 15, 428
- Epoxide hydrazase**
 induction by phenobarbital, 15, 192
 liver nuclear membranes and microsomes (rat), 15, 192
- Epoxide hydratase**, *see* Epoxide hydrolase
- Epoxide hydrolase**
 induction by *trans*-stilbene oxide (rat), 16, 656
- Erratum**
 corrected dates for receipt and acceptance of articles in September and November 1978 and January issues 15, 758
- Erythrocytes**
 acetylcholinesterase, modulation by phospholipid (bovine), 16, 189
 adenylate cyclase regulation by adenosine (turkey), 16, 737
 β -adrenergic receptor desensitization, mechanism (frog), 16, 10
 desensitization, mechanism (frog), 16, 709
 membranes, interaction with phenothiazines and alcohols (human), 16, 181
 partial agonism in β -receptor dependent adenylate cyclase (turkey), 16, 749
- Estrogen**
 vitamin D regulation (quail), 16, 932
- Estrogen receptor**
 effects of chlordecone, 15, 515
 rat uterus, 15, 515
- Ethanol**
 tolerance, and fluidization of brain lipid bilayers (mouse), 15, 739
- Ethers**
 anesthetic and convulsant, effects on acetylcholine receptor channels (frog), 16, 1075
- Ethidium monoazide**
 photolytic binding, to nucleic acids and polynucleotides, 15, 322
- 7-Ethoxycoumarin O-deethylase**
 activity, inhibition (rat), 15, 154
- N-Ethylmaleimide**
 in agonist and antagonist binding to muscarinic receptor (rat), 15, 531
 inhibition of adenylate cyclase, 16, 709
- Ethylmorphine N-demethylase**
 rat liver microsomes, 15, 396, 410
- Extrahepatic tissues**
 and hepatic cytochrome P-450, immunological comparison (rat), 15, 154
- F**
- Fatty acyl CoA**
 inhibition of liver cytochrome P-450 systems, 15, 410
- Ferrous oxidase**
 bleomycin A₂, 16, 256
- Fibroblasts**
 arachidonic acid metabolism, effect of phorbol esters (chicken), 16, 569
 DNA repair, arabinofuranosyl cytosine inhibition (human), 15, 367
 embryo, arachidonic acid metabolism, effect of phorbol esters (chicken), 16, 569
 porcine leukocyte interferon and antiviral activity in (human), 15, 685
- Filtration**
 gel, plasma dopamine- β -hydroxylase (human), 15, 649
- Flavonoid**
 inhibition of cyclic AMP, 16, 556
- Fluoride**
 inhibition of acetylcholinesterase (bovine), 16, 189
- Fluorocitrate**
 binding to mitochondrial proteins, 16, 686
- 5-Fluorouracil**
 incorporation into nuclear RNA (leukemia cells), 16, 270
 metabolism (lymphoma cells), 15, 357
- Fluothyl**
 effect on conductance and open-time of acetylcholine receptor channels (frog), 16, 1075
- Flurazepam**
 interactions with human serum albumin, 15, 71
- FM 24**
 1-(2-exo-bicyclo[2,2]Hept-2-ylphenoxy)-3-[(methylethyl)-amino]-2-propanol, blockade of β -adrenergic receptors, 15, 588
- Folic acid**
 quinazoline analogs of, inhibition of thymidylate synthetase (bacteria, leukemia cells), 16, 261
- Forebrain**
 choline uptake, effect of corticosteroids (cat), 16, 886
- Formyl-methionyl-leucyl-phenylalanine**
 neutrophil, cyclic AMP response to (rabbit), 16, 473
- Fungi**
Streptomyces verticillus, bleomycin A₂ production, 16, 256
- Furylfuramide**
 isomerization by oxygen-sensitive nitroreductases, free radical intermediate, 16, 1059
- G**
- Gangliosides**
 activation of adenylate cyclase, brain (rat), 15, 484
- Gaussian resolution**
 dicumarol bound to serum albumin (human), 16, 778
- Gene**
 expression, regulation (rat), 15, 115
- Genetics**
 serum dopamine- β -hydroxylase (rat), 16, 922

- Genetic variants
 S49 lymphoma cells, deficient in β -adrenergic receptors, 15, 16
- Glomeruli
 insulin receptors in (rat), 16, 1095
- Glucocorticoids
 decreased prollyl hydroxylase activity (rat), 15, 99
- Glucoreceptor
 structural requirements, for insulin release, 16, 361
- Glucose
 mimicking of (rat), 15, 287
- D-Glucose
 insulin release, 16, 361
- L-Glutamate
 role in kainate neurotoxicity (rat), 15, 492
- Glutamate dehydrogenase
 antipsychotic drug binding (bovine), 15, 313
- Glycogenolysis
 in hepatocytes, regulation (rat), 15, 598; 16, 941
- Glycoprotein
 synthesis, enhancement by adriamycin (leukemia cells), 16, 306
- Glycosylation
 enhancement by adriamycin (leukemia cells), 16, 306
- Golgi
 skeletal muscle, glycoprotein secretion (chicken), 16, 202
- Gonadotropin
 chorionic (human): desensitization of adenylate cyclase (rat), 15, 439
 mechanism of release (rat), 16, 196
- Gonadotropin releasing hormone
 mechanism of action (rat), 16, 196
- Guanine
 prevention of 3-deazaguanine inhibition of *E. coli*, 15, 691
- Guanine nucleotides
 effect on
 adenylate cyclase in cerebral microvessels (guinea pig), 16, 462
 phentolamine binding to platelet membranes (human), 16, 719
 serotonin receptor binding sites, 16, 700
 regulation of
 adenylate cyclase, 15, 472
 α -adrenergic receptors in platelets (human), 16, 61
 agonist affinity, 16, 709
 dopamine receptor binding in brain (rat), 16, 69
- Guanine phosphoribosyltransferase
 mutant deficient in (bacteria), 15, 691
- Guanosine 3',5'-monophosphate
 cerebellum, drug-induced changes after paralysis (rat), 15, 246
 levels in coronary arteries (swine), 16, 613
 mouse lymphocytes, normal and leukemic, 16, 851
 synthesis, histamine H_1 -receptor-mediated (mouse), 15, 462
 swine cerebral cortex, 15, 257
- Guanosine 5'-triphosphate
 effect on serotonin receptor binding sites, 16, 700
 regulation of adenylate cyclase, 15, 472
 reversal of ACTH binding by (rat), 15, 271
- Guanylate cyclase
 rat cerebellum, 15, 246
- Guanylnucleotides
 activation of adenylate cyclase (rat), 15, 484
- ## H
- Halothane
 interaction with lipid bilayers, 16, 163
- Harmala alkaloids
 inhibition of K^+ -acyl phosphatase reaction of membranes (bovine), 15, 620
- Harmaline
 interaction with membrane K^+ -acyl phosphatase (bovine), 15, 620
- Heart
 atrium, cholinergic-adrenergic antagonism: cyclic AMP inhibition (mouse), 16, 841
 cell culture, inhibition of sodium channels by D600, 15, 174
 contractility, coupling between β -adrenergic receptors and (cat), 16, 429
 coronary artery smooth muscle
 cyclic nucleotide levels (swine), 16, 813
 relaxation (swine), 16, 813
 histamine receptors and adenylate cyclase (guinea pig), 16, 417
 measurement of β -1 and β -2 adrenergic receptors (rat), 16, 34
 monoamine oxidase type A, inhibition by clorgyline (rat), 16, 546
 myocardium, β -adrenergic receptors (frog, rat), 16, 1
 ornithine decarboxylase, regulation (rat), 16, 504
 ouabain binding, regeneration after chemical sympathectomy (cat), 15, 35
 papillary muscle, inotropy and cardiac glycoside interaction with Na^+, K^+ -adenosinetriphosphatase (cat), 16, 135
 pharmacological specificity of β -1 and β -2 adrenergic receptors (rat), 16, 21
 protein kinase, prostaglandin E_1 activation (rat), 15, 235
 ventricle, muscle: histamine-sensitive adenylate cyclase (guinea pig), 15, 445
- Heme
 metabolism, effects of interferon-inducing agents (rat), 15, 698
- Hemoglobin
 interactions with benzene and toluene (human), 16, 1046
 ligand binding, effect of dichloromethane (human), 16, 1065
- Hemoproteins
 liver, depression by interferon-inducing agents (rat),

- 15, 698
- Hepatoma cells**
 coordinate protein kinase activation and enzyme induction, 16, 449
 monoamine oxidase, forms A and B: electrophoresis (rat), 16, 242
 nucleoside uptake, effects of Δ^9 -tetrahydrocannabinol, 15, 627
 Reuber H-4-II-E, culture: UDP-glucuronosyltransferase activity (rat), 16, 951
- Hexoses**
 insulin release, 16, 361
- Hippocampus**
 choline uptake, effect of corticosteroids (cat), 16, 886
- Histamine**
 release from mast cells by compound 48/80 (rat), 15, 179
 -sensitive adenylate cyclase, interaction with colchicine, 16, 805
 stimulation of adenylate cyclase activity (guinea pig), 15, 445
- Histamine receptor**
 desensitization, 15, 462
 guinea pig stomach, 16, 406
 H_1 and H_2
 antagonists: action, 16, 406
 and histamine-sensitive adenylate cyclase from cardiac ventricular muscle (guinea pig), 15, 445
 H_2
 guinea pig brain and heart, 16, 417
 leukocyte (human), 16, 805
 mouse neuroblastoma cells, 15, 462
- Histronicotoxin**
 binding site, 15, 294
- Hofstee**
 plots, linear and nonlinear: in measurement of β -1 and β -2 adrenergic receptors, 16, 34
- Hormone receptors**
 multi-subsite, for multivalent ligands, 15, 60
- Human**
 chorionic gonadotropin, desensitization of adenylate cyclase, 15, 439
 erythrocyte membranes, interaction with phenothiazines and alcohols, 16, 181
 fibroblasts, porcine leukocyte interferon and antiviral activity in, 15, 685
 hemoglobin
 interaction of dichloromethane with, 16, 1065
 interaction with benzene and toluene, 16, 1046
 inhibition of platelet phospholipase A_2 activation, 16, 171
 leukemic CCRF-CEM cells, thymidine inhibition of DNA synthesis, 16, 601
 lymphoblastoid cell line, WIL-2, methotrexate and metoprine uptake and metabolic effectiveness (human), 16, 607
 pheochromocytoma dopamine- β -hydroxylase, 16, 529
 plasma dopamine- β -hydroxylase, thermal stability, 15, 649
 platelets
 α -adrenergic receptors, regulation by guanine nucleotides, 16, 61
 phentolamine binding to α -adrenergic receptors, 16, 719
 serum albumin
 interactions with flurazepam, 15, 71
 phenylbutazone binding to, 16, 147
 specific drug binding site, 15, 754
 specificity of drug binding sites, 16, 767
 tryptophan residue, as part of warfarin binding site, 16, 778
 skin fibroblasts, DNA repair: inhibition by arabinofuranosyl cytosine, 15, 367
- Hydrogen**
 bonding, 2,4-diamino-5-cyano-6-halopyridines, comparison with glucose (rat), 15, 287
 $[^3H]$ Hydroxybenzylisoproterenol
 binding, effect of β -adrenergic receptor desensitization (frog), 16, 10
- 6-Hydroxydopamine**
 chemical sympathectomy of peripheral organs by (cat), 15, 35
 effect on α -noradrenergic receptor binding sites in brain (rat), 16, 47
 lesion, brain: effect on adenosine-sensitive adenylate cyclase (rat), 16, 790
- Hydroxylamines**
 oxidation by superoxide, 15, 131
- Hydroxyl radical**
 and spin trapping of superoxide, 16, 676
- 5-Hydroxytryptamine**, *see* Serotonin
- Hypoxanthine-guanine phosphoribosyltransferase**
 mutant deficient in (bacteria), 15, 691

I

- Imidazoline**
 α -adrenoreceptor ligands, vas deferens (guinea pig), 16, 77
- Immunology**
 tissue comparison (rat), 15, 154
- Immunotitration**
 aromatic L-amino acid decarboxylase (rat), 15, 86
- Indole**
 binding site, serum albumin (human), 16, 778
- Indolealkylamines**
 inhibition of norepinephrine uptake (rat), 15, 607
- Inhibition**
 complex, K^+ -acyl phosphatase reaction of membranes (bovine), 15, 620
 cytochrome P-450 systems with fatty acyl CoA, 15, 410
 Leydig cell testosterone synthesis, by Δ^9 -tetrahydrocannabinol (mouse, rat), 15, 633
 norepinephrine uptake in brain synaptic vesicles (rat), 15, 607

- selective, of phosphodiesterase activity in leukemic lymphocytes (mouse), 16, 851
- Inhibitors**
selective, of Ca^{2+} -binding modulator of phosphodiesterase (bovine, rabbit), 15, 49
- Inotropy**
positive, and inhibition of Na^+ , K^+ -adenosinetriphosphatase, 16, 135
- Insulin**
release, steric requirements, 16, 361
secretion, effect of 2,4-diamino-5-cyano-6-halopyridines (rat), 15, 287
- Insulinotropic agent**
oral, 2,4-diamino-5-cyano-6-halopyridines (rat), 15, 287
- Insulin receptors**
differing affinity, in renal glomeruli and tubules (rat), 16, 1095
- Interferon**
cross-species (bovine, human, porcine), 15, 685
inducers, in myeloid cells and splenocytes (human), 15, 165
-inducing agents, effects on
cytochrome *P*-450 systems (rat), 15, 698
hepatic hemoproteins (rat), 15, 698
not induced by wrapped poly(I) and poly(C) (mouse), 16, 313
- $[^{125}\text{I}]$ Iodoxybenzylpindolol
binding to β -adrenergic receptor
cat heart, 16, 429
human lung cell culture, 16, 429
binding, heart and lung (rat), 16, 21
- Ion**
permeability, postsynaptic membranes: effect of thiamine (electric ray), 15, 747
- Ionic channel**
inhibition, 16, 382, 909
- Ionophore**
A23187-mediated Ca^{2+} uptake in liver cells, inhibition by verapamil (rat), 15, 598
monovalent, inhibition of acetylcholinesterase secretion (chicken), 16, 202
- Iris-ciliary body**
muscarinic acetylcholine receptors (rabbit), 15, 581
- Isoelectric focusing**
in stereospecific opiate binding, 16, 757
- Isogabaculine**
inhibition of 4-aminobutyrate and L-ornithine aminotransferases, 16, 539
- Isomerization**
furylfuramide by oxygen-sensitive nitroreductases, free radical intermediate, 16, 1059
- Isoproterenol**
effect on ornithine decarboxylase (rat), 16, 504
and β -receptor activation, 16, 429
regulation of adenylate cyclase, 15, 472
- J**
- Junction**
neuromuscular, effects of organic calcium antagonists (frog), 16, 579
- K**
- Kainic acid**
lesion, brain: effect on adenosine-sensitive adenylate cyclase (rat), 16, 790
receptor binding, brain (rat), 15, 492
- Kepone**, *see* Chlordecone
- Kidney**
glomeruli and tubules, insulin receptors of differing affinity (rat), 16, 1095
homogenates: 1,25-dihydroxyvitamin D_3 production, effect of antiestrogen (quail), 16, 932
membranes, "carrier" proteins (dog), 16, 343
- K-region**
from bay region, shift of benzo[*a*]pyrene epoxidation, 16, 656
- L**
- β -Lactamase, *see* Penicillinase
- Lead**
 Pb^{2+} , inhibition of ouabain binding (electric eel), 15, 43
- Lectin**
binding, interferon, 15, 685
- Ledakrin**, C-283, *see* Nitracrine
- Leukemia cells**
CCRF-CEM, thymidine inhibition of DNA synthesis (human), 16, 601
- L1210**
nuclear RNA synthesis, effect of 5-fluorouracil, 16, 270
thymidylate synthetase from, 16, 261
- P388 murine**: glycoprotein synthesis, enhancement by adriamycin, 16, 306
- Leukocytes**
histamine-sensitive adenylate cyclase, interaction with colchicine (human), 16, 805
interferon (human, porcine), 15, 685
- Leydig cell**
effect of narcotics (rat), 16, 970
testosterone synthesis, inhibition by Δ^9 -tetrahydrocannabinol (mouse, rat), 15, 633
- Ligands**
multivalent, multi-subsite receptors for: drugs, hormones, and neurotransmitters, 15, 60
selective, β -adrenergic: binding, 16, 1
specificity of state transitions in cholinergic receptor, 15, 197
- Limbic system**
 $[^3\text{H}]$ spiperone binding sites (rat), 15, 506
- Lipid**
bilayer fluidity

- effect of ethanol tolerance (mouse), 15, 739
 - effects of opiates, 16, 154
 - bilayers, halothane interaction with, 16, 163
 - fluidity, coupling with cation permeability, 15, 729
 - peroxidation
 - ascorbate catalysis of, 16, 105
 - effect on opiate binding, 16, 105
 - soluble antifolates, inhibition of deoxyuridine incorporation, 16, 607
 - vesicles, cation permeability, 15, 729
 - Lipoxygenase**
 - platelet: effect of local anesthetics, chlorpromazine, and propranolol (human), 16, 171
 - Liver**
 - ATP:L-methionine S-adenosyltransferase, inhibition by L-methionine analogues (rat), 15, 661
 - cells, effects of verapamil (rat), 15, 598
 - cytochrome P-448, nuclear: localization by immunohistochemical method (rat), 16, 324
 - enzymes, tumorigenic 3,4-dihydrodiol metabolite formed from dibenzo[*a,h*]anthracene by (rat), 16, 643
 - epoxide hydratase induction by *trans*-stilbene oxide (rat), 16, 656
 - hemoproteins, effects of interferon-inducing agents (rat), 15, 698
 - hepatoma cell culture, UDP-glucuronosyltransferase activity (rat), 16, 950
 - homogenates, dopa aminotransferase inhibition (human, rat), 15, 108
 - isolated hepatocytes: glycogenolysis, effect of type I cyclic AMP-dependent protein kinase (rat), 16, 941
 - microsomes
 - active oxygen, 15, 428
 - aerobic metabolism of niridazole (rat), 16, 1019
 - benzo[*a*]anthracene metabolism (rat), 15, 138
 - cytochrome P-450 systems (rat), 15, 396, 410
 - epinephrine oxidation (rat), 15, 428
 - multiple forms of cytochrome P-450: catalytic differences (rabbit), 15, 708
 - reactive metabolites of aromatic hydrocarbons (rat), 16, 667
 - stereospecific oxygenation of benzo[*a*]pyrene 7,8-dihydrodiol (rabbit), 16, 1011
 - steroid hydroxylases, *in vitro* destruction by thiosteroids (rat), 16, 997
 - UDP-glucuronosyltransferase from (guinea pig, rat), 15, 375
 - monoamine oxidase, A and B forms: reaction with clorgyline and deprenyl (bovine, rat), 16, 234
 - nuclear membranes and microsomes, cytochrome P-450 and epoxide hydratase in (rat), 15, 192
 - Reuber-H-35 hepatoma cells, effects of Δ^9 -tetrahydrocannabinol on nucleoside uptake, 15, 627
 - Lone electron pair**
 - orientation, nitrogen: dopamine, 16, 369
 - Lung**
 - cultured cells (VA₂), β -adrenergic receptors (human), 16, 429
 - edema, after 1-naphthylthiourea, 15, 678
 - measurement of β -1 and β -2 adrenergic receptors (rat), 16, 34
 - pharmacological specificity of β -1 and β -2 adrenergic receptors (rat), 16, 21
 - Luteinizing hormone**
 - release, mechanism (rat), 16, 196
 - Lymphoblastoid cells**
 - methotrexate and metoprine uptake and metabolic effectiveness (human), 16, 607
 - Lymphocytes**
 - leukemic, cyclic nucleotide phosphodiesterase: selective inhibition of activity (mouse), 16, 851
 - Lymphoma cells**
 - S49
 - cyclic AMP enhancement by microtubule assembly inhibitors, 16, 215
 - deficient in β -adrenergic receptors, 15, 16
 - Lysergic acid diethylamide**
 - binding, effect of guanine nucleotides, 16, 700
 - differential binding to multiple serotonin receptors, 16, 687
 - Lysergic acid diethylamide receptor**
 - activity of substituted tryptamines, 16, 1031
 - Lysosomotropic drug**
 - methotrexate-poly(L-lysine), in drug resistance, 16, 614
- M**
- Malignancy**
 - leukemia, selective inhibition of phosphodiesterase activity (mouse), 16, 851
 - Marcellomycin**
 - antitumor effects, 15, 341; 16, 1109
 - DNA binding, 16, 623
 - Marijuana**
 - lowering of testosterone levels (animals, human), 15, 633
 - Mast cells**
 - histamine release from, by compound 48/80 (rat), 15, 179
 - Mathematical model**
 - multi-subsite receptors for drugs, hormones, and neurotransmitters, 15, 60
 - Membrane**
 - brain, K⁺-acyl phosphatase reaction: inhibition by harmala alkaloids (bovine), 15, 620
 - erythrocyte, interaction with phenothiazines and alcohols (human), 16, 181
 - fluidization, anesthetic induced: coupling with cation permeability in lipid vesicles, 15, 729
 - fragments, nicotinic: local anesthetic binding site, 15, 294
 - kidney, "carrier" proteins (dog), 16, 343

- lipid, role in opiate binding, 16, 105
- nuclear, liver: cytochrome *P*-450 and epoxide hydrolase in (rat), 15, 192
- postsynaptic, effect of thiamine (electric ray), 15, 747
- proteins, in stereospecific opiate binding (mouse), 16, 757
- synaptosomal, ethanol tolerance and fluidization of brain lipid bilayers (mouse), 15, 739
- tolerance, adaptation after barbiturates (mouse), 15, 386
- Meproadifen
 - equilibrium binding, 15, 294
- Metabolism
 - heme, effects of interferon-inducing agents (rat), 15, 698
 - phenacetin (hamster), 15, 419
- Metaphilic antagonists
 - and receptor state transitions, 15, 197
- Methadone
 - active transport in synaptosomes, 16, 587
- Methionine adenosyltransferase
 - bakers' yeast, 15, 661
 - Escherichia coli*, 15, 661
 - inhibition by L-methionine analogues, 15, 661
 - rat liver, 15, 661
- L-Methionine analogues
 - inhibition of S-adenosyl-L-methionine synthesis, 15, 661
- Methotrexate
 - poly(L-lysine) conjugates, in drug transport, 16, 614
 - uptake and metabolic effectiveness (human), 16, 607
- Methoxyflurane
 - effect on conductance and open-time of acetylcholine receptor channels (frog), 16, 1075
- Methylation
 - nuclear RNA, 16, 270
- 3-Methylcholanthrene
 - pretreatment, intranuclear localization of liver cytochrome *P*-448 (rat), 16, 324
- α -Methyldopa
 - chronic administration, reduction of aromatic L-amino acid decarboxylase protein (rat), 15, 86
- N*¹-Methylnicotinamide
 - transport in phospholipid vesicles, 16, 343
- N*-Methyl-4-piperidyl benzilate
 - binding to muscarinic sites
 - brain (mouse), 15, 545
 - iris-ciliary body (rabbit), 15, 581
- Metoprine
 - uptake and metabolic effectiveness (human), 16, 607
- Metoprolol
 - effect on β -1 and β -2 adrenergic receptors in heart and lung (rat), 16, 21
- Microparticles
 - polyacrylamide, albumin immobilized in: drug binding sites, 16, 767
- Microsomes
 - adrenal cortex, aryl hydrocarbon hydroxylase regulation by ACTH (rat), 15, 719
- liver
 - active oxygen (rat), 15, 428
 - aerobic metabolism of niridazole (rat), 16, 1019
 - cytochrome *P*-450 systems (rat), 15, 396, 410
 - reactive metabolites of aromatic hydrocarbons (rat), 16, 667
 - stereospecific oxygenation of benzo[*a*]pyrene 7,8-dihydrodiol (rabbit), 16, 1011
- membranes, UDP-glucuronyltransferase: responses to trypsin (guinea pig, rat), 15, 375
- steroid hydroxylases, *in vitro* destruction by thio-steroids: adrenal (guinea pig), liver (rat), 16, 997
- Microtubules
 - assembly inhibitors, enhancement of cyclic AMP (lymphoma cells), 16, 215
 - leukocytes, interaction of histamine-sensitive adenylate cyclase with (human), 16, 805
 - proteins, protein kinase translocation (bovine), 16, 865
- Mimosine
 - inhibition of mitosis, DNA, RNA and protein syntheses (protozoa), 16, 278
- Mitochondria
 - cytochromes, effects of interferon-inducing agents (rat), 15, 698
 - protein, autoradiography (hepatoma cells), 16, 242
- Mitosis
 - inhibition by mimosine (protozoa), 16, 278
- Mixed function amine oxidase
 - superoxide production by, 15, 131
- Mixed function oxidases
 - liver microsomes (rabbit), 16, 1011
 - nuclear, liver (rat), 16, 324
- Molecular determinants
 - for drug activity 16, 1031
- Monoamine oxidase
 - A and B forms
 - pargyline binding (hepatoma cells), 16, 242
 - reaction with clorgyline and deprenyl, 16, 234
 - A type, inhibition by clorgyline, 16, 546
 - bovine liver, 16, 234
 - rat liver, 16, 234
- Monohydroxy-2-aminotetralin
 - enantiomers and positional isomers, binding to dopamine receptor (bovine), 16, 369
- Monooxygenase
 - induction, 16, 656
 - systems, cytochrome *P*-450-linked: effects of interferon-inducing agents (rat), 15, 698
- Motor
 - activity, effect on guanosine 3',5'-monophosphate (rat), 15, 246
- Muscarinic acetylcholine receptor
 - mouse brain, 15, 545

- rabbit iris-ciliary body, 15, 581
 regional heterogeneity and isomerization, 15, 545
- Muscarinic binding**
 sites, neutrophils (human), 15, 28
- Muscarinic receptor**
 agonist and antagonist binding, stereospecificity, 15, 227
 choline binding, 16, 1084
 guinea pig ileum muscle, 15, 227
 rat brain, 15, 227; 16, 1084
 thiol and disulfide groups in agonist and antagonist binding to (rat), 15, 531
- Muscle**
 end-plate current, effect of anesthetic and convulsant ethers (frog), 16, 1075
 papillary, inotropy and cardiac glycoside interaction with Na^+, K^+ -adenosinetriphosphatase (cat), 16, 135
 sartorius, effect of piperocaine on endplate current (frog), 16, 909
- skeletal**
 cells, embryo: acetylcholinesterase secretion, inhibition by monovalent ionophores (chicken), 16, 202
 neuromuscular transmission, effect of quinacrine (frog, rat), 16, 382
- smooth**
 aorta, inhibitors of actin-myosin interaction (bovine, rabbit), 15, 49
 artery, cyclic nucleotide levels (swine), 16, 813
 artery, relaxation (swine), 16, 813
- Mutagenicity**
 7,12-dimethylbenz[a]anthracene-epidioxide (bacteria), 15, 189
 1-naphthylthiourea (bacteria), 15, 678
- Mutants**
 lymphoma cells, sensitivity to 5-fluorouracil, 15, 357
- Myeloid cells**
 mismatched interferon inducers (human), 15, 165
- Myocardium**
 β -adrenergic receptors (frog, rat), 16, 1
- Myometrium**
 arachidonic acid effects (rat), 16, 823
 prostaglandin contractions (rat), 16, 823
- N**
- NADPH-cytochrome P-450 reductase**
 inhibition by fatty acyl CoA, 15, 410
- [^{14}C]Naphthalene**
 reactive metabolites, liver microsomes (rat), 16, 667
- [^{14}C]1-Naphthol**
 reactive metabolites, liver microsomes (rat), 16, 667
- 1-Naphthylthiourea**
 mutagenicity (bacteria), 15, 678
 transformation, embryo cells (hamster), 15, 678
- Narcotics**
 effects on testicular metabolism (rat), 16, 970
 mode of action, 16, 587
- Negative cooperativity**
 ACTH binding, 15, 271
- Nerve**
 sciatic, molecular forms of acetylcholinesterase (rabbit), 15, 641
 terminals, presynaptic: effects of organic calcium antagonists (rat), 16, 579
- Neuroblastoma cells**
 histamine H_1 receptors (mouse), 15, 462
 tyrosine hydroxylase and dopamine β -hydroxylase induction (mouse), 15, 78
- Neuroleptic/dopamine receptors**
 rat limbic system, 15, 506
- Neuroleptic drugs**
 clinical efficacy and calcium-dependent regulator, 16, 1089
 hydrophobic effects, 16, 1089
 inhibition of phosphodiesterase activity, 16, 1089
 octanol:water partition coefficients, 16, 1089
- Neuromuscular junction**
 effects of organic calcium antagonists (frog), 16, 579
- Neurotoxins**
 kainic acid receptor binding in brain (rat), 15, 492
- Neurotransmitter**
 excitatory (rat), 15, 492
 uptake, inhibition by verapamil (rat), 16, 877
- Neurotransmitter receptors**
 multi-subsite, 15, 60
- Neutrophils**
 cyclic AMP level, response to formyl-methionyl-leucyl-phenylalanine (rabbit), 16, 473
 muscarinic binding sites (human), 15, 28
- Nicotinic receptor**
 electric ray electric organ membranes, 15, 197
- Nictitating membrane**
 ouabain binding, regeneration after chemical sympathectomy (cat), 15, 35
- Ninhydrin**
 inhibition, insulin release, 16, 361
- Niridazole**
 aerobic metabolism by liver microsomes (rat), 16, 1019
- Nitracrine**
 inhibition of DNA transcription, mechanism, 16, 287
- Nitracrine-DNA**
 complex, thymus (bovine), 16, 287
- Nitrobenzylthioinosine**
 inhibition of nucleoside transport (cell culture), 16, 900
- p-Nitrophenyl acetate**
 reaction with serum albumin (human), 15, 754
- Nitroreductases**
 oxygen sensitive, furylfuramide isomerization by, 16, 1059
- Noncompetitive antagonist**
 nicotinic, electric organ postsynaptic membranes (electric ray), 15, 294

- α -Noradrenergic receptor**
 binding, multiple sites: effect of 6-hydroxydopamine, 16, 47
 rat brain, 16, 47
- Norbornyl derivative of propranolol**
 interaction with β -adrenergic receptors, 15, 588
- Norepinephrine**
 activation of adenylate cyclase, brain (rat), 15, 484
 brain synaptic vesicle uptake (rat), 15, 607
 uptake, recovery in chemically sympathectomized peripheral organs (cat), 15, 35
- Norepinephrine receptor**
 rat brain, 16, 47
- Nuclear magnetic resonance**
¹³C
 chemical shifts, serotonin congeners: relation to biological activity, 16, 1031
 compound 48/80, 15, 179
 flurazepam interactions with human serum albumin, 15, 71
 longitudinal and transverse relaxation rates, hemoglobin-aromatic hydrocarbon complexes, 16, 1046
 proton, hemoglobin interaction with dichloromethane, 16, 1065
- Nucleic acid**
 binding, ethidium monoazide
 lymphocytes (human), 15, 322
 thymus (bovine), 15, 322
 synthesis, inhibition by mimosine (protozoa), 16, 278
- Nucleolus**
 RNA synthesis, effect of anthracyclines, 15, 341; 16, 1109
- Nucleoside**
 analogs, low specificity of nucleoside transport mechanism (cell culture), 16, 900
 antimetabolites
 toxic effects: protection against cytotoxicity of (cell culture), 16, 900
 transport into RPMI 6410 cells, 16, 900
 transport
 inhibition by nitrobenzylthioinosine (cell culture), 16, 900
 mechanism, low specificity of (cell culture), 16, 900
 uptake, effects of Δ^9 -tetrahydrocannabinol (hepatoma cells), 15, 627
- Nucleotide**
 effect on cardiac steroid binding, 16, 120
 intracellular, effects of Δ^9 -tetrahydrocannabinol (hepatoma cells), 15, 627
- Nucleotide pyrophosphatase**
 effect on TPNH oxidation by cytochrome P-450 systems, 15, 396
- O**
- Ontogeny**
 heart ornithine decarboxylase (rat), 16, 504
- Opiate**
 agonists, 16, 91, 154
 antagonists, 16, 91, 154
 binding, stereospecific: in bovine adrenal medulla, 15, 751
 -cerebroside sulfate interaction, mechanism, 16, 393
 effects on lipid bilayer fluidity, 16, 154
 stereospecific binding in brain, destruction by ascorbate (guinea pig), 16, 105
- Opiate-like materials**
 in adrenal medulla (mammals), 16, 1101
- Opiate receptor**
 multiple
 different regional distribution and differential binding of opiates and opioid peptides, 16, 91
 mouse brain membranes, 16, 757
 rat brain, 16, 91
- Opioid peptides**
 differential binding, brain (rat), 16, 91
- Ornithine aminotransferase**
 inhibition by isogabaculine, 16, 539
- Ornithine decarboxylase**
 heart, regulation (rat), 16, 504
- Orotate phosphoribosyltransferase**
 in fluorouracil metabolism (lymphoma cells), 15, 357
- Ouabain**
 binding
 to (Na⁺ + K⁺)-ATPase, regeneration in chemically sympathectomized peripheral organs (cat), 15, 35
 papillary muscles (cat), 16, 135
 Pb²⁺ inhibition (electric eel), 15, 43
- Ovary**
 cells, in drug resistance, effect of methotrexate (hamster), 16, 614
 luteinized, adenylate cyclase, desensitization by epinephrine and gonadotropins (rat), 15, 439
- Oxidation**
 epinephrine, mechanism, 15, 428
- Oxygen**
 binding to hemoglobin, 16, 1065
 effect on brain guanosine 3',5'-monophosphate (rat), 15, 246
 reduction, by bleomycin A₂, 16, 256
 -sensitive nitroreductases, furylfuramide isomerization by, 16, 1059
- Oxyhemoglobin**
 in interaction of dichloromethane with hemoglobin, 16, 1065
- P**
- Pancreas**
 perfused, 2,4-diamino-5-cyano-6-halopyridines as insulin secretagogues (rat), 15, 287
- Paralysis**
 effect on guanosine 3',5'-monophosphate (rat), 15, 246

- Paramagnetic heme iron atom
effect on longitudinal and transverse relaxation rates
of aromatic hydrocarbons, 16, 1046
- Parathyroid hormone
vitamin D regulation (quail), 16, 932
- Pargyline
binding (hepatoma cells), 16, 242
monoamine oxidase inhibition and binding (bovine,
rat), 16, 234
- Penicillin
A-type and S-type, specific effect on penicillinase
(bacteria), 16, 250
- Penicillinase
conformational response to substrates (bacteria),
16, 250
function and conformation (bacteria), 16, 250
- Peptide
chemotactic, neutrophil: cyclic AMP response to
(rabbit), 16, 473
opioid, differential binding in brain (rat), 16, 91
- Perhydrohistrioxicotoxin
binding
effect of quinacrine, 16, 382
to electric organ membranes (electric ray), 16, 909
- Perphenazine-Sepharose
quantitative affinity chromatography on, antipep-
totic drug binding to glutamate dehydrogen-
ase (bovine), 15, 313
- Phenacetin
metabolism, mechanism of activation to reactive
metabolites (hamster), 15, 419
- Phenethylamines
inhibition of norepinephrine uptake (rat), 15, 607
- Phenols
oxidation, 16, 667
- Phenothiazines
binding to glutamate dehydrogenase (bovine), 15,
313
derivatives, semiconductivity of cation radicals, 16,
1040
inhibition of Ca^{2+} -dependent cyclic GMP phospho-
diesterase in brain (swine), 15, 257
interaction with erythrocyte membranes (human),
16, 181
- Phentolamine
binding to α -adrenergic receptors, 16, 719
- Phenylbutazone
binding to serum albumin (human), 16, 147
- Phenylethanolamine *N*-methyltransferase
adrenal, regulation (rat), 16, 482, 491
- Pheochromocytoma
cells: tyrosine 3-monooxygenase, role of adenosine
3',5'-monophosphate in regulation (rat), 15, 263
dopamine- β -hydroxylase, purification and molecu-
lar parameters (human), 16, 529
- Phorbol ester
tumor promoters, effects on arachidonic acid metab-
olism (chicken), 16, 569
- Phosphatidylcholine-phosphatidylethanolamine
bilayers, reconstitution of cytochrome *P*-450 in, 16,
332
- Phosphatidylethanolamine
effect on membrane, 16, 332
- Phosphatidylserine
protection of opiate binding by (guinea pig), 16, 105
- Phosphodiesterase
bovine
aorta smooth muscle, 15, 49
brain, 16, 1089
calcium-dependent regulator-stimulated, inhibition
by neuroleptic drugs, 16, 1089
cyclic nucleotide, *see* Cyclic nucleotide phosphodi-
esterase
multiple forms, 16, 851
rabbit aortic strip, 15, 49
- Phospholipase A_2
activation: inhibition by local anesthetics, chlor-
promazine, and propranolol, 16, 171
human platelets, 16, 171
- Phospholipid
bilayers, reconstitution of cytochrome *P*-450 in, 16,
332
platelet: effect of local anesthetics, chlorpromazine,
and propranolol (human), 16, 171
vesicles, reconstitution of *N*¹-methylnicotinamide
and *p*-aminohippuric acid transport in, 16, 343
- Phosphorylase
heart, effect of prostaglandin E_1 (rat), 15, 235
liver cells, α -adrenergic modulation of (rat), 15, 598
- Photolytic binding
ethidium monoazide, to nucleic acids and polynucle-
otides, 15, 322
- Pinocytosis
mammalian cell culture, effect of α -amanitin-pro-
tein conjugate, 16, 961
- Piperocaine
effects on
acetylcholine receptor ion channel complex (elec-
tric ray), 16, 909
endplate current, muscle (frog), 16, 909
local anesthetic, 16, 909
- Pituitocytes
cultured, regulation of secretion in (rat), 16, 196
- Pituitary
mechanism of secretion in (rat), 16, 196
stimulation of release from (rat), 16, 196
- Plants
amino acid mimosine, effects on cell division, DNA,
RNA and protein syntheses (protozoa), 16, 278
- Plasma
dopamine- β -hydroxylase, thermal stability (hu-
man), 15, 649
- Plasminogen activator
induction by 12-*O*-tetradecanoyl phorbol-13-acetate
(chicken), 16, 569
- Platelets
 α -adrenergic receptors, regulation by guanine nu-

- cleotides (human), 16, 61
- phenolamine binding to α -adrenergic receptors (human), 16, 719
- phospholipase A₂ activation: inhibition by local anesthetics, chlorpromazine, and propranolol (human), 16, 171
- Polyadenylic acid
 - synthesis, effect of 5-fluorouracil (leukemia cells), 16, 270
- Polycyclic aromatic carcinogens
 - metabolic activation, 16, 633
- Polycyclic aromatic hydrocarbons
 - bay region reactivity, 16, 633
 - metabolism (rat), 16, 643
- Polycyclic hydrocarbons
 - lack of regulation of microsomal aryl hydrocarbon hydroxylase in adrenal (rat), 15, 719
- Polydeoxynucleotide-daunomycin
 - complexes, dissociation: rate constants, kinetics, 16, 357
- Polyinosinic acid-polycytidylic acid
 - and mismatched analogues, differential effects on cell function (human), 15, 165
- Polylysine
 - complexes with carboxymethylcellulose and polynucleotides (mouse), 16, 313
- Poly(D-lysine)
 - drug carriers in drug resistance, 16, 614
- Poly(L-lysine)
 - drug carriers in drug resistance, 16, 614
- Polynucleotides
 - synthetic, photolytic binding of ethidium monoazide, 15, 322
 - wrapped with complexes of carboxymethylcellulose and polylysine, antiviral without inducing interferon (mouse), 16, 313
- Polyriboinosinic acid-polyribocytidylic acid
 - effects on hepatic hemoproteins (rat), 15, 698
- Polyribonucleotide
 - inhibition of RNA-directed DNA polymerases (viruses), 16, 297
- Potassium
 - effect on cardiac steroid binding, 16, 120
 - K⁺, depolarization, atrium (mouse), 16, 841
- Practolol
 - effect on β -1 and β -2 adrenergic receptors in heart and lung (rat), 16, 21
- Progesterone 21-hydroxylase
 - rat adrenal microsomes, 15, 719
- Prolyl hydroxylase
 - effect of glucocorticoids (rat), 15, 99
- Propranolol
 - inhibition of platelet phospholipase A₂ activation, 16, 171
- Prostacyclin
 - endogenous modulator of cyclic AMP (rat), 16, 823
- Prostaglandin E₁
 - activation of heart protein kinase (rat), 15, 235
 - stimulated cyclic AMP accumulation (lymphoma cells), 16, 215
 - formation in platelets: effect of local anesthetics, chlorpromazine, and propranolol (human), 16, 171
 - I₂, see Prostacyclin
 - myometrium contractions (rat), 16, 823
 - release from fibroblasts by phorbol esters (chicken), 16, 569
- Protein
 - activator
 - Ca²⁺-binding (bovine, rabbit), 15, 49
 - calcium-dependent (rat), 15, 484
 - binding
 - irreversible: aromatic hydrocarbons by liver microsomes (rat), 16, 667
 - in warfarin binding site, 16, 778
 - membrane, in stereospecific opiate binding (mouse), 16, 757
 - microtubules, translocation of protein kinase (bovine), 16, 865
 - mitochondria, autoradiography (hepatoma cells), 16, 242
 - nuclear, phosphorylation (rat), 15, 115
 - synthesis
 - inhibition by mimosine (protozoa), 16, 278
 - neuroblastoma cells, 15, 78
 - testis: inhibition by narcotics (rat), 16, 970
 - turnover, after α -methyl dopa (rat), 15, 86
- Protein kinase
 - activation and nuclear translocation (bovine), 16, 865
 - adenosine 3',5'-monophosphate dependent: heart, prostaglandin E₁ activation (rat), 15, 235
 - coordinate, activation: and enzyme induction by cyclic nucleotide derivatives (hepatoma cells), 16, 449
 - translocation, adrenal medulla (rat), 15, 115
 - transsynaptic activation (rat), 15, 115
 - type I cyclic AMP-dependent, regulation of glycolysis (rat), 16, 941
- Protozoa
 - Paramecium tetraurelia*, growth: inhibition by mimosine, 16, 278
- Purines
 - protection from 5-fluorouracil cytotoxicity by (lymphoma cells), 15, 357
- Putamen
 - caudate-putamen, choline uptake, effect of corticosteroids (cat), 16, 886
- Pyridoxal phosphate
 - dependent enzymes, reaction of isogabaculine with, 16, 539
- α -4-Pyridyl 1-oxide *N*-tert-butyl nitron
 - spin trapping of superoxide by, 16, 676
- Pyrimidines
 - in 5-fluorouracil metabolism, 15, 357

Pyrophosphoribosyl phosphate
in 5-fluorouracil metabolism (lymphoma cells), 15,
357

Q

QNB, *see* [³H]3-Quinuclidinyl benzilate
Quantum chemical indexes

flavonoids and cyclic AMP, 16, 556

Quinacrine

antimalarial and local anesthetic, 16, 382

effects on

acetylcholine receptor ionic channel, 16, 382

cholinergic transmission, 16, 382

Quinazoline

analogs of folic acid, inhibition of thymidylate syn-
thetase (bacteria, leukemia cells), 16, 261

[³H]3-Quinuclidinyl benzilate

binding to muscarinic receptors (rat), 15, 531

cholinergic receptor binding, 15, 227

R

Receptor

binding, dopamine: regulation by guanine nucleo-
tides, 16, 69

desensitization, 15, 197, 213; 16, 10

disulfide linkages, 15, 213

hypersensitivity, 15, 1

multiple, α -noradrenergic: in brain (rat), 16, 47

neurotransmitters (rat), 15, 492

spare

analysis, 15, 16

evidence for, 16, 429

state transitions, 15, 197, 213

subtypes, β -adrenergic: computer resolution, 16, 1

theory, opiate, 16, 393

Reconstitution

of cytochrome *P*-450 in phospholipid bilayers, 16,
332

of N¹-methylnicotinamide and *p*-aminohippuric acid
transport in phospholipid vesicles, 16, 343

vesicles, 16, 332

Refractoriness

β -adrenergic receptor, erythrocytes (frog), 16, 10

Relaxation rates

aromatic hydrocarbons, effect of hemoglobin (hu-
man), 16, 1046

Respiration

effect on guanosine 3',5'-monophosphate (rat), 15,
246

Retinoic acid

effects on phorbol ester release of arachidonic acid
(chicken), 16, 569

Retroviruses

DNA polymerase, polynucleotide inhibition of, 16,
297

Reuber hepatoma cells

nucleoside uptake, effects of Δ^9 -tetrahydrocannabi-
nol, 15, 627

N- β -D-Ribofuranosyl[1,2,3]thiadiazolo[5,4-*d*]pyrimi-
din-7-amine
metabolism and metabolic effects (cell culture), 16,
981

Ribonucleotide

pools, effect of thymidine (human), 16, 601

RNA

-directed DNA polymerases, polyribonucleotide in-
hibition of (viruses), 16, 297

double-stranded, mismatched interferon inducers
(human), 15, 165

increased levels (neuroblastoma cells), 15, 78

nucleolus: synthesis, effect of anthracyclines, 15,
341; 16, 1109

nucleus, synthesis *in vitro*, effect of 5-fluorouracil
(leukemia cells), 16, 270

synthesis

effect of anthracyclines, 15, 341; 16, 686

inhibition by mimosine (protozoa), 16, 278

testis, inhibition by narcotics (rat), 16, 970

RNA polymerase

binding to DNA, 16, 287

nitracrine inhibition, 16, 287

thymus, inhibition by α -amanitin-protein conjugate
(bovine), 16, 961

Rodenticide

mutagenic (bacteria), 15, 678

RPMI 6410 cells

culture, low specificity of nucleoside transport
mechanism, 16, 900

Rudolfomycin

antitumor effects, 15, 341; 16, 1109

DNA binding, 16, 623

S

Salivary gland

ouabain binding, regeneration after chemical sym-
pathectomy (cat), 15, 35

Scanning calorimetry

erythrocyte membranes (human), 16, 181

Sciatic nerve

molecular forms of acetylcholinesterase (rabbit), 15,
641

Sedimentation coefficient

pheochromocytoma dopamine- β -hydroxylase (hu-
man), 16, 529

Semiconductivity

cation radicals of phenothiazine derivatives, 16, 1040

Serotonin

binding to serotonin receptors, effect of guanine
nucleotides, 16, 700

differential binding to multiple serotonin receptors,
16, 687

uptake, inhibition by verapamil (rat), 16, 877

Serotonin receptor

activity of substituted tryptamines, 16, 1031

binding sites

effect of guanine nucleotides, 16, 700

- mammalian brain membranes, 16, 700
- mammalian brain membranes, 16, 700
- multiple: differential binding of [^3H]5-hydroxytryptamine, [^3H]lysergic acid diethylamide, and [^3H]spiperidol, 16, 687
- rat brain membranes, 16, 687, 700
- Serum
 - albumin, *see* Albumin, serum
 - dopamine- β -hydroxylase, genetic analysis (rat), 16, 922
- Skin
 - dermis, effect of glucocorticoids on collagen synthesis (rat), 15, 99
 - fibroblasts, DNA repair: inhibition by arabinofuranosyl cytosine (human), 15, 367
- Sodium
 - channel
 - effects of organic calcium antagonists, 16, 579
 - inhibition by D600, heart cell culture, 15, 174
 - effect on cardiac steroid binding, 16, 120
 - efflux, thiamine mediated (electric ray), 15, 747
- Sperm
 - DNA binding of anthracycline antitumor antibiotics (fish), 16, 623
- Spin trapping
 - superoxide, 16, 676
- [^3H]Spiperone
 - binding sites in limbic system (rat), 15, 506
- Spirolactone
 - and microsomal steroid hydroxylases, 16, 997
- Spiperidol
 - binding
 - to dopamine receptors in brain (rat), 16, 69
 - effect of guanine nucleotides, 16, 700
 - differential binding to multiple serotonin receptors, 16, 687
- Spleen
 - splenocytes, mismatched interferon inducers (human), 15, 165
- Splenocytes
 - mismatched interferon inducers (human), 15, 165
- Stability
 - thermal, plasma dopamine- β -hydroxylase (human), 15, 649
- Stabilization
 - phenylethanolamine *N*-methyltransferase against thermal and tryptic degradation by *S*-adenosylmethionine, 16, 482
 - synergistic, phenylethanolamine *N*-methyltransferase by substrates and *S*-adenosylmethionine (rat), 16, 491
- Stearoyl CoA
 - possible detergent effect, 15, 410
- Steroid hydroxylases, *see* Steroid monooxygenases
- Steroid monooxygenases
 - microsomes, *in vitro* destruction by thioesters, 16, 997
- Steroidogenesis
 - adrenal cells, persistent stimulation by ACTH (rat), 15, 271
 - effect of Δ^9 -tetrahydrocannabinol, 15, 633
- trans*-Stilbene oxide
 - epoxide hydratase induction (rat), 16, 656
- Stimulus-secretion coupling
 - calcium mediated: effect of barbiturates (mouse), 15, 386
 - pituitary and (rat), 16, 196
- Stoichiometry
 - liver cytochrome *P*-450 systems (rat), 15, 396
 - β -receptor coupling to adenylate cyclase
 - cat heart muscle, 16, 429
 - human lung cell (VA₂) culture, 16, 429
- Stokes radius
 - pheochromocytoma dopamine- β -hydroxylase (human), 16, 529
- Stomach
 - gastric cells, dispersed: cyclic AMP, stimulation by histamine (guinea pig), 16, 406
- Structure activity relationships
 - anthracycline antitumor antibiotics, 16, 623
 - anthracyclines, 15, 341
 - drugs and hormones, 15, 60
 - flavonoids, 16, 556
 - histamine, 16, 417
 - inhibitors of brain vesicle norepinephrine uptake (rat), 15, 607
 - L*-methionine analogues, 15, 661
- Sulphydryl groups
 - modulation, function of adenylate cyclase coupled β -adrenergic receptors, 16, 709
- Superoxide
 - in oxidation of hydroxylamines, 15, 131
 - production by mixed function amine oxidase, 15, 131
 - spin trapping, 16, 676
- Synaptosomes
 - brain, effects of organic calcium antagonists (rat), 16, 579
 - calcium accumulation, after barbiturates (mouse), 15, 386
 - effect of verapamil (rat), 16, 877
 - methadone active transport in, 16, 587

T

- Temperature
 - dependence of Michaelis constant, 16, 189
- Testis
 - cell suspensions, effects of narcotics on metabolism (rat), 16, 970
 - Leydig cell testosterone synthesis, inhibition by Δ^9 -tetrahydrocannabinol (mouse, rat), 15, 633
- Testosterone
 - and microsomal steroid hydroxylases, 16, 997
 - synthesis
 - Leydig cell: inhibition by Δ^9 -tetrahydrocannabinol (mouse, rat), 15, 633
 - testis: inhibition by narcotics (rat), 16, 970

- Δ^1 -Tetrahydrocannabinol, *see* Δ^9 -Tetrahydrocannabinol
- Δ^9 -Tetrahydrocannabinol
effects on nucleoside uptake (hepatoma cells), 15, 627
- Thermodynamics
phenylbutazone interaction with serum albumin (human), 16, 147
- Thermolabile
dopamine- β -hydroxylase (human), 15, 649
- Thiamine
effect on postsynaptic membranes (electric ray), 15, 747
- Thiol
groups, in agonist and antagonist binding to muscarinic receptor (rat), 15, 531
- Thiosteroids
and cytochrome P-450, 16, 997
- Thromboxanes
formation in platelets: effect of local anesthetics, chlorpromazine, and propranolol (human), 16, 171
- Thymidine
inhibition of DNA synthesis (human), 16, 601
- Thymidine kinase
effects of Δ^9 -tetrahydrocannabinol (hepatoma cells), 15, 627
- Thymidylate synthetase
inhibition by quinazoline analogs of folic acid (bacteria, leukemia cells), 16, 261
- Thymus
DNA
binding of anthracycline antitumor antibiotics (bovine), 16, 623
effect of nitracrine (bovine), 16, 287
- Thyroid hormone
effect on ornithine decarboxylase (rat), 16, 504
- Tilorone
effects on hepatic hemoproteins (rat), 15, 698
- Tolerance
ethanol, cholesterol required in synaptosomal membranes for expression of (mouse), 15, 739
functional, after chronic barbiturate administration (mouse), 15, 836
- Toluene
interaction with hemoglobin (human), 16, 1046
- Transcription
in vitro: inhibition by nitracrine, mechanism, 16, 287
- Transformation
embryo cells, after 1-naphthylthiourea (hamster), 15, 678
- Transport
axon, average velocities (rabbit), 15, 641
*N*¹-methylnicotinamide and *p*-aminohippuric acid, in phospholipid vesicles, 16, 343
nucleoside: mechanism, low specificity (cell culture), 16, 900
- Triamcinolone
decreased prolyl hydroxylase activity (rat), 15, 99
- Triiodothyronine
effect on ornithine decarboxylase (rat), 16, 504
- p*-(Trimethylammonium) benzenediazonium fluoroborate
labeling, 15, 213
- 2,5,5-Trimethyl-1-pyrroline-*N*-oxide
spin trapping of superoxide by, 16, 676
- Trypsin
microsomal UDP-glucuronyltransferase responses to (guinea pig, rat), 15, 375
- Tryptamines
¹³C chemical shifts, 16, 1031
substituted, quantum mechanical calculations of electronic structure, 16, 1031
- Tryptophan
fluorescence quenching, 16, 147
residue of serum albumin, as part of warfarin binding site (human), 16, 778
- Tryptophan 2,3-dioxygenase
liver, effects of interferon-inducing agents (rat), 15, 698
- Tubules
kidney, insulin receptors in (rat), 16, 1095
- Tumor
promoters, phorbol esters: effects on arachidonic acid metabolism (chicken), 16, 569
- Tyrosine
residue of serum albumin, in drug binding sites (human), 16, 778
- Tyrosine aminotransferase
induction by cyclic nucleotide derivatives (hepatoma cells), 16, 449
- Tyrosine hydroxylase, *see* Tyrosine 3-monooxygenase
- Tyrosine 3-monooxygenase
activation by depolarization and dibutyryl-cAMP, 16, 224
adrenal, activation (rat), 16, 513
induction
mechanism (bovine), 16, 865
neuroblastoma cells, 15, 78
pheochromocytoma cells, regulation (rat), 15, 263
rat brain, 16, 224
- U
- UDP-glucuronosyltransferase
activity, induction by
aromatic hydrocarbon, 16, 950
isoproterenol, 16, 950
metabolites of aromatic hydrocarbons, 16, 950
phenobarbital, 16, 950
additive effects of inducers, 16, 950
- UDP-glucuronyltransferase
microsomes, membrane location (guinea pig, rat), 15, 375
- Ultraviolet difference spectroscopy
phenylbutazone binding to serum albumin (human), 16, 147

- Uptake inhibition
 norepinephrine, by four classes of monoamines (rat),
 15, 607
- Uridine-cytidine kinase
 dual-substrate kinetics, 15, 331
- Uterus
 cyclic AMP levels, prostacyclin as endogenous mod-
 ulator of (rat), 16, 823
 estrogen receptor, effects of chlordecone (rat), 15,
 515
 prostacyclin synthesis (rat), 16, 823
- V
- Vascular relaxants
 aortic strips (bovine, rabbit), 15, 49
- Vas deferens
 α -adrenergic receptors (guinea pig), 16, 77
- Ventricle
 heart, muscle: histamine-sensitive adenylate cyclase
 (guinea pig), 15, 445
- Verapamil
 effects on
 brain synaptosomes (rat); and neuromuscular
 junction (frog), 16, 579
 liver cells (rat), 15, 598
 inhibition of neurotransmitter uptake (rat), 16, 877
 and methoxy derivative D-600, inhibition of sodium
 channels, heart cell culture, 15, 174
- Vesicles
 lipid, cation permeability, 15, 729
 phospholipid, reconstitution of N^1 -methylnicotin-
 amide and *p*-aminohippuric acid transport in,
 16, 343
 synaptic, brain: norepinephrine uptake, inhibition
 (rat), 15, 607
- Vinblastine
 inhibition of
 microtubule assembly (lymphoma cells), 16, 215
 tyrosine hydroxylase activity (bovine), 16, 865
- Viruses
 encephalomyocarditis virus, antiviral activity of
 wrapped poly(I) and poly(C) (mouse), 16, 313
 mouse mammary tumor (type B) virus: DNA poly-
 merase, polynucleotide inhibition of, 16, 297
 simian sarcoma (type C) virus: DNA polymerase,
 polynucleotide inhibition of, 16, 297
 type B, *see* Viruses, mouse mammary tumor virus
 type C, *see* Viruses, simian sarcoma virus
- Vitamin D
 1,25-dihydroxyvitamin D₃ production and regulation
 (quail), 16, 932
- Voltage
 -jump relaxations, kinetics: alteration by local an-
 esthetics (electric eel), 15, 559
- W
- Warfarin
 binding site of serum albumin (human), 16, 778
- WB-4101
 binding to α -adrenergic receptor sites in brain (rat),
 16, 47
- X
- Xanthines
 phosphodiesterase inhibition by (swine), 16, 813
 smooth muscle relaxation (swine), 16, 813
- Xeroderma pigmentosum
 cells, DNA repair in (human), 15, 367
- Y
- Yeast
 bakers', ATP:L-methionine *S*-adenosyltransferase:
 inhibition by L-methionine analogues, 15, 661
- Z
- Zinterol
 effect on β -1 and β -2 adrenergic receptors in heart
 and lung (rat), 16, 21