Α

Abd-Elfattah, Anwar-Saad A., and Shamoo, Adil E. Regeneration of a Functionally Active Rat Brain Muscarinic Receptor by D-Penicillamine after Inhibition with Methylmercury and Murcuric Chloride: Evidence for Essential Sulfhydryl Groups in Muscarinic Receptor Binding Sites, 492

Adams, Stephen M., Murphy, Michael J., and Kaminsky, Laurence S. Molecular Orbital Studies of the Metabolism of Fluroxene and Analogous Fluorinated Ether Anesthetics, 423

Adler, A. See Scheibel, 218

Aguayo, L. G., Pazhenchevsky, B., Daly, J. W., and Albuquerque, E. X. The Ionic Channel of the Acetylcholine Receptor: Regulation by Sites Outside and Inside the Cell Membrane Which Are Sensitive to Quaternary Ligands, 345

Albuquerque, E. X. See Aguayo, Pazhenchevsky, and Daly, 345

Alvarez, Robert, Taylor, Adair, Fazzari, Jasmine J., and Jacobs, John R. Regulation of Cyclic AMP in Human Platelets: Sequential Activation of Adenylate Cyclase and Cyclic AMP Phosphodiesterase by Prostaglandins, 302

Andersson, Bo. See Jones, Meyer, and Orrenius, 159

Appel, Peggy. See Powis and Svingen, 387

Asano, Masahisa. See Hidaka and Tanaka, 571

Ayukawa, Saburo, Fisher, Joyce M., and Rabinovitz, Marco. Proteolytic Susceptibility of Hemoglobin Synthesized in the Presence of Amino Acid Analogues, 227

B

Baert, François. See Hénichart, Houssin, and Gors, 598 Baguley, Bruce C. See Wilson, Wakelin, and Waring, 404

Balsamo, Aldo, Macchia, Bruno, Macchia, Franco, Martinelli, Adriano, Tognetti, Pietro, and Veracini, Carlo A. Conformational Properties of Benzodioxan Derivatives with Alpha-Adrenergic Blocking Activity, 371

Bandoli, Giuliano, Clemente, Dore A., Grassi, Antonio, and Pappalardo, Giuseppe C. Molecular Determinants for Drug-Receptor Interactions. 1. Solid-State Structure and Conformation of the Novel Nootropic Agent 2-Pyrrolidone-N-Acetamide: X-Ray and Theoretical SCF-MO Studies, 558

Baron, Jeffrey. See Kawabata and Guengerich, 709

Barrett, J. See Handwerger, Barry, Markoff, Zeitler, Cwikel, and Siegler, 609

Barry, S. See Handwerger, Barrett, Markoff, Zeitler, Cwikel, and Siegel, 609

Baudry, Michel, Smith, Elizabeth, and Lynch, Gary. Influences of Temperature, Detergents, and Enzymes on Glutamate Receptor Binding and Its Regulation by Calcium in Rat Hippocampal Membranes. 280

Bencuya, Rosa. See Rudnick, Nelson, and Zito, 118

Bertino, Joseph R. See Guo, Dietrich, Hansch, and Dolnick, 649 Biermann, Jürgen. See Panten and Graen, 76

Birdsall, Berry. See Gronenborn, Hyde, Roberts, Feeney, and Burgen, 145

Blume, Arthur J.

See Fantozzi and Mullikin-Kilpatrick, 8 See Larsen and Mullikin-Kilpatrick, 255

Bockaert, Joël. See Homburger, Lucas, Rosenbaum, and Vassent, 463

Boerth, Robert C. See Mushlin and Wells, 179, 190

Borchardt, Ronald T. See Grunewald, Rafferty, and Krass, 377

Bourne, Henry R., Kaslow, David, Kaslow, Harvey R., Salomon, Michael R., and Licko, Vojtek. Hormone-Sensitive Adenylate Cyclase: Mutant Phenotype with Normally Regulated Beta-Adrenergic Receptors Uncoupled from Catalytic Adenylate Cyclase, 435

Brostrom, Charles O. See Brostrom, Huang, and Wolff, 59

Brostrom, Margaret A., Brostrom, Charles O., Huang, Su-Chen, and Wolff, Donald J. Cholera Toxin-Stimulated Cyclic AMP Accumulation in Glial Tumor Cells: Modulation by Ca²⁺, 59

Brown, Joan Heller. Calcium-Dependent Blockade of Cardiac Cyclic AMP Accumulation by Batrachotoxin and Veratridine, 113

Brown, Oliver E. See Hamrell, Laszlo, and Sedwick, 637

Burgen, Arnold. See Gronenborn, Birdsall, Hyde, Roberts, and Feeney, 145

 \mathbf{C}

Cann, John R., Nichol, Lawrence W., and Winzor, Donald J.
Micellarization of Chlorpromazine: Implications in the Binding of
the Drug to Brain Tubulin, 244

Cannon, Joseph G. See Kotake, Hoffmann, and Goldberg, 429 Catterall, William A.

Inhibition of Voltage-Sensitive Sodium Channels in Neuroblastoma Cells by Antiarrhythmic Drugs, 356

and Coppersmith, Jeffrey. High-Affinity Saxitoxin Receptor Sites in Vertebrate Heart: Evidence for Sites Associated with Autonomic Nerve Endings, 526

and Coppersmith, Jeffrey. Pharmacological Properties of Sodium Channels in Cultured Rat Heart Cells, 533

Carruthers, Junko M. See Marshall, 89

Cascieri, Margaret A., Goldenberg, Marvin M., and Liang, Tehming. Biological Activity of Substance P Methyl Ester, 457

Chang, Kwen-Jen, Hazum, Eli, Killian, Anthony, and Cuatrecasas, Pedro. Interactions of Ligands with Morphine and Enkephalin Receptors Are Differentially Affected by Guanine Nucleotide, 1

Cheng, Y.-C., Dutschman, G., De Clerq, E., Jones, A. S., Rahim, S. G., Verhelst, G., and Walker, R. T. Differential Affinities of 5-(2-Halogenovinyl)-2'-Deoxyuridines for Deoxythymidine Kinases of Various Origins, 230

Cheng, Yung-Chi. See Ruth, 415

Cheret, A. M., Pignal, F., and Lewin, M. J.-M. Effects of H₂-Receptor Antagonists Cimetidine, Ranitidine, and ICI 125, 211 on Histamine-Stimulated Adenylate Cyclase Activity in Guinea Pig Gastric Mucosa, 326

Chou, David, Polnaszek, Carl F., Yost, Yul, Leppik, Ilo E., and Holtzman, Jordan L. Application of Spin Labeling to Drug Assays. II. Determination of the Binding of [14C]Phenytoin and Spin-Labeled Phenytoins to Albumin and Human Serum, 674

Clawson, Gary A. See Moody, James, and Smuckler, 685 Clemente, Dore A. See Bandoli, 558

Cole, Susan P. C., Whitney, Ralph Allen, and Marks, Gerald S. Ferrochelatase-Inhibitory and Porphyrin-Inducing Properties of 3,5-Diethoxycarbonyl-1,4-dihydro-2,4,6-trimethylpyridine and Its Analogues in Chick Embryo Liver Cells, 395

Coppersmith, Jeffrey. See Catterall, 526, 533 Costa, Tommaso

Russell, Laura, Pert, Candace B., and Rodbard, David. Halideand γ-Aminobutyric Acid-Induced Enhancement of Diazepam Receptors in Rat Brain: Reversal by Disulfonic Stilbene Blockers of Anion Channels, 470

See Goldberg, Habig, Kohn, and Hardegree, 565

Cotecchia, Susanna. See Mennini, Poggesi, De Blasi, and Samanin,

Cramer, Richard D., III. See Yunger, 602

Crankshaw, Duane L. See Holtzman, Peterson, and Polnaszek, 669

Cuatrecasas, Pedro. See Chang, Hazum, and Killian, 1 Cwikel, B. See Handwerger, Barrett, Barry, Markoff, Zeitler, and Siegel, 609

D

Dahlin, David C. See Nelson, Rauckman, and Rosen, 195
 Daly, J. W. See Aguayo, Pazhenchevsky, and Albuquerque, 345
 Davis, William C., and Ticku, Maharaj K. Ethanol Enhances [³H]
 Diazepam Binding at the Benzodiazepine-γ-Aminobutyric Acid Receptor-Ionophore Complex, 287

De Blasi, Antonio. See Mennini, Poggesi, Cotecchia, and Samanin, 237

De Clerq, E. See Cheng, Dutschman, Jones, Rahim, Verhelst, and Walker. 230

DeLuca, Hector F. See Stern, Tanaka, Ikekawa, and Kobayashi, 460 Dietrich, Stephen W. See Guo, Hansch, Dolnick, and Bertino, 649 Di Iorio, E. E. See Hamboeck, 579

Dinizo, Stephen E. See Marks, Zimmer, Mico, Kunze, and Ortiz de Montellano, 206

Dolnick, Bruice J. See Guo, Dietrich, Hansch, and Bertino, 649 Drummond, George I. See Weiss, 592

Duchemin, Anne-Marie. See Quach, Rose, and Schwartz, 331

Duruibe, Valentine, and Tejwani, Gopi A. The Effect of Ethanol on the Activities of the Key Gluconeogenic and Glycolytic Enzymes of Rat Liver, 621

Dutschman, G. See Cheng, De Clerq, Jones, Rahim, Verhelst, and Walker, 230

E

Eldefrawi, A. T. See Shaker, Miller, and Eldefrawi, 511 Eldefrawi, M. E. See Shaker, Eldefrawi, and Miller, 511

El-Fakahany, Esam, and Richelson, Elliott. Phenoxybenzamine and Dibenamine Interactions with Calcium Channel Effectors of the Muscarinic Receptor, 519

F

Fantozzi, Robert, Mullikin-Kilpatrick, Debra, and Blume, Arthur J. Irreversible Interactions of the Opiate Receptors in the Neuroblastoma × Glioma Hybrid NG108-15 by Chlornaltrexamine, 8

Fazzari, Jasmine J. See Alvarez, Taylor, and Jacobs, 302

Feeney, James. See Gronenborn, Birdsall, Hyde, Roberts, and Burgen, 145

Feinstein, M. B. See Volpi and Sha'afi, 363

Fischel, Steven V., and Medzihradsky, Fedor. Scatchard Analysis of Opiate Receptor Binding, 269

Fischer, R. W. See Hamboeck, 579

Fisher, Joyce M. See Ayukawa and Rabinovitz, 227

Fishman, Peter H., Mallorga, Pierre, and Tallman, John F. Catecholamine-Induced Desensitization of Adenylate Cyclase in Rat Glioma C6 Cells: Evidence for a Specific Uncoupling of Beta-Adrenergic Receptors from a Functional Regulatory Component of Adenylate Cyclase, 310

Fournie-Zaluski, Marie-Claude, Gacel, Gilles, Maigret, Bernard, Premilat, Samuel, and Roques, Bernard P. Structural Requirements for Specific Recognition of μ or δ Opiate Receptors, 484

Frelin, C., Vigne, P., Ponzio, G., Romey, G., Tourneur, Y., Husson, H. P., and Lazdunski, M. The Interaction of Ervatamine and Epiervatamine with the Action Potential Na⁺ Ionophore, 107

Friedhelm, Schroeder. See Harris, 128

Fujii, Tatsuzo. See Kanaho and Sato, 704

G

Gacel, Gilles. See Fournie-Zaluski, Maigret, Premilat, and Roques, 484

Glazer, Robert I.

and Hartman, Kathleen D. Cytokinetic and Biochemical Effects

of Sangivamycin in Human Colon Carcinoma Cells in Culture, 657 See *Lin*, 644 See *Saffer*, 211

Glover, Edward. See Poland and Mark, 442

Goldberg, Leon I. See Kotake, Hoffmann, and Cannon, 429

Goldberg, Ronald L., Costa, Tommaso, Habig, William H., Kohn, Leonard D., and Hardegree, M. Carolyn. Characterization of Fragment C and Tetanus Toxin Binding to Rat Brain Membranes, 565

Goldenberg, Marvin M. See Cascieri and Liang, 457

Goldfien, Alan. See Roberts and Insel, 52

Gors, Carole. See Hénichart, Houssin, and Baert, 598

Graen, Werner. See Panten and Biermann, 76

Grasl, Markus. See Turnheim and Luger, 543

Grassi, Antonio, See Bandoli, 558

Gronenborn, Angela, Birdsall, Berry, Hyde, Eva, Roberts, Gordon, Feeney, James, and Burgen, Arnold. ¹H and ³¹P NMR Characterization of Two Conformations of the Trimethoprim-NADP*-Dihydrofolate Reductase Complex, 145

Grunewald, Gary L., Borchardt, Ronald T., Rafferty, Michael F., and Krass, Polina. Conformational Preferences of Amphetamine Analogues for Inhibition of Phenylethanolamine N-Methyltransferase: Conformationally Defined Agents. 5, 377

Grupp, Gunter. See Wehling, Schwartz, Whitmer, Grupp, and Wallick. 551

Grupp, Ingrid. See Wehling, Schwartz, Whitmer, Grupp, and Wallick, 551

Guengerich, F. Peter. See Kawabata and Baron, 709

Guo, Zong-Ru, Dietrich, Stephen W., Hansch, Corwin, Dolnick, Bruice J., and Bertino, Joseph R. A Comparison of the Inhibition of Bovine and Murine Leukemia Dihydrofolate Reductase by 4,6-Diamino-1,2-dihydro-2,2-dimethyl-1-(3-X-phenyl)-s-Triazines.

Guthrie, Frank E. See Maliwal, 138

н

Habig, William H. See Goldberg, Costa, Kohn, and Hardegree, 565
Haddox, Mari K., Womble, J. R., Larson, Douglas F., Roeske,
William R., and Russell, Diane Haddock. Isoproterenol Stimulation of Ornithine Decarboxylase Blocked by Propranolol during
Ontogeny of the Murine Heart, 382

Hamboeck, H., Fischer, R. W., Di Iorio, E. E., and Winterhalter, K. H. The Binding of s-Triazine Metabolites to Rodent Hemoglobins Appears Irrelevant to Other Species, 579

Hamrell, Michael, Laszlo, John, Brown, Oliver E., and Sedwick,
 W. David. Toxicity of Methotrexate and Metoprine in a Dihydrofolate Reductase Gene-Amplified Mouse Cell Line, 637

Handwerger, S., Barrett, J., Barry, S., Markoff, E., Zeitler, P., Cwikel, B., and Siegel, M. Stimulation of Human Placental Lactogen Release by Arachidonic Acid, 609

Hansch, Corwin. See Guo, Dietrich, Dolnick, and Bertino, 649

Hardegree, M. Carolyn. See Goldberg, Costa, Habig, and Kohn, 565 Harris, Bruce A., Saunders, Priscilla P., and Plunkett, William. Metabolism of 9-β-D-Xylofuranosyladenine by the Chinese Hamster Ovary Cell, 200

Harris, R. Adron, and Schroeder, Friedhelm. Ethanol and the Physical Properties of Brain Membranes: Fluorescence Studies, 128

Hartman, Kathleen D. See Glazer, 657

Hazum, Eli. See Chang, Killian, and Cuatrecasas, 1

Hellman, Bo. Tolbutamide Stimulation of 45 Ca Fluxes in Microdissected Pancreatic Islets Rich in β -Cells, 83

Hénichart, Jean-Pierre, Houssin, Raymond, Gors, Carole, and Baert, François. Conformational Analysis of a New Analgesic Triazolinethione: Structural Comparisons with Antipyrine, 598

Hidaka, Hiroyoshi, Asano, Masahisa, and Tanaka, Toshio. Activity-Structure Relationship of Calmodulin Antagonists: Naphthalensulfonamide Derivatives, 571

Hitzemann, Robert J. See Piascik, Piascik, and Potter, 319 Hoffman, Brian B. See Lavin and Lefkowitz, 28 Hoffmann, Philip C. See Kotake, Goldberg, and Cannon, 429 Holtzman, Jordan L.

Crankshaw, Duane L., Peterson, Francis J., and Polnaszek, Carl F. The Kinetics of the Aerobic Reduction of Nitrofurantoin by NADPH-Cytochrome P-450 (c) Reductase, 669 See Chou, Polnaszek, Yost, and Leppik, 674

Homburger, Vincent, Lucas, Marguerite, Rosenbaum, Etelka, Vassent, Gérard, and Bockaert, Joël. Presence of Both Beta₁-and Beta₂-Adrenergic Receptors in a Single Cell Type, 463

Hoogsteen, Karst. See Schlegel and Poe, 154

Hozumi, Keiichiro. See Kitamura, Kano, and Yoneyama, 124 Huang, Su-Chen. See Brostrom, Brostrom, and Wolff, 59 Houssin, Raymond. See Hénichart, Gors, and Baert, 598

Hudson, Thomas H., and Johnson, Gary L. Functional Alterations in Components of Pigeon Erythrocyte Adenylate Cyclase following

Desensitization to Isoproterenol, 694 **Hunnicutt, Edward J. See** *Nathanson*, 68

Husson, H. P. See Frelin, Vigne, Ponzio, Romey, Tourneur, and Lazdunski, 107

Hyde, Eva. See Gronenborn, Birdsall, Roberts, Feeney, and Burgen, 145

I

Ikekawa, Nobuo. See Stern, Tanaka, DeLuca, and Kobayashi, 460 Insel, Paul A. See Roberts and Goldfien, 52

.1

Jacobs, John R. See Alvarez, Taylor, and Fazzari, 302 Jacobs, Robert S. See White, 614

James, Jacqueline L. See Moody, Clawson, and Smuckler, 685 Jauzac, Philippe. See Puget, Zajac, and Meunier, 263

Johnson, Gary L. See Hudson, 694

Jones, A. S. See Cheng, Dutschman, De Clerq, Rahim, Verhelst, and Walker, 230

Jones, Dean P., Meyer, David B., Andersson, Bo, and Orrenius, Sten. Conversion of Catalase to the Secondary Catalase-Peroxide Complex (Compound II) by α-Methyldopa, 159

K

Kaminsky, Laurence S. See Adams and Murphy, 423

Kanaho, Yasunori, Sato, Takashi, and Fujii, Tatsuzo. The Affinity of Various Phenothiazine Drugs for Membranes of Intact Human Erythrocytes and Their Membrane-Transforming Activity, 704

Kano, Hideki. See Kitamura, Yoneyama, and Hozumi, 124

Kano, Itsu, and Nebert, Daniel W. Ornithine Decarboxylase Induction in Liver- and Hepatoma-Derived Cell Cultures: No Detectable Differences between Control and 3-Methylcholanthrene-Treated Cells, 172

Karamat Ali, F. See Timmermans, Kwa, Schoop, Slothorst-Grisdijk, and van Zwieten, 295

Kaslow, David. See Bourne, Kaslow, Salomon, and Licko, 435

Kaslow, Harvey R. See Bourne, Kaslow, Salomon, and Licko, 435 Katzenellenbogen, John A. See Landvatter, 43

Kawabata, Thomas T., Guengerich, F. Peter, and Baron, Jeffrey. An Immunohistochemical Study on the Localization and Distribution of Epoxide Hydrolase within Livers of Untreated Rats, 709

Kenimer, James G., and Nirenberg, Marshall. Desensitization of Adenylate Cyclase to Prostaglandin E₁ or 2-Chloroadenosine, 585

Killian, Anthony. See Chang, Hazum, and Cuatrecasas, 1

Kitamura, Keisuke, Kano, Hideki, Yoneyama, Keiji, and Hozumi, Keiichiro. ¹H Nuclear Magnetic Resonance Study on Transbilayer Permeation of Chlorpromazine in Lecithin Vesicles, 124

Kobayashi, Yoshiro. See Stern, Tanaka, DeLuca, and Ikekawa, 460 Kohn, Leonard D. See Goldberg, Costa, Habig, and Hardegree, 565

Kotake, Connie, Hoffmann, Philip C., Goldberg, Leon L., and Cannon, Joseph G. Comparison of the Effects of Dopamine and Beta-Adrenergic Agonists on Adenylate Cyclase of Renal Glomeruli and Striatum, 429

Krass, Polina. See Grunewald, Borchardt, and Rafferty, 377

Kunze, Kent L. See Marks, Zimmer, Dinizo, Mico, and Ortiz de Montellano, 206

Kwa, H. Y. See Timmermans, Karamat Ali, Schoop, Slothorst-Grisdijk, and van Zwieten, 295

L

Landvatter, Scott W., and Katzenellenbogen, John A. Stereochemical Considerations in the Binding of Nonsteroidal Estrogens to the Estrogen Receptor, 43

Larsen, Nancy E., Mullikin-Kilpatrick, Debra, and Blume, Arthur J. Two Different Modifications of the Neuroblastoma × Glioma Hybrid Opiate Receptors Induced by N-Ethylmaleimide, 255

Larson, Douglas F. See Haddox, Womble, Roeske, and Russell, 382 Laszlo, John. See Hamrell, Brown, and Sedwick, 637

Lau, Serrine S., and Zannoni, Vincent G. Bromobenzene Metabolism in the Rabbit: Specific Forms of Cytochrome P-450 Involved in 2,3- and 3,4-Epoxidation, 234

Lavin, Thomas N., Hoffman, Brian B., and Lefkowitz, Robert J. Determination of Subtype Selectivity of Alpha-Adrenergic Antagonists: Comparison of Selective and Nonselective Radioligands, 28

Lazdunski, M. See Frelin, Vigne, Ponzio, Romey, Tourneur, and Husson, 107

Lefkowitz, Robert J. See Lavin and Hoffman, 28

Leppik, Ilo E. See Chou, Polnaszek, Yost, and Holtzman, 674

Lewin, M. J.-M. See Cheret and Pignal, 326

Liang, Tehming. See Cascieri and Goldenberg, 457

Licko, Vojtek. See Bourne, Kaslow, Kaslow, Salomon, and Licko, 435

Lin, Hsin-Li, and Glazer, Robert I. The Comparative Effects of 5-Azacytidine and Dihydro-5-Azacytidine on Polysomal RNA in Ehrlich Ascites Cells in Vitro, 644

Lucas, Marguerite. See Homburger, Rosenbaum, Vassent, and Bockaert, 463

Lucier, G. W.

See Lui, 165

See Powell-Jones and Raeford, 35

Luger, Anton. See Turnheim and Grasl, 543

Lui, E. M. K., and Lucier, G. W. Hypophysial Regulation of Cadmium-Induced Depression of the Hepatic Monooxygenase System in the Rat, 165

Lynch, Gary. See Baudry and Smith, 280

M

Macchia, Bruno. See Balsamo, Macchia, Martinelli, Tognetti, and Veracini, 371

Macchia, Franco. See Balsamo, Macchia, Martinelli, Tognetti, and Veracini, 371

Maigret, Bernard. See Fournie-Zaluski, Gacel, Premilat, and Roques, 484

Mak, Ivan. See Poland and Glover, 442

Malick, Jeffrey B. See Regan, Roeske, Yamamura, and Yamamura, 477

Maliwal, Badri P., and Guthrie, Frank E. Interaction of Insecticides with Human Serum Albumin, 138

Mallorga, Pierre. See Fishman and Tallman, 310

Marangos, Paul J., and Martino, Andrea M. Studies on the Relationship of γ-Aminobutyric Acid-Stimulated Diazepam Binding and the γ-Aminobutyric Acid Receptor, 16

Markoff, E. See Handwerger, Barrett, Barry, Zeitler, Cwikel, and Siegel, 609

Marks, Gerald S.

Zimmer, Stephen B., Dinizo, Stephen E., Mico, Bruce A., Kunze, Kent L., and Ortiz de Montellano, Paul R. Studies of the Porphyrin-Inducing Activity of Ethynyl Compounds and Conformationally Restricted and Unrestricted Analogues of Allylisopropylamide in Chick Embryo Liver Cell Culture, 206

See Cole and Whitney, 395

Marshall, Alan G., and Carruthers, Junko M. Internal Flexibility of Inhibitors Bound to *Electrophorus electricus* Acetylcholinesterase: Proton Nuclear Magnetic Resonance Spectroscopy, 89

Martinelli, Adriano. See Balsamo, Macchia, Macchia, Tognetti, and Veracini. 371

Martino, Andrea M. See Marangos, 16

McMahon, Kathryn K., and Schimmel, Richard J. Evidence for Alpha-Adrenergic Activation and Inactivation of Phosphorylase in Hamster Adipocytes, 339

Medzihradsky, Fedor. See Fischel, 269

Mennini, Tiziana, Poggesi, Elena, Cotecchia, Susanna, De Blasi, Antonio, and Samanin, Rosario. Changes in Serotonin, but Not Catecholamine, Receptor Binding in the Brain of Morphine-Dependent Rats, 237

Meunier, Jean-Claude. See Puget, Jauzac, and Zajac, 263

Meyer, David B. See Jones, Andersson, and Orrenius, 159

Mico, Bruce A. See Marks, Zimmer, Dinizo, Kunze, and Ortiz de Montellano, 206

Miller, E. R. See Shaker, Eldefrawi, and Eldefrawi, 511

Miyake, Michihisa, and Shibata, Shoji. A Novel Mode of Neurotoxin Action: A Polypeptide Toxin Isolated from *Anemonia sulcata* Shifts the Voltage Dependence of the Maximal Rate of Rise of Na⁺ Action Potentials in a Mouse Neuronal Clone, 453

Moody, David E., James, Jacqueline L., Clawson, Gary A., and Smuckler, Edward A. Correlations among the Changes in Hepatic Microsomal Components after Intoxication with Alkyl Halides and Other Hepatoxins, 685

Motohashi, Michio, and Nishikawa, Masao. Conformational Analysis of Beta₂-Adrenoceptor-Stimulating Agents, 22

Mullikin-Kilpatrick, Debra

See Fantozzi and Blume, 8

See Larsen and Blume, 255

Murphy, Michael J. See Adams and Kaminsky, 423 Mushlin, Phillip

Boerth, Robert C., and Wells, Jack N. Selective Phosphodiesterase Inhibition and Alterations of Cardiac Function by Alkylated Xanthines, 179

Boerth, Robert C., and Wells, Jack N. Xanthine Derivatives That Selectively Inhibit Cyclic GMP Hydrolysis Potentiate Cardiac Contractile Effects of Isoproterenol but Not Those of Bethanecol, 190

N

Nathanson, James A., and Hunnicutt, Edward J. N-Demythylchlordimeform: A Potent Partial Agonist of Octopamine-Sensitive Adenylate Cyclase, 68

Nebert, Daniel W. See Kano, 172

Nelson, Pamlea J. See Rudnick, Bencuya, and Zito, 118

Nelson, Sidney D., Dahlin, David C., Rauckman, Elmer J., and Rosen, Gerald M. Peroxidase-Mediated Formation of Reactive Metabolites of Acetaminophen, 195

Nichol, Lawrence W. See Cann and Winzor, 244

Nirenberg, Marshall. See Kenimer, 585

Nishikawa, Masao. See Motohashi, 22

O

Orrenius, Sten. See Jones, Meyer, and Andersson, 159
Ortiz de Montellano, Paul R. See Marks, Zimmer, Dinizo, Mico, and
Kunze, 206

Oshiki, Janis R. See Young and Sigman, 506

P

Panten, Uwe, Biermann, Jürgen, and Graen, Werner. Recogni-

tion of Insulin-Releasing Fuels by Pancreatic B-Cells: α -Ketoisocaproic Acid Is an Appropriate Model Compound to Study the Role of B-Cell Metabolism, 76

Pappalardo, Giuseppe C. See Bandoli, 558

Pazhenchevsky, B. See Aguayo, Daly, and Albuquerque, 345

Pert, Candace B. See Costa, Russell, and Rodbard, 470

Peterson, Francis J. See Holtzman, Crankshaw, and Polnaszek, 669

Philpot, Richard M. See Robertson, Zeiger, and Wolf, 662

Piascik, Mary E. See Piascik, Hitzemann and Potter, 319

Piascik, Michael T., Piascik, Mary F., Hitzemann, Robert J., and Potter, James D. Ca²⁺-Dependent Regulation of Rat Caudate Nucleus Adenylate Cyclase and Effects on the Response to Dopamine, 319

Pignal, F. See Cheret and Lewin, 326

Plunkett, William. See Harris and Saunders, 200

Poe, Martin. See Schlegel and Hoogsteen, 154

Poggesi, Elena. See Mennnini, Cotecchia, De Blasi, and Samanin, 237

Poland, Alan, Mak, Ivan, and Glover, Edward. Species Differences in Responsiveness to 1,4-Bis[2-(3,5-dichloropyridyloxy)]-benzene, a Potent Phenobarbital-Like Inducer of Microsomal Monooxygenase Actvity, 442

Polnaszek, Carl F.

See Chou, Yost, Leppik, and Holtzman, 674 See Holtzman, Crankshaw, and Peterson, 669

Ponzio, G. See Frelin, Vigne, Romey, Tourneur, Husson, and Lazdunski, 107

Potter, James D. See Piascik, Piascik, and Hitzemann, 319

Powell-Jones, W., Raeford, S., and Lucier, G. W. Binding Properties of Zearalenone Mycotoxins to Hepatic Estrogen Receptors, 35

Powis, Garth, Svingen, Bruce A., and Appel, Peggy. Quinone-Stimulated Superoxide Formation by Subcellular Fractions, Isolated Hepatocytes, and Other Cells, 387

Premilat, Samuel. See Fournie-Zaluski, Gacel, Maigret, and Roques, 484

Puget, Alain, Jauzac, Philippe, Zajac, Jean-Marie, and Meunier, Jean-Claude. Opiate Receptors in the Rat Brain: Specific Labeling of Multiple Components with [3H]Etorphine?, 263

Q

Quach, Tam Thanh, Duchemin, Anne-Marie, Rose, Christiane, and Schwartz, Jean-Charles. Specific Densensitization of Histamine H, Receptor-Mediated [3H]Glycogen Hydrolysis in Brain Slices, 331

R

Rabinovitz, Marco. See Ayukawa and Fisher, 227

Raeford, S. See Powell-Jones and Lucier, 35

Rafferty, Michael F. See Grunewald, Borchardt, and Krass, 377

Rahim, S. G. See Cheng, Dutschman, De Clerq, Jones, Verhelst, and Walker, 230

Rauckman, Elmer J. See Nelson, Dahlin, and Rosen, 195

Regan, John W., Roeske, William R., Malick, Jeffrey B., Yamamura, Susan H., and Yamamura, H. I. γ-Aminobutyric Acid Enhancement of CL 218, 872 Affinity and Evidence of Benzodiazepine Receptor Heterogeneity, 477

Renton, Kenneth W. See Singh, 681

Richelson, Elliott. See El-Fakahany, 519

Roberts, Gordon. See Gronenborn, Birdsall, Hyde, Feeney, and Burgen. 145

Roberts, James M., Insel, Paul A., and Goldfien, Alan. Regulation of Myometrial Adrenoreceptors and Adrenergic Response by Sex Steroids, 52

Robertson, Iain G. C., Philpot, Richard M., Zeiger, Errol, and Wolf, C. Roland. Specificity of Rabbit Pulmonary Cytochrome P-450 Isozymes in the Activation of Several Aromatic Amines and Aflatoxin B., 662

Rodbard, David. See Costa, Russell, and Pert, 470

Roeske, William R.

See Haddox, Womble, Larson, and Russell, 382

See Regan, Malick, Yamamura, and Yamamura, 477

Romey, G. See Frelin, Vigne, Ponzio, Tourneur, Husson, and Lazdunski. 107

Roques, Bernard P. See Fournie-Zaluski, Gacel, Maigret, and Premilat. 484

Rose, Christiane. See Quach, Duchemin, and Schwartz, 331 Rosen, Gerald M. See Nelson, Dahlin, and Rauckman, 195

Rosenbaum, Etelka. See Homburger, Lucas, Vassent, and Bockaert,

Rudnick, Gary, Bencuya, Rosa, Nelson, Pamlea J., and Zito, Ruben A., Jr. Inhibition of Platelet Serotonin Transport by Propranolol, 118

Russell, Diane Haddock. See Haddox, Womble, Larson, and Roeske, 382

Russell, Laura. See Costa, Pert, and Rodbard, 470

Ruth, Jerry L., and Cheng, Yung-Chi. Nucleoside Analogues with Clinical Potential in Antivirus Chemotherapy: The Effect of Several Thymidine and 2'-Deoxycytidine Analogue 5'-Triphosphates on Purified Human (α,β) and Herpes Simplex Virus (Types 1,2) DNA Polymerases, 415

S

Saffer, Jeffrey D., and Glazer, Robert I. Inhibition of Histone H1 Phosphorylation by Sangivamycin and Other Pyrrolopyrimidine Analogues, 211

Salomon, Michael R. See Bourne, Kaslow, Kaslow, and Licko, 435 Samanin, Rosario. See Mennini, Poggesi, Cotecchia, and De Blasi,

Sato, Takashi. See Kanaho and Fujii, 704

Saunders, Priscilla P. See Harris and Plunkett, 200

Schanche, Jon-Sverre, Schanche, Tone, and Ueland, Per Magne. Inhibition of Phospholipid Methyltransferase(s) from Rat Liver Plasma Membranes by Analogues of S-Adenosylhomocysteine, 631 Schanche, Tone. See Schanche and Ueland. 631

Scheibel, L. W., and Adler, A. Antimalarial Activity of Selected Aromatic Chelators. II. Substituted Quinolines and Quinoline-N-Oxides. 218

Schimmel, Richard J. See McMahon, 339

Schlegel, H. Bernard, Poe, Martin, and Hoogsteen, Karst. Models for the Binding of Methotrexate to Escherichia coli Dihydrofolate Reductase: Direct Effect of Carboxylate of Aspartic Acid 27 upon Ultraviolet Spectrum of Methotrexate, 154

Schoop, A. M. C. See Timmermans, Karamat Ali, Kwa, Slothorst-Grisdijk, and van Zwieten, 295

Schwartz, Arnold. See Wehling, Whitmer, Grupp, Grupp, and Wallick. 551

Schwartz, Jean-Charles. See Quach, Duchemin, and Rose, 331 Sedwick, W. David. See Hamrell, Laszlo, and Brown, 637

Sha'afi, R. I. See Volpi and Feinstein, 363

Shaker, N., Eldefrawi, A. T., Miller, E. R., and Eldefrawi, M. E. Interaction of Tricyclic Antidepressants with the Ionic Channel of the Acetylcholine Receptor of *Torpedo* Electric Organ, 511

Shamoo, Adil E. See Abd-Elfattah, 492

Shibata, Shoji. See Miyake, 453

Siegel, M. See Handwerger, Barrett, Barry, Markoff, Zeitler, and Cwikel, 609

Sigman, David S.

See Young, 498

See Young and Oshiki, 506

Singh, Gurmit, and Renton, Kenneth W. Interferon-Mediated Depression of Cytochrome P-450-Dependent Drug Biotransformation, 681

Slothorst-Grisdijk, F. P. See Timmermans, Karamat Ali, Kwa, Schoop, and van Zwieten, 295

Slotkin, T. A. See Subramanian, 240

Smith, Elizabeth. See Baudry and Lynch, 280

Smuckler, Edward A. See Moody, James, and Clawson, 685

Stern, Paula H., Tanaka, Yoko, DeLuca, Hector F., Ikekawa,

Nobuo, and Kobayashi, Yoshiro, Bone Resorptive Activity of Side-Chain Fluoro Derivatives of 25-Hydroxy- and $1\alpha,25$ -Dihydroxyvitamin D_3 in Culture, 460

Subramanian, N., and Slotkin, T. A. Solubilization of a [3H]Cimetidine Binding Site from Rat Brain: A Clonidine-Sensitive H-2 Receptor Subtype?, 240

Svingen, Bruce A. See Powis and Appel, 387

Т

Tallman, John F. See Fishman and Mallorga, 310

Tanaka, Toshio. See Hidaka and Asano, 571

Tanaka, Yoko. See Stern, DeLuca, Ikekawa, ano Kobayashi, 460 Taylor, Adair. See Alvarez, Fazzari, and Jacobs, 302

Tejwani, Gopi A. See Duruibe, 621

Ticku, Maharaj K. See Davis, 287

Timmermans, P. B. M. W. M., Karamat Ali, F., Kwa, H. Y., Schoop, A. M. C., Slothorst-Grisdijk, F. P., and van Zwieten, P. A. Identical Antagonist Selectivity of Central and Peripheral Alpha₁-Adrenoceptors, 295

Tkachuk, V. A., and Wollemann, M. The Effect of Alprenolol on the *Beta*-Receptor and Adenylate Cyclase Activity in Rabbit Heart Membranes, 224

Tognetti, Pietro. See Balsamo, Macchia, Macchia, Martinelli, Tognetti, and Veracini, 371

Tourneur, Y. See Frelin, Vigne, Ponzio, Romey, Husson, and Lazdunski, 107

Turnheim, Klaus, Luger, Anton, and Grasl, Markus. Kinetic Analysis of the Amiloride-Sodium Entry Site Interaction in Rabbit Colon, 543

U

Ueland, Per Magne. See Schanche and Schanche, 631

١

van Zwieten, P. A. See Timmermans, Karamat Ali, Kwa, Schoop, and Slothorst-Grisdijk, 295

Vassent, Gérard. See Homburger, Lucas, Rosenbaum, and Bockaert, 463

Veracini, Carlo A. See Balsamo, Macchia, Macchia, Martinelli, and Tognetti, 371

Verhelst, G. See Cheng, Dutschman, De Clerq, Jones, Rahim, and Walker, 230

Vigne, P. See Frelin, Ponzio, Romey, Tourneur, Husson, and Lazdunski. 107

Volpi, M., Sha'afi, R. I., and Feinstein, M. B. Antagonism of Calmodulin by Local Anesthetics: Inhibition of Calmodulin-Stimulated Calcium Transport of Erythrocyte Inside-Out Membrane Vesicles, 363

W

Wakelin, Laurence P. G. See Wilson, Baguley, and Waring, 404
Walker, R. T. See Cheng, Dutschman, De Clerq, Jones, Rahim, and
Verhelst, 230

Wallick, Earl T. See Wehling, Schwartz, Whitmer, Grupp, and Grupp, 551

Waring, Michael J. See Wilson, Baguley, and Wakelin, 404

Wehling, Martin, Schwartz, Arnold, Whitmer, Kyra, Grupp, Gunter, Grupp, Ingrid, and Wallick, Earl T. Interaction of Chlormadinone Acetate with the Ouabain Binding Site of Na⁺,K⁺-ATPage, 551

Weiss, Sam, and Drummond, George I. Dopamine- and Serotonin-Sensitive Adenylate cyclase in the Gill of Aplysia californica, 592
 Wells, Jack N. See Mushlin and Boerth, 179, 190

White, Steven J., and Jacobs, Robert S. Inhibition of Cell Division and of Microtubule Assembly by Elatone, a Halogenated Sesquiterpene. 614

Whitmer, Kyra. See Wehling, Schwartz, Grupp, Grupp, and Wallick,
551

Whitney, Ralph Allen. See Cole and Marks, 395

Wilson, William R., Baguley, Bruce C., Wakelin, Laurence P. G., and Waring, Michael J. Interaction of the Antitumor Drug 4'-(9-Acridinylamino)methanesulfon-m-anisidide and Related Acridines with Nucleic Acids, 404

Winterhalter, K. H. See Hamboeck, 579

Winzor, Donald J. See Cann and Nichol, 244

Wolf, C. Roland. See Robertson, Philpot, and Zeiger, 662

Wolff, Donald J. See Brostrom, Brostrom, and Huang, 59

Wolleman, M. See Tkachuk, 224

Womble, J. R. See Haddox, Larson, Roeske, and Russell, 382

Wong, Brendan S. Quinidine Interactions with Myxicola Giant Axons, 98

Y

Yamamura, Henry I. See Regan, Roeske, Malick, and Yamamura, 477

Yamamura, Susan H. See Regan, Roeske, Malick, and Yamamura, 477

Yoneyama, Keiji. See Kitamura, Kano, and Hozumi, 124 Yost, Yul. See Chou, Polnaszek, Leppik, and Holtzman, 674 Young, Anthony P.

and Sigman, David S. Allosteric Effects of Volatile Anesthetics on

the Membrane-Bound Acetylcholine Receptor Protein. I. Stabilization of the High-Affinity State, 498

Oshiki, Janis R., and Sigman, David S. Allosteric Effects of Volatile Anesthetics on the Membrane-Bound Acetylcholine Receptor Protein. II. Alteration of α -Bungarotoxin Binding Kinetics, 506

Yunger, Libby M., and Cramer, Richard D., III. Measurement and Correlation of Partition Coefficients of Polar Amino Acids, 602

Z

Zajac, Jean-Marie. See Puget, Jauzac, and Meunier, 263

Zannoni, Vincent G. See Lau, 234

Zeiger, Errol. See Robertson, Philpot, and Wolf, 662

Zeitler, P. See Handwerger, Barrett, Barry, Markoff, Cwikel, and Siegel, 609

Zimmer, Stephen B. See Marks, Dinizo, Mico, Kunze, and Ortiz de Montellano, 206

Zito, Ruben A., Jr. See Rudnick, Bencuya, and Nelson, 118
Zukin, R. Suzanne, and Zukin, Stephen R. Demonstration of [3H]
Cyclazocine Binding to Multiple Opiate Receptor Sites, 246
Zukin, Stephen R. See Zukin, 246

CUMULATIVE SUBJECT INDEX' FOR VOLUMES 19 AND 20

A	Ca ²⁺ -modulated, 20 , 59
Absolute configuration	catalytic, in mutant phenotype, 20, 435
dihydriols of chrysene (rat), 19, 168	caudate nucleus, regulation (rat), 20, 319
dihydriols of phenanthrene (rat), 19, 168	desensitization
Absolute spectra, cytochrome P-450 (rat), 19, 162	catecholamine-induced (rat), 20, 310
4-Acetamido-4'-isothiocyano-2,2'-disulfonic acid stilbene, effect on di-	to chloradenosine, 20, 585
azepam receptors (rat), 20, 470	to prostaglandin E ₁ , 20, 585
Acetaminophen	dopamine-sensitive, 20, 592
reactive metabolites, 20, 195	dopamine-sensitive (rat), 20, 319
formation (hamster), 19, 140	erythrocyte, effects of desensitization to isoproterenol (pigeon), 20,
2-Acetylaminofluorene, activation (rabbit), 20, 662	694
Acetylcholine receptor	hormone-sensitive, 20, 435
alteration of toxin-binding sites (ray), 20, 506	in intact cells, effects of cholera toxin, 19, 406 in S49 lymphoma variants (mouse), 19, 109
ionic channel (frog), 20, 345	isoproterenol-stimulated (rabbit), 20, 224
interactions (ray), 20, 511	octopamine-activated, 20, 68
high-affinity state (ray), 20, 498	octopamine-sensitive, effect of N-demethylchlordimeform, 20, 68
membrane-bound (ray), 20, 498, 506	pineal gland (rat), 19, 21
muscarinic	platelet, inhibition by methylmercury (human), 19, 470
effects of lanthanides (mouse, rat), 19, 282	regulatory component (rat), 20, 310
phenoxybenzamine and dibenamine interactions (mouse), 20, 519	renal, effects of dopamine and beta-adrenergic agonists (rat), 20, 429
non-equivalence (ray), 20, 506 perturbation by volatile anesthetics (ray), 20, 498	serotonin-sensitive, 20, 592
toxin-binding kinetics (ray), 20, 506	Adipocyte
Acetylcholinesterase	adenosine receptors in (rat), 19, 228
inhibitors, flexibility, 20, 89	epididymal, regulation of lipolysis in (hamster), 19, 248
size of active-site cavity, 20, 89	phosphorylase, effect of alpha-adrenergic receptors (hamster), 20,
Acridine antitumor drugs, binding to nucleic acids, 20, 404	339
4'-(9-Acridinylamino)methanesulfon-m-anisidide, binding to nucleic	ADP ribosylation, 19, 406
acids, 20, 404	in mutant phenotype, 20, 4 35
Action potential	Adrenal medulla, dopamine- β -hydroxylase, radioimmunoassay (hu-
calcium, effect of alkaloid, 19, 411	man), 19, 444
Na ⁺ , voltage dependence (mouse), 20, 453	Adrenergic receptor
Na ⁺ ionophore, interaction of ervatamine and epiervatamine, 20, 107	alpha-
Actinomycin D, effect on polysomes and mRNA levels in liver (rat),	antagonists, subtype selectivity, 20, 28
19, 103	conformation, 20, 371
Activity-structure relationships	fetal heart (mouse), 20, 382 in adipocytes (hamster), 20, 339
calmodulin antagonists, 20, 571	interactions with prostaglandin, nicotinic acid, and adenosine
dihydrofolate reductase, 20, 649 dopaminergic and serotonergic stimulation, 20, 592	(hamster), 19, 248
triazolinethione, 20, 598	myometrial (rabbit), 20, 52
Acycloguanosine, effect on induction of retrovirus particles, 19, 122	alpha ₁ -, antagonist selectivity (rat), 20, 295
N-O Acyltransferase, rat liver, role in mutagenicity of N-hydroxy-2-	beta-
acetylaminofluorene in Salmonella test system, 19, 337	-adenylate cyclase complex (rat), 19, 21
Adenosine	binding, 19, 509
interactions with alpha-adrenergic agents, prostaglandin, and nico-	density and affinity (rat), 19, 21
tinic acid (hamster), 19, 248	effect of alprenolol (rabbit), 20, 224
receptors, in fat cells (rat), 19, 228	effects on renal glomeruli (rat), 20, 429
S-Adenosylhomocysteine	effects on renal striatum (rat), 20, 429
interaction with isolated hepatocytes (rat), 19, 463	erythrocyte (pigeon), 20, 694
analogue, effect on liver plasma membranes (rat), 20, 631	in mutant phenotype, 20 , 435
S-Adenosyl-L-methionine, methylation, steric mapping, 19, 307	myometrial (rabbit), 20 , 52
S-Adenosyltransferase, L-methionine site, steric mapping, 19, 307	uncoupling from adenylate cyclase (rat), 20, 310 $beta_{1-}$, in single cell type (rat), 20, 463
Adenylate cyclase	beta ₂ -
activation by prostaglandins (human), 20, 302	conformational analysis of stimulating agents, 20, 22
activity dopamine-sensitive, effect of calmodulin (rat), 19, 256	in single cell type (rat), 20, 463
in striatal membranes (rat), 19, 256	mymetrial, regulation by sex steroids (rabbit), 20, 52
beta-adrenergic linked system, effects of desmethylimipramine and	Adrenergic response, myometrial, regulation by sex steroids (rabbit),
nialamide (rat), 19, 187	20, 52
-beta-adrenergic receptor complex, pineal gland (rat), 19, 21	Adrenoceptor, see Adrenergic receptor
,, F Q (2, ,, 2	Aequorin, in study of cardiotonic drug effects (squid), 19, 68
	Aerobic reduction, nitrofurantoin, 20, 669

Aflatoxin B₁, activation (rabbit), 20, 662

¹Boldface numbers indicate appropriate volume; lightface numbers Affinity, drugs, for erythrocyte membrane (human), 20, 704

indicate pagination.

Aggregation, platelet	$\hbox{2-Amino-6,7-dihydroxy-1,2,3,4-tetrahydrona} {\it phi} halene, \ effect \ on \ renal$
effect of prostaglandins (human), 20, 302	glomeruli and striatum (rat), 20, 429
epinephrine-induced (human), 19, 179	[3H]Amino-6,7-dihydroxy-1,2,3,4-tetrahydronaphthalene
methylmercury-induced (human), 19, 470 Aging, hormonal control of (rat), 19, 399	binding to striatal membrane (rat), 19, 372 effect of purine necleotides (rat), 19, 372
Agonist	effect of UV irradiation (rat), 19, 372
drugs, γ -aminobutyric acid inhibition of γ -aminobutyric acid release	2-Aminofluorene, activation (rabbit), 20, 662
(rat), 19, 27	N-(6-Aminohexyl)-5-chloro-1-naphthalenesulfonamide, vascular re-
histamine H ₁ binding (guinea pig), 19, 379	sponse, 20, 571
octopamine-sensitive adenylate cyclase, 20, 68	Aminopyrine, oxidation to radical species (rat), 19, 146
opiate, mechanism of sodium effect in binding, 20, 269	Analgesic activity
receptor H ₁ , effects on [³ H]glycogen hydrolysis (mouse), 20, 331	analysis, 20, 598
Albumin binding of phenytoin, 20, 674	of triazolinethione, 20, 598 Analogue
human serum, interaction with insecticides, 20, 138	S-adenosylhomocysteine, effect on liver plasma membranes (rat), 20,
mRNA, hepatic (rat), 19, 103	631
Alcohol, see also Ethanol	allylisopropylacetamide
cutoff in anesthetic potency (tadpole), 19, 49	in embryo liver cell culture (chick), 20, 206
Alkaline phosphatase, release, effect of arachidonic acid, 20, 609	porphyrin induction (chick), 20, 206
Alkaloid, effect on calcium ATPase, 19, 411	amino acid
Alkylating agents	hemoglobin stability (rabbit), 20, 227
mutagenicity, 19, 496	β -hetero atom (rabbit), 20 , 227
nucleophilic selectivity, 19, 496	amphetamine conformationally defined, 20, 377
structure-activity study, 19, 496 toxicity protection, 19, 496	phenylethanolamine N-methyltransferase inhibition, 20, 377
Alkyl chain length, 20, 571	arachidonic acid, in evaluation of structural determinants of prosta-
Alkyl halide intoxication, effect on hepatic microsomal components	glandin receptor and enzyme specificities, 19, 242
(rat), 20 , 685	bicyclic, conformationally defined 20, 377
Alkyl methanesulfonic acid esters, nucleophilic selectivity, 19, 496	cyclophosphamide, differential cytoxicity and DNA cross-linking in
Allosterism	mouse L1210 leukemia cells, 19, 331
receptor and channel sites (ray), 20, 511	3,5-diethoxycarbonyl-1,4-dihydro-2,4,6-trimethylpyridine, activity
volatile anesthetics (ray), 20, 498	(chick), 20 , 395
Allylisopropylacetamide analogues in embryo liver cell culture (chick), 20, 206	β -endorphin, conformation in cerebroside sulfate solution, 19, 302 enkephalin, structure-activity relationships (guinea pig, mouse), 20,
porphyrin induction (chick), 20, 206	484
Alprenolol	nucleoside, potential in antivirus chemotherapy (human), 20, 415
effect on adenylate cyclase activity in heart membrane (rabbit), 20,	prostaglandin, inhibition of 15-hydroxyprostaglandin dehydrogenase,
224	19, 456
effect on beta-receptor in heart membrane (rabbit), 20, 224	pyrrolopyrimidine, inhibition of histone H1 phosphorylation (mouse),
Amiloride-sodium entry site, interaction (rabbit), 20, 543	20, 211
Amphetamine analogue	substance P, salivation and ileum contraction (rat, guinea pig), 20,
bicyclic, 20, 377 conformationally defined, 20, 377	457 vitamin D ₃ , bone resorptive activity (rat), 20 , 460
phenylethanolamine N-methyltransferase inhibition, 20, 377	Anemonia sulcata, polypeptide toxin (mouse), 20, 453
Amines, aromatic, activation (rabbit), 20, 662	Anesthesia
Amino acid	theory, 19, 432
analogues	theory (tadpole), 19, 49
hemoglobin stability (rabbit), 20, 227	Anesthetic
β-hetero atom (rabbit), 20 , 227	alteration of toxin-binding kinetics (ray), 20, 506
basic, mechanism of increase in intracellular melphalan, 19, 92 logP determination, 20, 602	fluorinated ether, molecular orbital studies of metabolism, 20, 423
polar, partition coefficients, 20 , 602	halothane, effect on lung cells (rat), 19, 520 inhalation
2-Aminoanthracene, activation (rabbit), 20, 662	effect of methoxyflurane on phosphatidic acid bilayers, 19, 432
4-Aminoantipyrine, oxidation (rat), 19, 146	solubility in various media, 19, 56
γ-Aminobutyric acid	lipid disorder (tadpole), 19, 49
autoreceptor, pharmacology (rat), 19, 27	lipid phase transitions (tadpole), 19, 49
enhancement of CL 218, 872 affinity (bovine, rat), 20, 477	lipid solubility (tadpole), 19, 49
-induced enhancement of diazepam receptors (rat), 20, 470	local
inhibition of release by γ -aminobutyric acid agonist drugs (rat), 19,	antagonism of calmodulin, 20, 363
27 St labeled hinding (not) 10, 27	effect on sodium channels, 20, 356
³ H-labeled, binding (rat), 19, 27 receptor	perturbation of acetylcholine receptor protein by (ray), 20, 498 synaptic transmission (ray), 20, 498
-benzodiazepine-ionophore complex, [3H]diazepam binding at, 20,	Anion
287	transport, erythrocyte membrane (rat), 20, 470
binding in mammalian brain (rat, bovine), 19, 217	channels, effect of disulfonic stilbene acids (rat), 20, 470
interaction with y-aminobutyric acid, 20, 16	Antagonist
-stimulated diazepam binding, 20, 16	alpha-adrenergic, subtype selectivity, 20, 28
2-Amino-5,6-dihydroxy-1,2,3,4-tetrahydronaphthalene, effect on renal	calmodulin, vascular response, 20, 571
glomeruli and striatum (rat), 20 , 429	histamine H_1 binding (guinea pig), 19, 379

```
opiate, mechanism of sodium effect in binding, 20, 269
                                                                               interaction with ouabagenin in presence of Na+, Mg2+, and ATP,
                                                                                 19, 62
  racemic radioligands, two-step binding kinetics, 19, 509
  receptor H<sub>2</sub>, effects on histamine-stimulated adenylate cyclase
                                                                               ouabain binding site, 20, 551
       (guinea pig), 20, 326
                                                                             urinary bladder, effect of ATP (rabbit), 19, 525
                                                                          Atropine, binding to acetylcholinesterase, 20, 89
  selectivity, of alpha<sub>1</sub>-adrenoceptors (rat), 20, 295
Anthracycline
                                                                          Autonomic nerve endings, association with high-affinity saxitoxin re-
  antibiotic, flavoprotein catalysis, 19, 184
                                                                                 ceptor sites, 20, 526
  glycosidic cleavage, 19, 184
                                                                          Axon
                                                                            effect of AR-L 57 on intracellular calcium and ouabain-insensitive
Antiarrhythmic drugs, effect on voltage-sensitive sodium channels, 20,
       356
                                                                                 ion fluxes (squid), 19, 68
Antibiotic, anthracycline, flavoprotein catalysis, 19, 184
                                                                            giant, voltage clamp, 20, 98
Antibody
                                                                             Myxicola, quinidine interactions with, 20, 98
  antihormone, 19, 1
                                                                           Axonal transport, fast, in sciatic nerves (frog), 19, 291
  antireceptor, 19, 1
                                                                           Azacytosine-containing DNA, effect on methylases (bacteria), 19, 314
Antidepressant
                                                                          5-Azacytidine
                                                                             effects on polysomal RNA, 20, 644
  effect on beta-adrenergic receptor-linked adenylate cyclase system
                                                                             inhibition of DNA(cytosine-5)methylases (bacteria), 19, 314
  effect on response to noradrenergic stimuli (rat), 19, 187
  tricyclic, molecular targets (ray), 20, 511
Antifolate
                                                                          BALB/3T3 cell, induction of retrovirus particles (mouse), 19, 122
  effect on lymphoblastoid cells (human), 19, 491
                                                                          Batrachotoxin
  lipid-soluble
                                                                            activation of sodium channels, 19, 78
    effects on cell viability (mouse), 20, 637
                                                                            ATP depletion (mouse), 20, 113
    in lymphoblastoid cells (human), 19, 491
                                                                            effect on cardiac cyclic AMP (mouse), 20, 113
  resistance in lymphoblastoid cells (human), 19, 491
                                                                          Benzodiazepine
Antiherpes compounds, induction of retrovirus particles, 19, 122
                                                                             -γ-aminobutyric acid receptor-ionophore complex, [3H]diazepam
Antilipolytic activity, lung (rat), 19, 456
                                                                                 binding at, 20, 287
Antimalarial activity, selected aromatic chelators, 20, 218
                                                                            receptor
                                                                               y-aminobutyric acid interactions, 20, 16
Antipsychotics, phenothiazine, photoaffinity labeling, 19, 264
Antipyrine, conformational analysis, 20, 598
                                                                               heterogeneity (bovine, rat), 20, 477
                                                                               in brain (rat), 20, 470
Antitumor agents, structure-activity study, 19, 496
                                                                          Benzodioxan, derivatives, conformation, 20, 371
Antivirus chemotherapy, deoxyuridine kinase, 20, 230
                                                                          Benzo[a]pyrene diol epoxide
Aplysia californica, gill, dopamine- and serotonin-sensitive adenylate
      cyclase, 20, 592
                                                                            effect of epoxide hydratase, 19, 153
Apomorphine-bromocriptine comparisons, 19, 517
                                                                            hydrolysis, 19, 153
Arachidonic acid
                                                                          Bethanecol, cardiac responses (rabbit), 20, 190
                                                                          Binding
  analogues, in evaluation of structural determinants of prostaglandin
      receptor and enzyme specificities, 19, 242
                                                                            S-adenosylhomocysteine, by isolated hepatocytes (rat), 19, 463
  effect on human chorionic gonadotropin release, 20, 609
  hepatic, effect of alkyl halides (rat), 20, 685
                                                                               meso- and dl-hexestrol to estrogen receptor, 19, 388
  stimulation of human placental lactogen release, 20, 609
                                                                               role of conformations of nonsteroidal estrogens, 19, 388
  turnover (rabbit), 19, 31
                                                                            benzo[a]pyrene diol epoxide, effect of epoxide hydratase, 19, 153
Arachidonyl phosphatidylinositol, stimulation by formylmethionyl-leu-
                                                                            chlorpromazine
      cyl-phenylalanine (rabbit), 19, 31
                                                                               to brain tubulin, 20, 244
AR-L 57, effect on calcium and ion fluxes in axons (squid), 19, 68
                                                                               to calmodulin, 19, 264
Arrhythmia, effect of propranolol treatment, 20, 118
                                                                            [3H]cimetidine, brain (rat), 20, 240
Aryl hydrocarbon hydroxylase, in liver cell cultures (rat, mouse), 20,
                                                                            constants, in human serum albumin, 20, 138
                                                                            covalent, glutathione conjugate formation (hamster), 19, 140
Aspartic acid 27, carboxylate, effect on ultraviolet spectrum of metho-
                                                                            [3H]cyclazocine, to opiate receptor sites, 20, 246
      trexate (bacteria), 20, 154
                                                                            diazepam, y-aminobutyric acid-stimulated, 20, 16
Assay, receptor binding, mathematical analysis of competitive inhibi-
                                                                            diprenorphrine, to neuroblastoma cell membranes (rat), 20, 1
      tion, 19, 367
                                                                            DNA, diol epoxide, 19, 153
ATP
                                                                            equilibrium properties of high-affinity racemic radioligands, 19, 205
  effect on ATPase activity of urinary bladder (rabbit), 19, 525
                                                                            histamine H<sub>1</sub> agonist (guinea pig), 19, 379
  effect on contractility of urinary bladder (rabbit), 19, 525
                                                                            histamine H<sub>1</sub> antagonist (guinea pig), 19, 379
  interaction of ouabagenin and (Na+ K+)-ATPase in presence, 19.
                                                                            ligand, to receptors, 20, 8
                                                                            [3H]mepyramine
                                                                               in brain (mouse), 20, 331
  :L-methionine S-adenosyltransferase, steric mapping of L-methionine
      binding site, 19, 307
                                                                               in longitudinal muscle (guinea pig), 19, 379
  ·norepinephrine complex, structure, 19, 44
                                                                            L-methionine, steric mapping of site in ATP:L-methionine S-adeno-
  9-\beta-D-xylofuranosyl-
                                                                                 syltransferase, 19, 307
    biological half-life (Chinese hamster), 20, 200
                                                                            phenothiazine antipsychotics, to calmodulin, 19, 264
    kinetics of formation (Chinese hamster), 20, 200
                                                                             (-)-N<sup>6</sup>-[<sup>3</sup>H]phenylisopropyladenosine (rat), 19, 228
ATPase
                                                                            phenytoin, 20, 674
  (Ca^{2+} + Mg^{2+})-
                                                                            protein, diol epoxide, 19, 153
    inhibition by local anesthetics, 20, 363
                                                                            receptor
                                                                               γ-aminobutyric acid, in mammalian brain (rat, bovine), 19, 217
    stimulation by calmodulin, 20, 363
                                                                               high-affinity racemic radioligands, 19, 205
  calcium-dependent, inhibition by alkaloid, 19, 411
  (Na^+ + K^+)-
                                                                            saxitoxin, in vertebrate heart, 20, 526, 533
```

sites	ATPase, effect of alkaloid, 19, 411
cell membrane, internal/external (frog), 20, 345	channel
in human serum albumin, 20 , 138	effect of cardiotonic drugs (squid), 19, 68
specific peptides μ and δ , structural requirements (guinea pig, mouse),	effectors of muscarinic receptor (mouse), 20, 519
20, 484	2-halogenoethylamine inhibition (mouse), 20, 519
tetrodotoxin, in vertebrate heart, 20, 526, 533	cyclic nucleotide metabolism (mouse), 20, 113
toxin, effects of volatile anesthetics on kinetics (ray), 20, 506	-dependent blockade, cardiac cyclic AMP (mouse), 20, 113
s-triazine metabolites, to hemoglobin, 20, 579	-dependent hyperpolarization (mouse), 19, 15
trifluoperazine, to calmodulin, 19, 264 two-step, kinetics, of high-affinity racemic radioligands, 19, 509	-dependent stimulation, neutrophilic enzymes (rabbit), 19, 31 effect on phenothiazine binding to calmodulin, 19, 264
zearalenone mycotoxins to hepatic estrogen receptors, properties, 20,	free intracellular, effect of AR-L 57 in axons (squid), 19, 68
35	pump, effect of cardiotonic drugs (squid), 19, 68
1,3-Bis(2-chloroethyl)-1-nitrosourea, nucleophilic selectivity, 19, 496	regulation of glutamate receptor binding (rat), 20, 280
1,4-Bis[2-(3,5-dichloropyridyloxy)]-benzene, species differences in re-	-sodium exchange, effect of cardiotonic drugs (squid), 19, 68
sponsiveness, 20, 442	transport, calmodulin-stimulated, 20, 363
Bladder, urinary, effect of ATP (rabbit), 19, 525	Calmodulin
Blood	antagonism by local anesthetics, 20, 363
free fatty acid levels, 19, 456	antagonists, vascular response, 20, 571
platelets	binding to phenothiazine antipsychotics, 19, 264
aggregation, effect of prostaglandins (human), 20, 302	-Ca ²⁺ system, vascular, 20, 571
regulation of cyclic AMP metabolism (human), 20, 302	effect on dopamine receptor (rat), 20, 319
protein binding (human), 20, 138	effect on dopamine-sensitive adenylate cyclase activity (rat), 19, 256
Bone resorptive activity, of vitamin D ₃ analogues (rat), 20, 460	photoaffinity labeling, 19, 264
Brain	Carbon tetrachloride, effect on hepatic microsomal components (rat),
binding experiments (guinea pig, mouse), 20, 484	20, 685
catecholamine binding (rat), 20, 237	Carboxylate, aspartic acid 27, effect on ultraviolet spectrum of metho-
cerebral cortex, dopamine neurons (rat), 19, 270	trexate (bacteria), 20, 154
[³ H]cimetidine binding site (rat), 20, 240	Carcinoma, colon, effects of sangivamycin (human), 20, 657
diazepam receptors (rat), 20, 470	Carrier
[³H]glycogen (mouse), 20, 331	-bound, methotrexate, treatment of Reuber H35 cells, 19, 505
mammalian, y-aminobutyric acid receptor binding in (rat, bovine),	mechanism, and intracellular melphalan, 19, 92
19, 217	specificity, and intracellular melphalan, 19, 92 Catalase
membrane central and peripheral alpha ₁ -adrenoceptors (rat), 20, 295	conversion to secondary catalase-peroxide complex (rat), 20, 159
effect of ethanol (mouse), 19, 425	inhibition with α -methyldopa (rat), 20, 159
fluidity (mouse), 20, 128	-peroxide complex, secondary, conversion of catalase to (rat), 20, 159
fragment C and tetanus toxin binding to (rat), 20, 565	Catalysis
opiate receptor binding in, 20, 269	cytochrome P-450, 19, 153
physical properties (mouse), 20, 128	flavoprotein, of anthracycline antibiotic, 19, 184
specific labeling of multiple components (rat), 20, 263	Catecholamine
muscarinic receptor, regeneration (rat), 20, 492	-induced desensitization of adenylate cyclase (rat), 20, 310
serotonin binding (rat), 20, 237	receptor, binding in brain (rat), 20, 237
tubulin	tetrahydronaphthalene derivative, 20, 22
chlorpromazine binding, 20, 244	Catechol-O-methyltransferase, site of methylation by, 19, 130
interaction of chlorpromazine, trifluoperazine, and promethazine	Caudate nucleus, adenylate cyclase, regulation (rat), 20, 319
with (mouse), 19, 295	Cell, see also specific cell
Bromobenzene	Chinese hamster ovary, mutants, nucleoside kinase deficiency, 20,
epoxidation (rabbit), 20, 234	200
metabolism (rabbit), 20, 234	culture
Bromocriptine-apomorphine comparisons, 19, 517	embryo liver (chick), 20, 206
α-Bungarotoxin, binding sites (ray), 20, 506	hepatocyte, ornithine decarboxylase induction (rat, mouse), 20,
γ-Butyrolactone, effect on striatal dopamine (rat), 19, 270	172
C	hepatoma-derived, ornithine decarboxylase induction (rat, mouse),
⁴⁵ Ca, fluxes, tolbutamide stimulation (mouse), 20 , 83	20, 172 cultured
Ca ²⁺ , see also Calcium	cyclic AMP turnover 19, 38
-calmodulin system, vascular, 20, 571	inhibition of methotrexate polyglutamate accumulation in (hu-
-dependent regulation of caudate nucleus adenylate cyclase (rat), 20,	man), 19, 87
319	cycle, S2-type DNA synthesis inhibition, 20, 614
effect on cyclic AMP accumulation in glial tumor cells, 20, 59	division, inhibition by elatone (sea urchin), 20, 614
$(Ca^{2+} + Mg^{2+})$ -ATPase	Ehrlich ascites, polysomal RNA, 20, 644
inhibition by local anesthetics, 20, 363	gene-amplified, toxicity of methotrexate and metoprine (mouse), 20,
stimulation by calmodulin, 20, 363	637
Cadmium	intact, effects of cholera toxin on adenylate cyclase, 19, 406
cytochrome P-450 depression (rat), 20, 165	membrane, sensitivity to quaternary ligands (frog), 20, 345
-induced depression of hepatic monooxygenase system (rat), 20, 165	B-Cells
Calcium, see also Ca ²⁺	metabolism (mouse), 20, 76
and muscle contraction, effect of alkaloid, 19, 411	pancreatic, recognition of insulin-releasing fuels (mouse), 20, 76

β-Cells, pancreatic	Clone
⁴⁶ Ca fluxes (mouse), 20 , 83	neuroblastoma N1E-115 (mouse), 19, 15
effect of glucose (mouse), 20, 83	neuronal, effect of polypeptide toxin (mouse), 20, 453
effect of tolbutamide (mouse), 20, 83	Clonidine
Cerebroside sulfate solution, conformation of β -endorphin analogues	antilipolytic activity (hamster), 19, 248
in, 19, 30 2	³ H-labeled, characterization of alpha-adrenergic receptors in plate-
Cetylpoly(oxyethylene) ether, in optical measurements of β -endorphin	lets (human), 19, 179
analogues, 19, 302	-sensitive H-2 receptor (rat), 20, 240
Chelator	Colchicine, effects on respiration and fast axonal transport in sciatic
aromatic, antimalarial activity, 20, 218	nerves (frog), 19, 291
lipophilic, antimalarial activity, 20, 218	Colon
• • •	
Chemical shift, ¹ H	amiloride-sodium entry site, interaction (rabbit), 20, 543
in norepinephrine, 19, 44	apical sodium entry (rabbit), 20, 543
in norepinephrine · ATP complex, 19, 44	carcinoma cells, effects of sangivamycin (human), 20, 657
	Complexes, brain membrane, labeled, multiple (rat), 20, 263
Chemotherapy	
antivirus	Computer graphics, MULTAN, 20, 598
deoxyuridine kinase, 20, 230	Computer modeling, racemic antagonist radioligands, 19, 509
nucleoside analogue potential (human), 20, 415	Conformational analysis
	· · · · · · · · · · · · · · · · · · ·
methotrexate metabolism, 19, 87	antipyrine, 20, 598
Chlordimeform, octopaminergic action, 20, 68	beta ₂ -adrenoceptor-stimulating agents, 20, 22
Chloride channel, erythrocyte membrane (rat), 20, 470	benzodioxan derivatives, 20, 371
	¹ H NMR and energy calculations (guinea pig, mouse), 20, 484
Chlorination, naphthalene ring, 20, 571	
Chlorine-deficient derivatives, vascular response, 20, 571	nonsteroidal estrogens, 19, 388
Chlorisondamine, block of glutamate-activated synaptic channels, 19,	nootropic agents, 20, 558
349	triazolinethione, 20, 598
Chlormadinone acetate, interaction with ouabain binding site of	Conformational preference
Na ⁺ ,K ⁺ -ATPase, 20, 551	adrenergic agents, 20, 377
Chlornaltrexamine, inactivation of opiate receptors, 20, 8	phenylethanolamine N-methyltransferase inhibition, 20, 377
2-Chloroadenosine, desensitization of adenylate cyclase to, 20, 585	Conformer populations, effect on binding affinity of meso- and dl-
	· · · · · · · · · · · · · · · · · ·
Chloroform	hexestrol to estrogen receptor, 19, 388
effect on hepatic microsomal components (rat), 20, 685	Contractility, urinary bladder, effect of ATP (rabbit), 19, 525
perturbation of acetylcholine receptor protein by (ray), 20, 498, 506	Cross-linking, DNA, by polymeric and monomeric activated analogues
Chlorpromazine	of cyclophosphamide (mouse), 19, 331
binding	Culture
to brain tubulin, 20, 244	fetal forelimb bones, bone resorptive activity in (rat), 20, 460
to calmodulin, 19, 264	human cells, inhibition of methotrexate polyglutamate accumulation,
interaction with mouse brain tubulin, 19, 295	19. 87
	· ·
micellarization, 20 , 244	liver cells, embryonic (chick), 20, 206
transbilayer permeation in lecithin vesicles, 20, 124	Cumene hydroperoxide radical, decomposition (rat), 146
Cholera toxin	Cyclazocine, ³ H-labeled, binding to opiate receptor sites, 20, 246
action	Cyclic AMP
Ca ²⁺ dependence, 20, 59	aberrant metabolism, and S49 lymphoma variants (mouse), 19, 109
trifluoperazine inhibition, 20, 59	accumulation, Ca ²⁺ -modulated, 20, 59
effects	cardiac
mediation by $M_r = 52,000$ peptide, 19, 406	effect of alkylated xanthines (rabbit), 20, 179
on erythrocyte adenylate cyclase (pigeon), 20, 694	effect of toxic alkaloids (mouse), 20, 113
response	cholera toxin-stimulated, accumulation in glial tumor cells, 20, 59
of adenylate cyclase (mouse), 20, 435	formation in fat cells (rat), 19, 228
* * * * * * * * * * * * * * * * * * * *	· · · · · · · · · · · · · · · · · · ·
of glioma C6 cells (rat), 20 , 310	in glioma C6 cells, effect of isoproterenol (rat), 20, 310
-stimulated cyclic AMP accumulation in glial tumor cells, 20, 59	inhibition of formation (mouse), 20, 113
Cholesterol, membrane, effect of ethanol (mouse), 19, 425	in liver cell cultures (rat, mouse), 20, 172
Chromatography	metabolism, regulation in platelets (human), 20, 302
frontal gel, micellar characteristics of chlorpromazine, 20, 244	octopamine and pesticides, 20, 68
high-pressure liquid, nucleotide separation (Chinese hamster), 20,	pancreatic islets (mouse), 20, 76
200	phosphodiesterase
thin-layer, stereospecific patterns, 19, 355	activation by prostaglandins (human), 20, 302
Chronotropic response, cardiac, to alkylated xanthines (rabbit), 20, 179	activity in pineal gland (rat), 19, 187
Cimetidine	pineal gland (rat), 19, 21
effects on histamine-stimulated adenylate cyclase (guinea pig), 20,	effects of desmethylimipramine and nialamide (rat), 19, 187
	turnover in cultured cells, 19, 38
326	· ·
H-labeled, brain, solubilization of binding site (rat), 20, 240	Cyclic GMP
Circular dichroism, study of conformation of β -endorphin analogues,	cardiac, effect of alkylated xanthines (rabbit), 20, 179
19, 302	-dependent hyperpolarization of neuroblastoma cells (mouse), 19, 15
·	
Citrovorum factor, rescue from methotrexate toxicity, 19, 87	in liver cell cultures (rat, mouse), 20 , 172
CL 218,872, γ -aminobutyric acid enhancement of affinity (bovine, rat),	membrane potential change, 19, 15
20, 477	muscarinic receptor, calcium channel (mouse), 20, 519
¹⁴ C-Label, phenacetin analogues, binding (hamster), 19, 140	Cyclic nucleotide, calcium metabolism (mouse), 20, 113
	· · · · · · · · · · · · · · · · · · ·
Cleavage, reductive, in flavoprotein catalysis, 19, 184	Cyclophosphamide, analogues, differential cytotoxicity and DNA cross-

linking in L1210 leukemia cells (mouse), 19, 331 Diazosulfanilic acid Cytochrome b_5 , hepatic, effect of alkyl halides (rat), 20, 685 comparison with N-ethylmaleimide, 19, 355 Cytochrome P-450 inhibition of opiate binding, 19, 355 cadmium-induced depression (rat), 20, 165 interaction with opiate receptor, 19, 355 catalysis, 19, 153 Dibenamine, interactions with calcium channel effectors of muscarinic hepatic, effect of intoxication with alkyl halides (rat), 20, 685 receptor (mouse), 20, 519 in 2,3- and 3,4-epoxidation (rabbit), 20, 234 Dibromochloropropane, effect on hepatic microsomal components interferon-mediated depression (mouse), 20, 681 (rat), 20, 685 isozymes, substrate specificity (rabbit), 20, 662 Dibucaine, calmodulin antagonism, 20, 363 liver microsomal, in radical oxidation (rat), 19, 146 3,5-Diethoxycarbonyl-1,4-dihydro-2,4,6-trimethylpyridine membrane-bound, absolute spectra (rat), 19, 162 activity of analogues (chick), 20, 395 metabolism, molecular orbital studies, 20, 423 effects on ferrochelatase activity in embryo liver (chick), 19, 477 -NADPH reductase, aerobic reduction of nitrofurantoin, 20, 669 Difference spectra, study of serum binding of insecticides (human), 20, specificity in bromobenzene epoxidation (rabbit), 20, 234 138 (Cytosine-5)methylases, DNA, inhibition by 5-azacytidine (bacteria), Dihydroalprenolol 19, 314 binding, in pineal gland (rat), 19, 21 Cytosol, liver, effect of thioacetamide on NADP-linked enzymes of ³H-labeled, binding in pineal gland (rat), **19,** 187 (rat), 19, 451 Dihydro-5-azacytidine, effects on polysomal RNA, 20, 644 Cytotoxicity, see also Toxicity Dihydroergocryptine, ³H-labeled, selective binding to adrenergic recepbromobenzene (rabbit), 20, 234 tors, 20, 28 differential, by polymeric and monomeric activated analogues of Dihydrofolate reductase cyclophosphamide, 19, 331 binding of methotrexate (bacteria), 20, 154 bovine and murine leukemia, comparison of inhibition, 20, 649 sesquiterpene lactones, 19, 97 Cytotoxin, see also Toxin in lymphoblastoid cells (human), 19, 491 elatone (sea urchin), 20, 614 multiple conformations of trimethoprim complex (bacteria), 20, 145 structure-activity relationships, 20, 649 α -Dihydropicrotoxinin, binding, effect of ethanol, 20, 287 Decamethonium, effects on end-plate current parameters (rat), 19, 276 Dihydroxyphenylalanine Decarboxylase, ornithine, isoproterenol stimulation (mouse), 20, 382 in brain extracts (rat), 19, 270 N-Demethylchlordimeform, effect on octopaminergic neurotransmisphenol ionization, role in methylation by catechol-O-methyltransfersion, 20, 68 ase, 19, 130 Denervation, effect on pineal gland (rat), 19, 21 $1\alpha,25$ -Dihydroxyvitamin D₃, effects on bone (rat), 20, 460 2'-Deoxycytidine, 5'-triphosphates, effect on herpes simplex virus DNA 4,4'-Diisothiocyano-2,2'-disulfonic acid stilbene, effect on diazepam receptors (rat), 20, 470 polymerases (human), 20, 415 Dimethylaniline N-oxidase, activity, effect of steroid sex hormone 9,11-Deoxyprostaglandins, inhibition of 15-hydroxyprostaglandin dehydrogenase, 19, 456 (mouse), 19, 134 Deoxythymidine kinase, differential affinity of 5-(2-halogenovinyl)-2'-Diol epoxide deoxyuridines, 20, 230 bay-region 2'-Deoxyuridine, 5-substituted, inhibitory activity on leukemia L1210 chrysene (rat), 19, 168 cell growth (mouse), 19, 321 phenanthrene (rat), 19, 168 [5-125I]2'-Deoxyuridine, incorporation into cellular DNA, 19, 122 DNA binding, 19, 153 E-5-(2-bromovinyl)-2'-Deoxyuridine, effects on induction of retrovirus protein binding, 19, 153 particles, 19, 122 Diprenorphrine, binding to neuroblastoma cell membranes (rat), 20, 1 E-5-(2-125 I-vinyl)-2'-Deoxyuridine, incorporation into cellular DNA, 19, Dissociation kinetics, estrogen-receptor complexes, 20, 35 Disulfonic stilbene acids, effect on diazepam receptors (rat), 20, 470 Deoxyuridine kinase, antivirus chemotherapy, 20, 230 DNA Desensitization azacytosine-containing, effect on methylases (bacteria), 19, 314 acetylcholine receptor protein (ray), 20, 498 benzo[a]pyrene diol epoxide binding to, effect of epoxide hydratase, adenylate cyclase, 20, 585 **19,** 153 catecholamine-induced (rat), 20, 310 biosynthesis in HeLa cells, inhibition by sesquiterpene lactones, 19, [3H]glycogen hydrolysis (mouse), 20, 331 guanine nucleotides (rabbit), 20, 224 calf thymus, binding of acridine antitumor drugs, 20, 404 to isoproterenol, effects on erythrocyte adenylate cyclase (pigeon), cross-linking, by polymeric and monomeric activated analogues of 20, 694 cyclophosphamide in mouse L1210 leukemia cells, 19, 331 volatile anesthetics (ray), 20, 498 (cytosine-5)methylases, inhibition by 5-azacytidine (bacteria), 19, Desmethylimipramine, effect on beta-adrenergic receptor-linked adenylate cyclase system in pineal gland (rat), 19, 187 polymerases, herpes simplex virus (human), 20, 415 Detergent, effect on glutamate receptor binding (rat), 20, 280 synthesis, 20, 657 [2,4-Diamino-5-(3',4'-dichlorophenyl)]-6-methylpyrimidine Dopa, see Dihydroxyphenylalanine effect on lymphoblastoid cells (human), 19, 491 **Dopamine** toxicity, in a dihydrofolate reductase gene-amplified cell line (mouse), effects on renal glomeruli (rat), 20, 429 effects on renal striatum (rat), 20, 429 4,6-Diamino-1,2-dihydro-2,2-dimethyl-1-(3-X-phenyl)-s-triazines, inhineurons, mesocortical (rat), 19, 270 bition of bovine and murine leukemia dihydrofolate reductase. receptor 20, 649 renal (rat), 20, 429 Diazepam striatal (rat), 19, 372 binding, y-aminobutyric acid-stimulated, 20, 16 -sensitive adenylate cyclase, 20, 592 ³H-labeled, binding, effect of ethanol, 20, 287 activity, effect of calmodulin (rat), 19, 256 receptors, in brain (rat), 20, 470 -sensitive adenylate cyclase (rat), 20, 319

synthesis, regulation in mesocortical neurons (rat), 19, 270 Epididymis, adipocytes, regulation of lipolysis in (hamster), 19, 248 Dopamine-β-hydroxylase, plasma, adrenal medulla, and pheochromo-Epiervatamine, interaction with action potential Na⁺ ionophore, 20, cytoma, comparison by radioimmunoassay (human), 19,444 Dopaminergic ergolines, stereochemistry, 19, 517 Epinephrine-induced platelet aggregation (human), 19, 179 Epithelium, sodium transport (rabbit), 20, 543 Drug(s) **Epoxidation** affinity for erythrocyte membrane (human), 20, 704 agonist, y-aminobutyric acid (rat), 19, 27 bromobenzene (rabbit), 20, 234 antagonism, in lymphoblastoid cells (human), 19, 491 2,3-, 3,4-, role of cytochrome P-450 (rabbit), 20, 234 antiarrhythmic, effect on voltage-sensitive sodium channels, 20, 356 Epoxide hydratase, effect on benzo[a]pyrene diol epoxide, 19, 153 Epoxide hydrolase, immunohistochemical localization (rat), 20, 709 antitumor, interaction with nucleic acids, 20, 404 antiviral, effect on DNA polymerases (human), 20, 415 Epoxide stability, molecular orbital studies, 20, 423 assays, application of spin labeling, 20, 674 **Equilibrium** cardioactive, effect on calcium and ion fluxes in axons (squid), 19, 68 binding properties, of high-affinity racemic radioligands, 19, 205 cytochrome P-450-dependent biotransformation (mouse), 20, 681 dialysis, acridine antitumor drugs, 20, 404 free, measurement of levels, 20, 674 Ergolines, dopaminergic, stereochemistry, 19, 517 -induced receptor conformations (ray), 20, 511 Ervatamine, interaction with action potential Na⁺ ionophore, 20, 107 interaction with membrane, 20, 124 Erythrocyte metabolism, sublobular rates in liver (rat), 19, 513 adenylate cyclase, effects of desensitization to isoproterenol (pigeon), -receptor interactions, molecular determinants, 20, 558 20,694 resistance, in gene-amplified cell line (mouse), 20, 637 effect of tienilic acid on transport of Na⁺ and K⁺ (human), 19, 438 uptake by hepatoma cells, 19, 505 homogeneity of beta2-adrenoceptors (rat), 19, 194 membrane calcium transport, 20, 363 chloride channels (rat), 20, 470 Ehrlich ascites cell transformation (human), 20, 704 polysomal RNA, 20, 644 synthesis and translation of polysomal poly(A)RNA, 19, 117 Escherichia coli dihydrofolate reductase, binding of methotrexate, 20, 154 Elatone, inhibition of cell division and microtubule assembly (sea DNA(cytosine-5) methylases, effect of azacytosine, 19, 314 urchin), 20, 614 Electrical activity, in sciatic nerve (frog), 19, 291 Eserine, binding to acetylcholinesterase, 20, 89 Electrical excitability Estradiol, receptor binding 20, 43 sodium channels, 20, 356 Estrogen nonsteroidal spontaneous firing (mouse), 20, 453 vertebrate heart, 20, 526, 533 conformational analysis, 19, 388 receptor binding, 20, 43 Electron paramagnetic resonance, in study of effect of methoxyflurane, **19.** 432 stereochemistry, 20, 43 Electron spin resonance, spin-labeled drugs, 20, 674 receptor binding affinity of meso- and dl-hexestrol to, 19, 388 Electrophorus electricus, acetylcholinesterase, internal flexibility of inhibitors, 20, 89 binding of nonsteroidal estrogens, 20, 43 Embryonic liver cells hepatic, 20, 35 nonsteroidal estrogens, 19, 388 ferrochelatase activity (chick), 19, 477; 20, 395 Ethanol, see also Alcohol porphyrin induction (chick), 20, 206 effect on [3H]diazepam binding, 20, 287 **Enantiomeric composition** dihydriols of chrysene (rat), 19, 168 effect on gluconeogenic and glycolytic enzymes of liver (rat), 20, 621 dihydriols of phenanthrene (rat), 19, 168 effect on physical properties of brain membranes (mouse), 20, 128 membrane-disordering action (mouse), 19, 425 nonsteroidal estrogens, 20, 43 Ether, fluorinated, molecular orbital studies of metabolism, 20, 423 β-Endorphin analogues, conformation in cerebroside sulfate solution, 19, 302 Ethidium, displacement by acridine antitumor drugs, 20, 404 End-plate current Ethoxycoumarin, O-deethylation (rat), 19, 513 effects of hexamonium and decamethonium (rat), 19, 276 Ethylenedibromide, effect on hepatic microsomal components (rat), 20, sartorius muscle (frog), 20, 345 685 N-Ethylmaleimide Energy calculations, in structure-activity relationships, 20, 598 comparison with diazosulfanilic acid, 19, 355 Enkephalin effect on opiate receptors in neuroblastoma × glioma hybrid (mouse), leucine, interaction with opioid receptors (mouse), 19, 236 20, 255 receptor Ethylmorphine, N-demethylation, hepatic (rat), 20, 165 interaction with ligands (rat), 20, 1 structural requirements (mouse), 20, 484 Ethynyl compounds, in embryo liver cell culture (chick), 20, 206 Enzyme(s) F effect on glutamate receptor binding (rat), 20, 280 gluconeogenic, effect of ethanol (rat), 20, 621 Fat cell, see Adipocyte glycolytic, effect of ethanol (rat), 20, 621 Fatty acid liver, metabolism of chrysene and phenanthrene (rat), 19, 168 blood levels, 19, 456 lysosomal hepatic, effect of alkyl halides (rat), 20, 685 effect of synthetic peptides on secretion (rabbit), 19, 31 ¹⁴C-labeled, evaluation of structural determinants of prostaglandin neutrophilic, secretion (rabbit), 19, 31 receptor, 19, 242 NADP-linked, of liver cytosol, effect of thioacetamide (rat), 19, 451 Fermentation, homolactate, 20, 218 one-electron reduction, 20, 387 Ferrochelatase specificity, evaluation with analogues of arachidonic acid, 19, 242 3,5-diethoxycarbonyl-1,4-dihydro-2,4,6-trimethylpyridine inhibition target, for inhibitory activity of 2'-deoxyuridines, 19, 321 (chick), 20, 395 Epidermis, growth factor, action and binding 19, 1 in embryo liver cells (chick), 20, 395

effects of griseofulvin and 3,5-diethyxycarbonyl-1,4-dihydro-2,4,6-Glycogen, ³H-labeled, desensitization (mouse), 20, 331 trimethylpyridine, 19, 477 Glycolysis, hepatic, effect of ethanol (rat), 20, 621 Fetus, heart, ontogeny (mouse), 20, 382 Griseofulvin, effects on ferrochelatase activity in chick embryo liver, Fibroblast, cultured, cyclic AMP turnover, 19, 38 19, 477 Flavin-containing monooxygenase, hormone-dependent Growth factor, epidermal changes (mouse), 19, 134 action, 19, 1 Flavoprotein, catalysis, of anthracycline antibiotic, 19, 184 binding, 19, 1 **Fluidity** Guanethidine, effect on beta-adrenergic receptors in pineal gland (rat), brain membrane (mouse), 20, 128 19, 21 hippocampal membrane (rat), 20, 280 Guanine nucleotide lipid (mouse), 20, 128 desensitization (rabbit), 20, 224 Fluorescence effect on interactions of ligands with morphine and enkephalin requenching, study of serum binding of insecticides (human), 20, 138 ceptors (rat), 20, 1 study of brain membrane (mouse), 20, 128 in mutant phenotype, 20, 435 Fluorescent probe, brain membrane (mouse), 20, 128 regulation (pigeon), 20, 694 Fluoro derivatives, side-chain, vitamin D₃ (rat), 20, 460 regulatory component (mouse), 19, 109 Fluoro-dopa, role in methylation by catechol-O-methyltransferase, 19, Gymnodinium breve, see Ptychodiscus brevis 130 Fluorometry, measurement of sublobular rates of mixed-function oxidation in perfused liver (rat), 19, 513 Halide-induced enhancement of diazepam receptors (rat), 20, 470 5-Fluorouracil, effect on polysomal poly(A)RNA from Ehrlich ascites 5-(2-Halogenovinyl)-2'-deoxyuridines, differential affinities for deoxycells, 19, 117 thymidine kinases, 20, 230 Fluroxene, metabolism, molecular orbital studies, 20, 423 Halothane Folate coenzyme, in L1210 leukemia cells (mouse), 19, 481 effect on lung proteins (rat), 19, 520 Folinic acid, inhibition of polyglutamate synthesis, 19, 87 perturbation of acetylcholine receptor protein by (ray), 20, 498, 506 Force-field calculations, conformations of nonsteroidal estrogens, 19, Heart 388 alteration of function by alkylated xanthines (rabbit), 20, 179 Formamidines, octopaminergic action, 20, 68 contractile effects of isoproterenol and bethanecol (rabbit), 20, 190 Formylmethionyl-leucyl-phenylalanine, stimulation of arachidonyl cyclic AMP, effect of toxic alkaloids (mouse), 20, 113 phosphatidylinositol turnover (rabbit), 19, 31 fetal, ontogeny (mouse), 20, 382 10-Formyltetrahydrofolate synthetase, in L1210 leukemia cells (mouse), membrane, effect of alprenolol (rabbit), 20, 224 19, 481 Na⁺ channel, toxin effects (mouse), 20, 113 Fourier analysis, triazolinethione, 20, 598 vertebrate, high-affinity saxitoxin receptor sites, 20, 526 Fragment C, characterization of binding to brain membrane (rat), 20, HeLa cell, DNA biosynthesis, inhibition by sesquiterpene lactones, 19, 97 Frustose-bisphosphatase, hepatic, effect of ethanol (rat), 20, 621 Hemoglobin Fuel, insulin-releasing (mouse), 20, 76 binding of s-triazine metabolites, 20, 579 recognition by pancreatic B-cells (mouse), 20, 76 -free perfused liver, sublobular rates of mixed-function oxidation (rat), 19, 513 newly synthesized, proteolytic susceptibility (rabbit), 20, 227 D-Galactosamine, effect on polysomes and mRNA levels in liver (rat), proteolysis (rabbit), 20, 227 rat, species differences, 20, 579 Ganglion, superior cervical, decentralization (rat), 19, 21 stereochemistry, 20, 579 Gastic mucosa, histamine-stimulated adenylate cyclase activity (guinea Hepatocyte pig), 20, 326 cultures (rat), **20,** 172 Gene-amplified cell line, toxicity of methotrexate and metoprine isolated interaction with S-adenosylhomocysteine (rat), 19, 463 (mouse), 20, 637 Glial tumor cells, accumulation of cyclic AMP, 20, 59 microsome, 20, 387 Glioma C6 cells cell cultures, ornithine decarboxylase induction (rat, mouse), 20, 172 adenylate cyclase (rat), 20, 310 Reuber H35 cell cultures, treatment with carrier-bound methotrexbeta₁- and beta₂-adrenergic receptors in (rat), 20, 463 ate, 19, 505 neuroblastoma hybrid Hepatotoxicity, see also Toxicity modifications of opiate receptors (mouse), 20, 255 bromobenzene (rabbit), 20, 234 NG108-15, opiate receptors in, 20, 8 Hepatotoxin, see also Toxin Glucokinase, hepatic, effect of ethanol (rat), 20, 621 effect on hepatic microsomal components (rat), 20, 685 Gluconeogenesis, effect of ethanol (rat), 20, 621 Herbicide, metabolism, species differences, 20, 579 Glucose Herpes simplex virus effect on pancreatic β -cells (mouse), 20, 83 DNA polymerase, effect of nucleoside analogues (human), 20, 415 metabolism, effect of ethanol (rat), 20, 621 Type 1, anti-compounds, effects on induction of retrovirus particles, Glucose 6-phosphatase, hepatic, effect of ethanol (rat), 20, 621 19, 122 Gonadotropin Heterogeneity human chorionic, release, effect of arachidonic acid, 20, 609 beta-adrenoceptors, on lung (rat), 19, 194 release of (rat), 19, 399 benzodiazepine receptor (bovine, rat), 20, 477 Gonadotropin-releasing hormone, mechanism of action (rat), 19, 399 binding sites, y-aminobutyric acid, in mammalian brain (rat, bovine), 19, 217 -activated synaptic channels, block by chlorisondamine, 19, 349 Hexamethonium, effects on end-plate current parameters (rat), 19, 276

Hexestrol

derivative, 20, 43

receptor, binding, effect of temperature, detergents, and enzymes

(rat), 20, 280

dl-. binding affinity to estrogen receptor, 19, 388 cardiac phosphodiesterase (rabbit), 20, 179 meso-, binding affinity to estrogen receptor, 19, 388 cell cycle, by elatone (sea urchin), 20, 614 receptor binding, 20, 43 competitive, mathematical analysis of kinetics, 20, 367 Hexokinase, hepatic, effect of ethanol (rat), 20, 621 conformational preference of amphetamine analogues, 20, 377 Hippocampus, membrane, glutamate receptor binding in (rat), 20, 280 cyclic GMP hydrolysis, cardiac (rabbit), 20, 190 Histamine DNA biosynthesis, in HeLa cells, 19, 97 H DNA (cytosine-5)methylases, by 5-azacytidine (bacteria), 19, 314 agonist binding (guinea pig), 19, 379 15-hydroxyprostaglandin dehydroxygenase, by 9,11-deoxyprostaglanantagonist binding (guinea pig), 19, 379 dins, 19, 456 receptor in brain (mouse), 20, 331 leukemia L1210 cell growth, thymidylate synthetase as target enzyme receptor in longitudinal muscle (guinea pig), 19, 379 for (mouse), 19, 321 H₂, receptor in gastric mucosa (guinea pig), 20, 326 macromolecule precursor uptake, 19, 97 methotrexate polyglutamate accumulation in cultured human cells, -stimulated adenylate cyclase, effects of H₂-receptor antagonists (guinea pig), 20, 326 Histone, H₁ phosphorylation, inhibition by pyrrolopyrimidine anaplatelet serotonin transport, 20, 118 logues (mouse), 20, 211 phospholipid methyltransferase from liver plasma membranes (rat), ²H-Label-stable, phenacetin, binding (hamster), 19, 140 20, 631 Homofolate, inhibition of serine metabolism in L1210 leukemia cells serine metabolism, in L1210 leukemia cells (mouse), 19, 481 (mouse), 19, 481 specific binding of opiates to synaptic membranes, 19, 355 Homogeneity, beta2-adrenoceptors synthesis of lung proteins (rat), 19, 520 on erythrocytes (rat), 19, 194 Inhibitor on reticulocytes (rat), 19, 194 internal flexibility, 20, 89 Homolactate, fermentation, 20, 218 triazine, 20, 649 Hormone Inotropic effect, positive, 20, 551 action, model, 19, 1 Inotropic response, cardiac, to alkylated xanthines (rabbit), 20, 179 binding, model, 19, 1 Insectides, interaction with human serum albumin, 20, 138 hypothalamic, regulation of binding sites for, 19, 399 Insulin receptors, changes during aging (rat), 19, 399 action, 19, 1 -sensitive adenylate cyclase, 20, 435 binding, 19, 1 Hybrid, neuroblastoma × glioma NG108-15, opiate receptors in, 20, 8 release, effect of tolbutamide (mouse), 20, 83 Hydrolysis -releasing fuels, recognition by pancreatic B-cells (mouse), 20, 76 benzo[a]pyrene diol epoxide, effect of epoxide hydratase, 19, 153 secretion (mouse), 20, 76 cyclic GMP, cardiac, inhibition (rabbit), 20, 190 Intercalation, acridine antitumor drugs, 20, 404 [3H]glycogen, H₁ receptor-mediated (mouse), 20, 331 Interferon-mediated depression of drug biotransformation (mouse), 20, Hydroperoxide, linoleic acid, determination of absolute spectra of cytochrome P-450 (rat), 19, 162 Intestine, small, [3H]mepyramine binding to longitudinal muscle of Hydrophobicity estimates, amino acids, 20, 602 (guinea pig), 19, 379 Hydrophobic interaction, in human serum albumin, 20, 138 Intoxication, alkyl halides, effect on hepatic microsomal components N-Hydroxy-2-acetylaminofluorene, mechanism of mutagenicity in Sal-(rat), 20, 685 monella test system, 19, 337 5-Iodo-2'-deoxyuridine, induction of retrovirus particles, 19, 122 15-Hydroxyprostaglandin dehydrogenase, inhibition by 9,11-deoxypros-Ion taglandins, 19, 456 flux 5-Hydroxytryptamine, binding in brain, effect of morphine dependence ouabain-insensitive (squid), 19, 68 (rat), 20, 237 voltage-sensitive sodium channels, 19, 78 25-Hydroxyvitamin D₃, effects on bone (rat), 20, 460 transport Hyperglycemia, effect of ethanol (rat), 20, 621 effect of antiarrhythmic drugs, 20, 356 Hyperpolarization in vertebrate heart, 20, 526, 533 cyclic GMP-induced (mouse), 19, 15 Ionic channel effect on end-plate current (rat), 19, 276 acetylcholine receptor, interaction with tricyclic antidepressants Hypertension, effect of propranolol treatment, 20, 118 (ray), 20, 511 Hypoglycemia, effect of ethanol (rat), 20, 621 effect of hexamethonium and decamethonium (rat), 19, 276 Hypophysis, see Pituitary interaction with tricyclic antidepressants (ray), 20, 511 Hypothalamus, hormones, regulation of binding sites for, 19, 399 of acetylcholine receptor (frog), 20, 345 Ionization, phenol, in dopa, role in methylation by catechol-O-methyltransferase, 19, 130 Ionopore ICI 125, 211, effects on histamine-stimulated adenylate cyclase (guinea benzodiazepine-y-aminobutyric acid complex, [3H]diazepam bindpig), 20, 326 ing at, 20, 287 Ileum, contraction, substance P analogues (guinea pig), 20, 457 Na⁺, action potential, 20, 107 Iontophoresis, internal (frog), 20, 345 **Imipramine** binding, effect of propronalol, 20, 118 Islets ³H-labeled, agonist-stimulated binding (ray), 20, 511 Langerhans effect of glucose on ⁴⁵Ca fluxes (mouse), 20, 83 Immunohistochemistry, epoxide hydrolase (rat), 20, 709 Inhalation anesthetics, solubility in various media, 19, 56 effect of tolbutamide on ⁴⁶Ca fluxes (mouse), 20, 83 Inhibition ob/ob mice, 20, 83 γ-aminobutyric acid release by γ-aminobutyric acid agonist drugs pancreatic (rat), 19, 27 ⁴⁵Ca fluxes (mouse), **20,** 83 bovine and murine leukemia dihydrofolate reductase, 20, 649 isolated (mouse), 20, 76 calcium transport, by calmodulin, 20, 363 3-Isobutyl-1-methylxanthine

effects on cell viability (mouse), 20, 637

effect on cyclic AMP egress from cultured cells, 19, 38 solubility, inhalation anesthetics, 19, 56 in liver cell cultures (rat, mouse), 20, 172 theories of anesthesia (tadpole), 19, 49 Isoetharine, conformation, 20, 22 Lipolysis Isoproterenol in fat cells (rat), 19, 228 cardiac responses (rabbit), 20, 190 in epididymal adipocytes (hamster), 19, 248 desensitization to, effects on erythrocyte adenylate cyclase (pigeon), Liver cultured, ornithine decarboxylase induction (rat, mouse), 20, 172 -stimulated adenylate cyclase (rabbit), 20, 224 stimulation of fetal heart development (mouse), 20, 382 embryonic, ferrochelatase activity (chick), 19, 477; 20, 395 isolated, interaction with S-adenosylhomocysteine (rat), 19, 463 stimulation of ornithine decarboxylase (mouse), 20, 382 cytosol, effect of thioacetamide on NADP-linked enzymes of (rat), K 19, 451 embryonic, porphyrin induction (chick), 20, 206 K+, see also Potassium enzymes transport in red cells, effect of tienilic acid (human), 19, 438 effect of ethanol (rat), 20, 621 α -Ketoisocaproic acid metabolism of chrysene and phenanthrene (rat), 19, 168 in study of B-cell metabolism (mouse), 20, 76 epoxide hydrolase distribution (rat), 20, 709 metabolites (mouse), 20, 76 estrogen receptors, binding properties, 20, 35 Kidney α -methyldopa-induced toxicity (rat), 20, 159 glomeruli, adenylate cyclase (rat), 20, 429 microsomal monooxygenase activity, 20, 442 N-oxidase activity (mouse), 19, 134 microsomes striatum, adenylate cyclase (rat), 20, 429 formation of radicals in (rat), 19, 146 Kinase, protein, nuclear, I and II (mouse), 20, 211 formation of reactive metabolites of phenacetin in (hamster), 19, Kinetic analysis 140 amiloride-sodium entry site interaction (rabbit), 20, 543 monooxygenase system (rat), 20, 165 transport inhibition (rabbit), 20, 543 NADP-linked enzymes (rat), 19, 451 N-oxidase activity (mouse), 19, 134 L pentose phosphate pathway (rat), 19, 451 Labeling, specific, multiple components of brain membrane (rat), 20, perfused, hemoglobin-free, sublobular rates of mixed-function oxidation (rat), 19, 513 Lactic dehydrogenase, release, effect of arachidonic acid, 20, 609 plasma membranes, inhibition of phospholipid methyltransferase Lactogen, human placental, release, stimulation by arachidonic acid, (rat), 20, 631 20,609 polysomes, effect of D-galactosamine and actinomycin D (rat), 19, Lanthanides, effects on muscarinic acetylcholine receptor function (mouse, rat), 19, 282 mRNA levels, effect of D-galactosamine and actinomycin D (rat), 19, Lateral phase separations, peptide-induced, in phosphatidic acid bilayers 19, 432 Lumicolchicine, effects on respiration and fast axonal transport in Lecithin vesicles, transbilayer permeation, 20, 124 sciatic nerves (frog), 19, 291 Lung enkephalin, interaction with opioid receptors (mouse), 19, 236 activation (rabbit), 20, 662 role in increase in intracellular melphalan by basic amino acids, 19, cells, effect of halothane (rat), 19, 520 92 cytochrome P-450, substrate specificity (rabbit), 20, 662 Leukemia heterogeneity of beta-adrenoceptors (rat), 19, 194 L1210 cells 15-hydroxyprostaglandin dehydrogenase inhibition, 19, 456 differential cytotoxicity and DNA cross-linking by analogues of perfusion (rat), 19, 520 cyclophosphamide, 19, 331 Lymphoblastoid cells, phenotypic resistance after use of antifolates inhibition of serine metabolism by tetrahydrohomofolate (mouse), (human), 19, 491 19, 481 Lymphoma cells, S49 inhibitory activity of 5-substituted 2'-deoxyuridines, 19, 321 adenylate cyclase (mouse), 20, 435 dihydrofolate reductase, bovine and murine, comparison of inhibivariants, with aberrant cyclic AMP metabolism (mouse), 19, 109 tion, 20, 649 Lysergic acid diethylamide, effect on adenylate cyclase, 20, 592 Ligand Lysosome, neutrophilic, enzyme secretion (rabbit), 19, 31 binding to receptors, 20, 8 bivalent, quantitative model for hormone action, 19, 1 interaction with morphine and enkephalin receptors (rat), 20, 1 quaternary, cell membrane sensitivity (frog), 20, 345 Macromolecular precursors, inhibition of uptake, 19, 97 Light exposure, effect on beta-adrenergic receptors in pineal gland Malaria, growth inhibition, 20, 218 (rat), 19, 21 Malondialdehyde, synthesis, stimulation by methyl mercury (human), Linoleic acid 19, 470 hepatic, effect of alkyl halides (rat), 20, 685 Marine natural product, elatol derivative (sea urchin), 20, 614 hydroperoxide, determination of spectra of membrane-bound cyto-Mathematical analysis, kinetics of competitive inhibition, 19, 367 chrome P-450 (rat), 19, 162 Meclofenamate, effect on cyclic AMP egress from cultured cells, 19, 38 Lipid Melphalan, intracellular, carrier mechanism and specificity, 19, 92 fluidity (mouse), 20, 128 Membrane peroxidation, microsomal, initiated by hydroperoxides (rat), 19, 146 axonal, quinidine interactions with, 20, 98 phase transitions (mouse), 20, 128 -bound cytochrome P-450, absolute spectra (rat), 19, 162 polar, synaptic membrane labeling, 19, 355 brain central and peripheral alpha₁-adrenoceptors (rat), 20, 295 -soluble antifolates (human), 19, 491

fluidity (mouse), 20, 128

fragment C and tetanus toxin binding to (rat), 20, 565	Methotrexate
opiate receptor binding in, 20, 269	binding to dihydrofolate reductase (bacteria), 20, 154
physical properties (mouse), 20, 128	carrier-bound, treatment of Reuber H35 hepatoma cells, 19, 505
specific labeling of multiple components (rat), 20, 263	effect on lymphoblastoid cells (human), 19, 491
cell	in cultured human cells, 19, 87
internal external binding sites (frog), 20, 345	inhibition of accumulation in cultured human cells, 19, 87
sensitivity to quaternary ligands (frog), 20, 345	metabolism during chemotherapy, 19, 87
cholesterol content, effect of ethanol (mouse), 19, 425	poly(L-lysine), mechanism of action, 19, 505
conductances, quinidine-induced block, 20, 98	polyglutamate forms, inhibition of accumulation in cultured cells
erythrocyte	(human), 19, 87
calcium transport, 20, 363	toxicity
chloride channels (rat), 20, 470	in a dihydrofolate reductase gene-amplified cell line (mouse), 20,
drug effect on (human), 20, 704	637
shape change (human), 20, 704	rescue of citrovorum factor, 19, 87
fluidity, effect of ethanol (mouse), 19, 425	ultraviolet spectrum (bacteria), 20, 154
heart, effect of alprenolol (rabbit), 20, 224	Methoxyflurane, effect on phosphatidic acid bilayers, 19, 432
hippocampal	Methyl ester, substance P, activity (rat, guinea pig), 20, 457
fluidity (rat), 20, 280	Methylation site, by catechol-O-methyltransferase, 19, 130
glutamate receptor binding in (rat), 20, 280	3-Methylcholanthrene, effect on ornithine decarboxylase induction in
lecithin vesicle, interactions with drugs, 20, 124	cell cultures (rat, mouse), 20, 172
lipid	α-Methyldopa
labeling, 19, 355	generation of free radical (rat), 20, 159
stereospecifically protected by opioids, 19, 355	reaction with catalase (rat), 20, 159
liver plasma, inhibition of phospholipid methyltransferase (rat), 20,	β, γ -Methylene ATP, effect on contractility of urinary bladder (rabbit),
631	19, 525
neuroblastoma cell, diprenorphrine binding (rat), 20, 1	Methylene tetrahydrofolate dehydrogenase, in L1210 leukemia cells
neutrophil, phospholipids (rabbit), 19, 31	(mouse), 19, 4 81
order, effect of temperature (mouse), 19, 425	Methylene tetrahydrofolate reductase, in L1210 leukemia cells (mouse),
plasma, adenosine binding in (rat), 19, 228	19, 4 81
potential, hyperpolarization of neuroblastoma cells (mouse), 19, 15	Methylmercury
striatal	effect on platelets (human), 19, 470
adenylate cyclase activity (rat), 19, 256	inhibition of muscarinic receptor (rat), 20, 492
dopamine receptors (rat), 19, 372	Methylxanthine, effect on cyclic AMP egress from cultured cells, 19, 38
synaptic, inhibition of specific binding of opiates, 19, 355	Metoprine, see [2,4,-Diamino-5-(3',4'-dichlorophenyl)]-6-methylpyrim-
synaptosomal, effect of ethanol (mouse), 19, 425	idine
vesicles, inside-out, calcium transport, 20, 363	Mg ²⁺ , interaction of ouabagenin and (Na ⁺ + K ⁺)-ATPase in presence,
Mepyramine, ³ H-labeled	19, 62
binding in brain (mouse), 20, 331	Micellarization, chlorpromazine, 20, 244
binding to longitudinal muscle, characterization (guinea pig), 19, 379	Microaerophile, metabolism, 20, 218
Mercuric chloride, inhibition of muscarinic receptor (rat), 20, 492	Microsome, hepatic
Metabolism	effect of intoxication of alkyl halides (rat), 20, 685
bromobenzene (rabbit), 20 , 234	formation of radicals in (rat), 19, 146
B-cell (mouse), 20, 76	formation of reactive metabolites of phenacetin in (hamster), 19, 140
chrysene, by liver enzymes (rat), 19, 168	isolated, 20, 387
cyclic AMP	monooxygenase activity, 20, 442
aberrant, S49 lymphoma variants and (mouse), 19, 109	Microtubule assembly, inhibition by elatone (sea urchin), 20, 614
regulation in platelets (human), 20, 302	Mitosis inhibitors
cyclic nucleotide, calcium (mouse), 20, 113	effects on fast axonal transport in sciatic nerves (frog), 19, 291
cytochrome P-450, molecular orbital studies, 20, 423	
drug, sublobular rates in liver (rat), 19, 513	effects on respiration in sciatic nerves (frog), 19, 291
fluroxene, molecular orbital studies. 20, 423	Mixed-function oxidation, sublobular, in perfused liver (rat), 19, 513
, , , , , , , , , , , , , , , , , , , ,	Molecular conformation, 2-pyrrolidone-N-acetamide, 20, 558
glucose, effect of ethanol (rat), 20, 621	Molecular mechanics, calculations, conformations of nonsteroidal es-
herbicide, species differences, 20, 579	trogens, 19, 388
liver, thiacetamide toxicity (rat), 19, 451	Molecular orbital studies, fluorinated ether anesthetics, 20, 423
microaerophilic, 20, 218	Molecule, functional groups, arrangement, 20, 22
phenanthrene, by liver enzymes (rat), 19, 168	Monoamine oxidase inhibitor, effects on pineal gland (rat), 19, 187
serine, inhibition in L1210 leukemia cells (mouse), 19, 481	Monooxygenase
9- β -D-xylofuranosyladenine, by ovary cells (Chinese hamster), 20,	flavin-containing, hormone-dependent changes (mouse), 19, 134
200	microsomal, induction of activity, 20, 442
Metabolite, reactive	system, hepatic, hypophysial regulation (rat), 20, 165
of acetaminophen (hamster), 19, 140; 20, 195	Morphine
of phenacetin (hamster), 19, 140	dependence, effect on binding of 5-hydroxytryptamine in brain (rat),
Metabolites, α-ketoisocaproic acid (mouse), 20, 76	20, 237
Metallo-protein oxidase, antimalarial activity, 20, 218	naloxone-releasable, interactions with opioid receptors (mouse), 19,
Methionine, uptake in L1210 leukemia cells (mouse), 19, 481	236
L-Methionine, binding site of ATP:L-methionine S-adenosyltransferase,	receptors
steric mapping, 19, 307	interaction with ligands (rat), 20, 1
Methionyl-leucyl-phenylalanine, stimulation of arachidonyl phospha-	structural requirements (guinea pig), 20, 484
tidylinositol turnover (rabbit), 19, 31	Mucosa, gastric, histamine-stimulated adenylate cyclase activity

(guinea pig), 20 , 326	Neuromuscular junction, sartorius muscle (frog), 20, 345
Muscarinic receptor	Neuron, mammalian
acetylcholine	in culture (mouse), 20, 453
binding, role of sulfhydryl groups (rat), 20, 492	mesocortical dopamine (rat), 19, 270 Neurotoxin, see also Toxin
effects of lanthanides (mouse, rat), 19, 282 regeneration (rat), 20, 492	activation of sodium channels, 19, 78
neuroblastoma cells (mouse), 19, 15	binding
Muscimol, binding, effect of ethanol, 20, 287	in vertebrate heart, 20 , 526, 533
Muscle	to brain membrane, characterization (rat), 20, 565
contraction, and ATPase, effect of alkaloid, 19, 411	effect on sodium channels, 20, 107
longitudinal, small intestine, [3H]mepyramine binding (guinea pig),	mode of action (mouse), 20, 453
19, 379	Neurotransmitter, receptor binding assays, mathematical analysis of
skeletal, contractions, potentiation and prolongation by alkaloid, 19,	competitive inhibition, 19, 367
411	Neutrophil, lysosomal enzyme secretion (rabbit) 19, 31
Mutagenicity	Nialamide, effect on beta-adrenergic receptor-linked adenylate cyclase
alkylating agents, 19, 496	system (rat), 19, 187
N-hydroxy-2-acetylaminofluorene in Salmonella test system, mech-	Nicotinic acid, interactions with alpha-adrenergic agents, prostaglan-
anism, 19, 337 Mycotoxin	din, and adenosine (hamster), 19, 248 4-(4'-Nitrobenzyl)pyridine
estrogenicity, 20, 35	assay for alkylating agents, 19, 496
zearalenone, binding to hepatic estrogen receptors, properties, 20, 35	nucleophilic selectivity, 19, 496
Myometrium, adrenergic receptors (rabbit), 20, 52	Nitrofurantoin, aerobic reduction, 20, 669
Myxicola giant axons, quinidine interactions with, 20, 98	Nitrogen mustards, nucleophilic selectivity, 19, 496
	Nitrosobenzene, spin-trapping function in microsomal oxidation (rat),
N	19, 146
Na ⁺ , see also Sodium	Nocodazole, effects on respiration and fast axonal transport in sciatic
action potential	nerves (frog), 19, 291
maximal rate of rise (mouse), 20, 453	Nootropic agent, solid-state structure and conformation, 20, 558
voltage dependence (mouse), 20, 453	Norepinephrine
channels	ATP complex, structure, 19, 44
effect of neurotoxins, 20, 107	in brain extracts (rat), 19, 270
inactivation gate (mouse), 20, 453	-induced stimulation of adenylate cyclase activity (rat), 19, 187
shift of inactivation curve (mouse), 20, 453	³ H-labeled, vascular efflux, 20 , 571 Nuclear magnetic resonance
toxins (mouse), 20, 113	chemical shifts, coupling constants of nonsteroidal estrogens, 19, 388
interaction of ouabagenin and (Na ⁺ + K ⁺)-ATPase in presence, 19,	¹ H
transport in red cells, effect of tienilic acid (human), 19, 438	of trimethoprim-NADP+-dihydrofolate reductase complex (bacte-
NADP-linked enzymes of liver cytosol, effect of thioacetamide (rat),	ria), 20 , 145
19, 451	norepinephrine · ATP complex, 19, 44
NADP ⁺ , binding to dihydrofolate reductase (bacteria), 20, 145	permeation of chlorpromazine in lecithin vesicles, 20, 124
NADPH-cytochrome P-450 reductase, aerobic reduction of nitrofu-	³¹ P, of trimethoprim-NADP ⁺ -dihydrofolate reductase complex (bac-
rantoin, 20, 669	teria), 20, 145
Na ⁺ ,K ⁺ -ATPase	proton, acetylcholinesterase inhibitors, 20, 89
chloramadionone acetate inhibition, 20, 551	Nucleophilic reactivity, and alkylating agents, 19, 496
ouabain inhibition 20, 551	Nucleophilic selectivity, ratios, alkylating agents, 19, 496
Naltrexone, nature of binding to opiate receptor, 20, 269	Nucleoside analogues, potential in antivirus chemotherapy (human), 20, 415
Naphthalene ring, chlorination, 20, 571	antiviral, effect on DNA polymerases (human), 20, 415
Naphthalenesulfonamide derivatives, vascular response, 20, 571 Narcotics, interactions with opioid receptors (mouse), 19, 236	kinase, deficiency in cell mutants (Chinese hamster), 20, 200
Nerve	Nucleotide separation, high-pressure liquid chromatography (Chinese
autonomic, endings, association with high-affinity receptor sites, 20,	hamster), 20, 200
526	
sciatic, effects of mitosis inhibitors on respiration and fast axonal	0
transport (frog), 19, 291	Octopamine
sympathetic	cyclic AMP and pesticides, 20, 68
activity (rat), 19, 21	-sensitive adenylate cyclase, effect of N-demethylchlordimeform, 20
effect of long-term changes on pineal gland (rat), 19, 21	68
synaptic, ion flux in voltage-sensitive sodium channels, 19, 78	Ontogeny, fetal heart (mouse), 20, 382
Neuroblastoma cell	Opiate Control of the
effects of lanthanides on muscarinic acetylcholine receptor function	agonist, mechanism of sodium effect in binding, 20, 269
(mouse, rat), 19, 282 × glioma hybrid	antagonist, mechanism of sodium effect in binding, 20, 269 receptor
modifications of opiate receptors (mouse), 20, 255	binding in brain membrane, 20, 269
NG108-15, opiate receptors in, 20, 8	binding of [³ H]cyclazocine, 20, 246
hyperpolarization of membrane potential (mouse), 19, 15	effect of guanine nucleotide (rat), 20, 1
membranes, diprenorphrine binding (rat), 20, 1	[³ H]etorphine (rat), 20 , 263
mode of action of polypeptide neurotoxin (mouse), 20, 453	inactivation by chlornaltrexamine, 20, 8
muscarinic receptors (mouse), 20, 519	influence of methodology in assessing ligand binding, 20, 269
voltage-sensitive sodium channels, 20, 356	in neuroblastoma × glioma hybrid (mouse), 20, 255

in NG108-15 cells, 20, 8 Phenobarbital-like agent, species differences in responsiveness, 20, 442 interaction with diazosulfanilic acid, 19, 355 Phenol, ionization in dopa, 19, 130 Scatchard analysis of binding 20, 269 Phenothiazine antipsychotics, photoaffinity labeling, 19, 264 structural requirements (guinea pig, mouse), 20, 484 drugs, effect on erythrocytes (human), 20, 704 Opioid peptide Phenotype, mutant, catalytic adenylate cyclase, 20, 435 high specific μ and δ (guinea pig, mouse), 20, 484 Phenotypic resistance, in lymphoblastoid cells (human), 19, 491 regulation of cyclic AMP synthesis, 20, 8 Phenoxybenzamine, interactions with calcium channel effectors of musreceptor, interactions with leucine enkephalin and narcotics (mouse), carinic receptor (mouse), 20, 519 19, 236 L-Phenylalanine mustard, nucleophilic selectivity, 19, 496 Ornithine decarboxylase Phenylethanolamine N-methyltransferase, inhibition, 20, 377 blocked by propranolol (mouse), 20, 382 Phenylethylamines, inhibition of phenylethanolamine N-methyltransinduction in liver- and hepatoma-derived cell cultures (rat, mouse), ferase, 20, 377 (-)-N⁶-Phenylisopropyladenosine, ³ H-labeled, binding in fat cells (rat), 20, 172 isoproterenol stimulation (mouse), 20, 382 19, 228 Ouabagenin Phenytoin interaction with $(Na^+ + K^+)$ -ATPase in presence of Na^+ , Mg^{2+} , and binding to albumin, 20, 674 ATP. 19, 62 binding to serum, 20, 674 multiforms of complexes with (Na⁺ + K⁺)-ATPase, 19, 62 Pheochromocytoma, dopamine-\(\beta\)-hydroxylase, radiommunoassay (hu-Quabain man), 19, 444 effects of sugar moiety on interaction with (Na⁺ + K⁺)-ATPase, 19, Phosphatidic acid, bilayers, peptide-induced lateral phase separation, 19, 432 initial association rate with (Na+ K+)-ATPase, 19, 62 Phosphatidylinositol -insensitive ion fluxes (squid), 19, 68 arachidonyl, stimulation by formylmethionyl-leucyl-phenylalanine pharmacological receptor, 20, 551 (rabbit), 19, 31 Ovary, cellular metabolism of 9-\(\beta\)-D-xylofuranosyladenine (Chinese turnover (rabbit), 19, 31 hamster), 20, 200 Phosphodiesterase Oxidase, mixed-function protein, effect of epoxide hydratase, 19, 153 cardiac, xanthine inhibition (rabbit), 20, 179 N-Oxidase cyclic AMP, activation by prostaglandins (human), 20, 302 activity in kidney (mouse), 19, 134 cyclic nucleotide, in S49 lymphoma variants (mouse), 19, 109 activity in liver (mouse), 19, 134 Phosphoenolpyruvate carboxykinase, hepatic effect of ethanol (rat), Oxidation, mixed-function, sublobular, in perfused liver (rat), 19, 513 2-Oxopyrrolidin-1-ylacetamide, solid-state structure and conformation, Phosphofructokinase, hepatic, effect of ethanol (rat), 20, 621 **20,** 558 Phospholipase A₂ Oxygen consumption, in flavoprotein catalysis, 19, 184 effect on human chorionic gonadotropin release, 20, 609 effect on human placental lactogen release, 20, 609 neutrophil (rabbit), 19, 31 **Pancreas** Phospholipid bilayer, peptide-induced lateral phase separation, 19, 432 β -cells effect of glucose (mouse), 20, 83 methyltransferase, inhibition in liver plasma membranes (rat), 20, effect of tolbutamide (mouse), 20, 83 B-cells, recognition of insulin-releasing fuels (mouse), 20, 76 neutrophil membrane (rabbit), 19, 31 islets, cyclic AMP (mouse), 20, 76 vesicles microdissected islets, ⁴⁵ Ca fluxes (mouse), 20, 83 effect of ethanol (mouse), 19, 425 Partition coefficient effect of methoxyflurane, 19, 432 amino acids, 20, 602 Phosphorylase, adipocyte, effect of alpha-adrenergic receptors (hamradiometric method, 20, 602 ster), 20, 339 D-Penicillamine, effect on muscarinic receptor (rat), 20, 492 Phosphorylation, histone H1, inhibition by pyrrolopyrimidine ana-Pentose phosphate pathway, hepatic, effect of thioacetamide (rat), 19, logues (mouse), 20, 211 Photoaffinity labeling, calmodulin, 19, 264 451 Peptide Physostigmine, binding to acetylcholinesterase, 20, 89 bioactive, mechanism of action (rat), 19, 399 Pineal gland -induced lateral phase separations, effect of methoxyflurane, 19, 432 beta-adrenergic receptor-linked adenylate cyclase system (rat), 19, $M_r = 52,000$, mediation of effects of cholera toxin, 19, 406 opioid, regulation of cyclic AMP synthesis, 20, 8 effect of long-term changes in sympathetic nervous activity (rat), 19, specific μ and δ (guinea pig, mouse), 20, 484 synthetic, effect on enzyme secretion (rabbit), 19, 31 Piperocaine methiodide, effect on end plate currents (frog), 20, 345 Perhydrohistrionicotoxin, ³ H-labeled, binding to channel (ray), 20, 511 **Pituitary** Permeation, transbilayer, in lecithin vesicles, 20, 124 receptors, regulation by steroids, 19, 399 Peroxidase-mediated formation of reactive metabolites of acetaminoregulation of hepatic monooxygenase system (rat), 20, 165 phen, 20, 195 Plasma, dopamine-β-hydroxylase, radioimmunoassay (human), 19, 444 Peroxidation, lipid, microsomal, initiated by hydroperoxides (rat), 19, Platelet aggregation Peroxide-catalase complex, secondary, conversion of catalase to (rat), effect of prostaglandins (human), 20, 302 20, 159 epinephrine-induced (human), 19, 179 Pesticides, adenylate cyclase, 20, 68 methylmercury-induced (human), 19, 470 Phase transition, effect of methoxyflurane, 19, 432 characterization of alpha-adrenergic receptors in (human), 19, 179 Phenacetin, reactive metabolites, formation (hamster), 19, 140 regulation of cyclic AMP metabolism (human), 20, 302 Phencyclidine, effect on end plate currents (frog), 20, 345 serotonin, inhibition of transport, 20, 118

Podophyllotoxin, effects on respiration and fast axonal transport in sciatic nerves (frog), 19, 291	Q Quinidine
Polyglutamate	effect on membrane conductances, 20, 98
in cultured human cells, 19, 87	interactions with Myxicola giant axons, 20, 98
synthesis, inhibition by folinic acid, 19, 87 Polymerase, DNA, herpes simplex virus (human), 20, 415	Quinoline, antimalarial activity, 20, 218
Polymyxin-induced lateral phase separation, 19, 432	Quinoline-N-oxide, antimalarial activity, 20, 218
Polypeptide, toxin, effect on Na ⁺ action potentials (mouse), 20, 453	Quinone
Polysome	antitumor, 20, 387 -stimulated superoxide formation, 20, 387
hepatic, effect of D-galactosamine and actinomycin D (rat), 19, 103 poly(A)RNA	Quinuclidinyl benzilate, binding, effect of lanthanides (mouse, rat), 19, 282
from Ehrlich ascites cells, 19, 117	_
synthesis and translation, 19, 117	R
RNA, effects of 5-azacytidine and dihydro-5-azacytidine, 20, 644	Radical
Porphyrin	formation in liver, role of hydroperoxides (rat), 19, 146
-inducing activity in embryo liver cell culture (chick), 20 , 206	free, generation from α-methyldopa (rat), 20, 159
induction (chick), 20, 395 patterns in embryo liver (chick), 19, 477	of acetaminophen, formation, 20, 195 Radioimmunoassay, dopamine-β-hydroxylase, 19, 444
Potassium, see also K ⁺	Radioligand
channel, effect of cardiotonic drugs (squid), 19, 68	binding kinetics, 19, 509
Prazosin, ³ H-labeled, selective binding to adrenergic receptors, 20, 28	comparison of selective and nonselective subtypes, 20, 28
Pressure, high, antagonism of anesthesia, 19, 432	racemic
Promethazine, interaction with mouse brain tubulin, 19, 295	antagonist, two-step binding kinetics, 19, 509
Propranolol	high-affinity, equilibrium binding properties, 19, 205
inhibition of platelet serotonin transport, 20, 118	Ranitidine, effects on histamine-stimulated adenylate cyclase (guinea
ornithine decarboxylase block (mouse), 20, 382	pig), 20, 326
Prostacyclin, effect on cyclic AMP metabolism in platelets (human),	Receptor
20, 302	acetylcholine
Prostaglandin	membrane-bound (ray), 20, 498, 506
activation	muscarinic, 2-halogenoethylamine inhibition (mouse), 20, 519
of cyclic AMP phosphodiesterase (human), 20, 302	muscarinic, phenoxybenzamine and dibenamine interactions
of adenylate cyclase (human), 20, 302	(mouse), 20, 519
D_2 , effect on cyclic AMP metabolism in platelets (human), 20, 302 E_1	adenosine, in fat cells (rat), 19, 228 adrenergic, see Adrenergic receptor
desensitization of adenylate cyclase to, 20, 585	agonists H ₁ , effects on [³ H]glycogen hydrolysis (mouse), 20, 331
inhibition of 15-hydroxyprostaglandin dehydrogenase, 19, 456	γ -aminobutyric acid, interaction with γ -aminobutyric acid, 20, 16
E ₂ , inhibition of 15-hydroxyprostaglandin dehydrogenase, 19, 456	antagonists H ₂ , effects on histamine-stimulated adenylate cyclase
interactions with alpha-adrenergic agents, nicotinic acid, and aden-	(guinea pig), 20 , 326
osine (hamster), 19, 248	auto-
receptor, evaluation with analogues of arachidonic acid, 19, 242	γ-aminobutyric acid, pharmacology (rat), 19, 27
synthesis pathway, induction by methylmercury (human), 19, 470	in dopamine synthesis (rat), 19, 270
Protease, effect on glutamate receptor binding (rat), 20, 280	benzodiazepine, heterogeneity (bovine, rat), 20, 477
Protein	binding
blood, protein binding (human), 20, 138	γ-aminobutyric acid, in mammalian brain (rat, cow), 19, 217
high-mobility groups 14 and 17 (mouse), 20, 211	studies, using high-affinity racemic radioligands, 19, 205
kinase, nuclear, I and II (mouse), 20, 211	catecholamine, binding in brain (rat), 20, 237
lung, synthesis inhibition (rat), 19, 520	[³ H]cimetidine, clonidine-sensitive H-2 subtype (rat), 20 , 240 conformations, drug-induced (ray), 20 , 511
-metallo oxidase, antimalarial activity, 20, 218 mixed-function oxidase, effect of epoxide hydratase, 19, 153	dopamine
phosphorylation (mouse), 20, 211	effect of calmodulin (rat), 20 , 319
synthesis, in sciatic nerve (frog), 19, 291	renal (rat), 20, 429
Proteolysis, hemoglobin (rabbit), 20, 227	striatal (rat), 19, 372
Proton	-drug interactions, molecular determinants, 20, 558
nuclear magnetic resonance, acetylcholinesterase inhibitors, 20, 89	enkephalin
relaxation time, beta2-adrenergic receptor-stimulating agents, 20, 22	interaction with ligands (rat), 20, 1
Ptychodiscus brevis, toxin T4, effect on voltage-sensitive sodium chan-	structural requirements (mouse), 20, 484
nels, 19 , 345	estrogen
Pumiliotoxin	binding affinity of $meso$ - and dl -hexestrol to, 19, 388
inhibition of calcium-ATPase, 19, 411	binding of nonsteroidal estrogens, 20, 43
potentiation and prolongation of muscle contraction, 19, 411	hepatic, 20, 35
Purine nucleotides, effects on binding of [3H]amino-6,7,-dihydroxy-	nonsteroidal, 19, 388
1,2,3,4,-tetrahydronaphthalene (rat), 19, 372	glutamate, binding, effect of temperature, detergents, and enzymes
2-Pyrrolidone-N-acetamide, solid-state structure and conformation, 20, 558	(rat), 20 , 280 hormone, 19 , 1
Pyrrolopyrimidine, analogues, inhibition of histone H1 phosphorylation	changes during aging (rat), 19, 399
(mouse), 20, 211	ligand binding to, 20, 8
Pyruvate carboxylase, hepatic effect of ethanol (rat), 20, 621	morphine
Pyruvate kinase, hepatic, effect of ethanol (rat), 20, 621	interaction with ligands (rat), 20, 1

structural requirements (guinea pig), 20, 484	inhibition of histone H1 phosphorylation (mouse), 20, 211
muscarinic acetylcholine	Sarcoplasmic reticulum, effect of alkaloid on calcium ATPase, 19, 411
binding, role of sulfhydryl groups (rat), 20, 492	Saxitoxin
effects of lanthanides (mouse, rat), 19, 282	binding in vertebrate heart, 20, 526, 533
neuroblastoma cells (mouse), 19, 15	receptor, high-affinity sites, 20, 526
regeneration (rat), 20, 492	Scatchard analysis, opiate receptor binding, 20, 269
neurotransmitter, mathematical analysis of competitive inhibition,	SCF-MO studies, theoretical, 20, 558
19, 367	Sciatic nerve, effects of mitosis inhibitors on respiration and fast axonal
opiate	transport (frog), 19, 291
[³ H]cyclazocine binding, 20 , 246	Scorpion toxin, activation of sodium channels, 19, 78
effect of guanine nucleotide (rat), 20, 1	Sea anemone, polypeptide toxin (mouse), 20, 453
[³ H]etorphine (rat), 20 , 263	Selectivity
inactivation by chlornaltrexamine, 20, 8	antagonist, of alpha ₁ -adrenoceptors (rat), 20, 295
in neuroblastoma × glioma hybrid (mouse), 20, 255	subtype, of alpha-adrenergic antagonists, 20, 28
in NG108-15 cells, 20, 8	Sensitivity
interaction with diazosulfanilic acid, 19, 355	catecholamine, pineal gland adenylate cyclase (rat), 19, 21
Scatchard analysis of binding, 20, 269	sub-, beta-adrenergic receptor-linked adenylate cyclase system in
structural requirements (guinea pig, mouse), 20, 484	pineal gland (rat), 19, 187
opioid, interactions with enkephalin and narcotics (mouse), 19, 236	Serine
pituitary, regulation by steroids, 19, 399	metabolism, inhibition in L1210 leukemia cells (mouse), 19, 481
prostaglandin, evaluation with analogues of arachidonic acid, 19, 242	transhydroxymethylase, inhibition in L1210 leukemia cells (mouse),
saxitoxin, high-affinity sites, 20, 526	19, 4 81
serotonin, binding in brain (rat), 20, 237	Serotonin
delta Receptor, see Enkephalin receptor	-sensitive adenylate cyclase, 20, 592
mu Receptor, see Morphine receptor	platelet, inhibition of transport, 20, 118
Red cell, see Erythrocyte	receptor, binding in brain (rat), 20, 237
Reduction, enzymatic, one-electron, 20, 387	Serum, human, binding of phenytoin, 20, 674
Regeneration, muscarinic receptor (rat), 20, 492	Sesquiterpene
Relaxation time, proton, beta2-adrenergic receptor-stimulating agents,	halogenated, inhibition of cell division and microtubule assembly
20, 22	(sea urchin), 20 , 614
Release, platelet, induction by methylmercury (human), 19, 470	lactones, cytotoxicity in HeLa cells, 19, 97
Reserpine, effect on beta-adrenergic receptors in pineal gland (rat), 19,	Sex steroids
21	effects on tissue N-oxidase (mouse), 19, 134
Resorption, bone, culture studies (rat), 20, 460	regulation of adrenergic receptors (rabbit), 20, 52
Respiration, in sciatic nerves, effects of mitosis inhibitors (frog), 19, 291	Shift reagents, lecithin vesicle, 20, 124
Reticulocytes, homogeneity of beta 2-adrenoceptors (rat), 19, 194	Silicone rubber, solubility, inhalation anesthetics, 19, 56
Retrovirus particles, induction by nucleoside analogues, 19, 122	Sodium, see also Na ⁺
Reuber H35 hepatoma cells, tratment with carrier-bound methotrexate,	-amiloride entry site, interaction (rabbit), 20, 543
19, 505	-calcium exchange, effect of cardiotonic drugs (squid), 19, 68
Ribosylation, ADP, 19, 406	channels
in mutant phenotype, 20 , 435	activation by neurotoxins, 19, 78
Ring stacking, norepinephrine ATP complex, 19, 44	effect of cardiotonic drugs (squid), 19, 68
RNA	pharmacological properties (rat), 20, 533
messenger	voltage-sensitive, 20, 356
in liver, effect of D-galactosamine and actinomycin D (rat), 19, 103	voltage-sensitive, effect of toxin T4 from Ptychodiscus brevis, 19
synthesis and translation, 19, 117	345
non-polyadenylic acid-containing, 20, 644, 657	voltage-sensitive, ion flux in synaptic nerve-ending particles, 19
nuclear (mouse), 20 , 211	78
polyadenylic acid-containing, 20, 644, 657	ions, role in increase in intracellular melphalan by basic amino acids
poly(A)	19, 92
from Ehrlich ascites cells, 19, 117	mechanism of effect in opiate receptor binding, 20, 269
syanthesis and translation, 19, 117	transport
polysomal, effects of 5-azacytidine and dihydro-5-azacytidine, 20, 644	inhibition by antiarrhythmic drugs, 20, 356
ribosomal, 20, 644	in vertebrate heart, 20 , 526, 533
binding of acaridine antitumor drugs, 20, 404	Solubility
synthesis, 20, 657	inhalation anesthetics, correlation in various media, 19, 56
transfer, 20, 644	lipid, anesthetic, 19, 56
Rubber, silicone, solubility, inhalation anesthetics, 19, 56	Solubilization, Lubrol fraction, effect on [3H]diazepam binding, 20, 28
•	Solvent, effects on norepinephrine · ATP complex, 19, 44
8	Species differences
Salivation, substance P analogues (rat), 20, 457	in enzyme induction, 20 , 442
Salmonella	in herbicide metabolism, 20, 579
test (rabbit), 20 , 662	Specificity
test system, mechanism of N-hydroxy-2-acetylaminofluorene muta-	enzyme, evaluation with analogues of arachidonic acid, 19, 242
genicity, 19, 337	pulmonary cytochrome P-450 isozymes (rabbit), 20, 662
Sangivamycin	Spectra
cytokinetic and biochemical effects in colon carcinoma cells (human),	absolute, membrane-bound cytochrome P-450 (rat), 19, 162
20, 657	difference, red shift (human), 20, 138
	·

Thin-layer chromatography, stereospecific patterns, 19, 355

³H-labeled, effect of elatone (sea urchin), 20, 614

Thymidine

Thioacetamide, effect on pentose phosphate pathway (rat), 19, 451

ultraviolet, of methotrexate (bacteria), 20, 154 5'-triphosphates, effect on herpes simplex virus DNA polymerases Spectroscopy, proton nuclear magnetic resonance, acetylcholinesterase, (human), 20, 415 Thymidylate synthetase Spin labeling in L1210 leukemia cells (mouse), 19, 481 application to drug assays, 20, 674 target for inhibitory activity of 2'-deoxyuridines, 19, 321 Tienilic acid, effect on Na⁺ and K⁺ transport in red cells (human), 19, synaptosomal membrane (mouse), 19, 425 Stereochemistry dopaminergic ergoline derivatives, 19, 517 Tissue, fluorometry, micro-light guides (rat), 19, 513 Tolbutamide, stimulation of ⁴⁵Ca fluxes (mouse), 20, 83 hemoglobin, 20, 579 nonsteroidal estrogens, 20, 43 Torpedo californica, acetylcholine receptors, 20, 498, 506 Stereospecificity Torpedo electroplax, acetylcholine receptors, 20, 511 opioid, membrane lipid protected by, 19, 355 Toxicity, see also Cytotoxicity, Hepatotoxicity thin-layer chromatographic patterns, 19, 355 hepatic, α -methyldopa (rat), 20, 159 Steric mapping, L-methionine binding site of ATP:L-methionine Smethotrexate, in a dihydrofolate reductase gene-amplified cell line adenosyltransferase, 19, 307 (mouse), 20, 637 metoprine, in a dihydrofolate reductase gene-amplified cell line Steroids regulation of pituitary by (rat), 19, 399 (mouse), 20, 637 sex, effects on tissue N-oxidase (mouse), 19, 134 protection, alkylating agents, 19, 496 Toxin, see also Cholera toxin, Cytotoxin, Hepatotoxin, Neurotoxin, Striatum dopamine receptors (rat), 19, 372 Scorpion toxin, Tetanus toxin binding kinetics, effect of volatile anesthetics (ray), 20, 506 membrane, adenylate cyclase activity (rat), 19, 256 renal, adenylate cyclase (rat), 20, 429 polypeptide, effect on Na⁺ action potentials (mouse), 20, 453 Structural requirements, for μ and δ opiate receptors (guinea pig, T4, from Ptychodiscus brevis, effect on voltage-sensitive sodium mouse), 20, 484 channels, 19, 345 Structure-activity relationships Transport alkylating agents, 19, 496 calcium, calmodulin-stimulated, 20, 363 calmodulin antagonists, 20, 571 fast axonal, in sciatic nerves (frog), 19, 291 dihydrofolate reductase, 20, 649 dopaminergic and serotonergic stimulation, 20, 592 effect of antiarrhythmic drugs, 20, 356 enkephalin analogues (mouse), 20, 484 in vertebrate heart, 20, 526, 533 triazolinethione, 20, 598 Na⁺ and K⁺ in red cells, effect of tienilic acid (human), 19, 438 Substance P methyl ester, activity (rat, guinea pig), 20, 457 sodium Sulfhydryl groups, role in muscarinic receptor binding (rat), 20, 492 effect of antiarrhythmic drugs, 20, 356 Sulfonylurea, effect on islet fluxes of 46Ca (mouse), 20, 83 epithelial (rabbit), 20, 543 Sulfotransferase, hepatic, role in mutagenicity of N-hydroxy-2-acetylin vertebrate heart, 20, 526, 533 aminofluorene in Salmonella test system (rat), 19, 337 Translation Superoxide, quinone-stimulated, 20, 387 assay of effect of 5-fluorouracil, 19, 117 Swain-Scott constants, nucleophilic, 19, 496 in vitro, 20, 644 Sympathectomy, effect on pineal gland (rat), 19, 21 Sympathetic nerve inhibition of bovine and murine leukemia dihydrofolate reductase, activity (rat), 19, 21 20, 649 long-term changes, effect on pineal gland (rat), 19, 21 metabolites, binding to hemoglobin, 20, 579 Synaptic channels, glutamate-activated, block by chlorisondamine, 19, Triazolinethione conformational analysis, 20, 598 349 molecular structure, 20, 598 Synaptic membrane, polar lipid labeling, protection by opioids, 19, 355 Synaptosome Trifluoperazine effect of neurotoxins, 19, 78 binding to calmodulin, 19, 264 membrane, effect of ethanol (mouse), 19, 425 interaction with mouse brain tubulin, 19, 295 Trimethoprim, binding to dihydrofolate reductase (bacteria), 20, 145 Т Tubulin, brain binding to chlorpromazine, 20, 244 Temperature interaction of chlorpromazine, trifluoperazine, and promethazine effect on glutamate receptor binding (rat), 20, 280 with (mouse), 19, 295 effect on membrane order (mouse), 19, 425 effect on norepinephrine · ATP complex, 19, 44 U Tetanus toxin, characterization of binding to brain membrane (rat), 20, Ultraviolet Tetraethylammonium, effect on end plate currents (frog), 20, 345 irradiation, effects on binding of [3H]amino-6,7-dihydroxy-1,2,3,4-tet-Tetrahydrohomofolate, inhibition of serine metabolism in L1210 leurahydronaphthalene (rat), 19, 372 kemia cells (mouse), 19, 481 light, effect on binding of phenothiazine antipsychotics, 19, 264 Tetrahydronaphthalene, derivative, catecholamine, 20, 22 spectrum, of methotrexate (bacteria), 20, 154 Tetraphenylphosphonium, ³H-labeled, demonstration of hyperpolarization of membrane potential (mouse), 19, 15 Tetrodotoxin binding in study of sodium channels, 20, 107 Variant, S49 lymphoma, with aberrant cyclic AMP metabolism in vertebrate heart, 20, 526, 533 (mouse), 19, 109

Vascular relaxants, activity-structure relationship, 20, 571

activation of voltage-sensitive sodium channels, 19, 345

Vascular strips, relaxation and contraction, 20, 571

ATP depletion (mouse), 20, 113
effect on cardiac cyclic AMP (mouse), 20, 113
-induced sodium uptake, 19, 78
in study of cardiotonic drug effects (squid), 19, 68
Vertebrate heart, high-affinity saxitoxin receptor sites, 20, 526
Vitamin D, fluorinated derivatives (rat), 20, 460
Voltage
clamp
ionic channel (frog), 20, 345
Myxicola giant axon, 20, 98
dependence of Na⁺ action potentials (mouse), 20, 453
-sensitive sodium channels
effect of toxin T₄, from Ptychodiscus brevis, 19, 345
inhibition by antiarrhythmic drugs, 20, 356
ion flux in synaptic nerve-ending particles, 19, 78

X

Xanthine

alkylated, effect on cardiac function (rabbit), 20, 179

derivatives
effect on cyclic AMP (rabbit), 20, 190
effect on cyclic GMP (rabbit), 20, 190
effect on cardiac function (rabbit), 20, 190
effect on cyclic GMP hydrolysis (rabbit), 20, 190
X-Ray
diffraction, triazolinethione, 20, 598
structural analysis, 2-pyrrolidone-N-acetamide, 20, 558
9-β-D-Xylofuranosyladenine
metabolism by ovary cell (Chinese hamster), 20, 200
phosphorylation, adenosine kinase (Chinese hamster), 20, 200

Y

Yohimbine, ³H-labeled, selective binding to adrenergic receptors, 20,

Z

Zearalenone, mycotoxins, binding to hepatic estrogen receptors, properties, 20, 35

MOLECULAR PHARMACOLOGY

An International Journal

VOLUME 20, 1981

EDITOR: Norman Kirshner

ASSOCIATE EDITOR: T. A. SLOTKIN

EDITORIAL AND ADVISORY BOARD

EARL BARIL R. B. Barlow L. L. BENNETT, JR. N. J. M. BIRDSALL JOËL BOCKAERT BRUCE BRECKENRIDGE THEODORE M. BRODY ERNEST BUEDING A. S. V. Burgen WILLIAM CATTERALL COLIN F. CHIGNELL RONALD CHUANG DOMINICK L. CINTI P. MICHAEL CONN BRIAN COX JOHN W. DALY JAMES N. DAVIS GEORGE I. DRUMMOND MOHYEE E. ELDEFRAWI ROBERT F. FURCHGOTT ALFRED G. GILMAN ROBERT I. GLAZER DAVID V. GODIN AVRAM GOLDSTEIN H. Joseph Goren CHARLES HEIDELBERGER GEORGE H. HITCHINGS DONALD JERINA ARTHUR KARLIN JOYCE J. KAUFMAN SEYMOUR KAUFMAN LEMONT B. KIER ERNEST KUN

HERBERT D. LANDAHL ROBERT J. LEFKOWITZ ANTHONY Y. H. LU KARL MAGLEBY GILBERT J. MANNERING RONALD M. McElhaney KEITH W. MILLER PERRY B. MOLINOFF DANIEL W. NEBERT CHARLES A. NICHOL JOHN P. PERKINS RICHARD M. PHILPOT BERNARD PULLMAN K. V. RAJAGOPALAN H. P. RANG ELLIOTT RICHELSON MARTIN RODBELL GERALD ROSEN JOHN B. SCHENKMAN ARNOLD SCHWARTZ DAVID SILVERMAN IAN C. P. SMITH SOLOMON H. SNYDER SNORRI S. THORGEIRSSON JAMES R. TRUDELL PAUL O. P. Ts'o DAVID C. U'PRICHARD WYLIE W. VALE ELLIOT S. VESELL O. H. VIVEROS MICHAEL J. WARING HAREL WEINSTEIN

CONTENTS OF VOLUME 20

Number 1, July 1981

of Ligands with Morphine and Enkephalin Receptors Are Differentially Affected by Guanine Nucleotide	1
ROBERT FANTOZZI, DEBRA MULLIKIN-KILPATRICK, AND ARTHUR J. BLUME. Irreversible Inactivation of the Opiate Receptors in the Neuroblastoma × Glioma Hybrid NG108-15 by Chlornaltrexamine	8
Paul J. Marangos and Andrea M. Martino. Studies on the Relationship of γ -Aminobutyric Acid-Stimulated Diazepam Binding and the γ -Aminobutyric Acid Receptor	16
MICHIO MOTOHASHI AND MASAO NISHIKAWA. Conformational Analysis of Beta ₂ -Adrenoceptor-Stimulating Agents	22
THOMAS N. LAVIN, BRIAN B. HOFFMAN, AND ROBERT J. LEFKOWITZ. Determination of Subtype Selectivity of <i>Alpha</i> -Adrenergic Antagonists: Comparison of Selective and Non-selective Radioligands	28
W. POWELL-JONES, S. RAEFORD, AND G. W. LUCIER. Binding Properties of Zearalenone Mycotoxins to Hepatic Estrogen Receptors	35
Scott W. Landvatter and John A. Katzenellenbogen. Stereochemical Considerations in the Binding of Nonsteroidal Estrogens to the Estrogen Receptor	43
JAMES M. ROBERTS, PAUL A. INSEL, AND ALAN GOLDFIEN. Regulation of Myometrial Adrenoceptors and Adrenergic Response by Sex Steroids	52
MARGARET A. BROSTROM, CHARLES O. BROSTROM, SU-CHEN HUANG, AND DONALD J. WOLFF. Cholera Toxin-Stimulated Cyclic AMP Accumulation in Glial Tumor Cells: Modulation by Ca ²⁺	59
James A. Nathanson and Edward J. Hunnicutt. N-Demethylchlordimeform: A Potent Partial Agonist of Octopamine-Sensitive Adenylate Cyclase	68
EWE PANTEN, JÜRGEN BIERMANN, AND WERNER GRAEN. Recognition of Insulin-Releasing Fuels by Pancreatic B-Cells: α-Ketoisocaproic Acid Is an Appropriate Model Compound to Study the Role of B-Cell Metabolism	76
Bo Hellman. Tolbutamide Stimulation of 45 Ca Fluxes in Microdissected Pancreatic Islets Rich in β -Cells	83
ALAN G. MARSHALL AND JUNKO M. CARRUTHERS. Internal Flexibility of Inhibitors Bound to Electrophorus electricus Acetylcholinesterase: Proton Nuclear Magnetic Resonance Spectroscopy.	89
Brendan S. Wong. Quinidine Interactions with Myxicola Giant Axons	98
C. Frelin, P. Vigne, G. Ponzio, G. Romey, Y. Tourneur, H. P. Husson, and M. Lazdunski. The Interaction of Ervatamine and Epiervatamine with the Action Potential Nationophore	107
JOAN HELLER BROWN. Calcium-Dependent Blockade of Cardiac Cyclic AMP Accumulation by Batrachotoxin and Veratridine	113
GARY RUDNICE, ROSA BENCUYA, PAMLEA J. NELSON, AND RUBEN A. ZITO, JR. Inhibition of Platelet Serotonin Transport by Propranolol	118
KEISUKE KITAMURA, HIDEKI KANO, KEIJI YONEYAMA, AND KEIICHIRO HOZUMI. ¹ H Nuclear Magnetic Resonance Study on Transbilayer Permeation of Chlorpromazine in Lecithin Vesicles	124
R. ADRON HARRIS AND FRIEDHELM SCHROEDER. Ethanol and the Physical Properties of Brain Membranes: Fluorescence Studies	128
BADRI P. MALIWAL AND FRANK E. GUTHRIE. Interaction of Insecticides with Human Serum Albumin	138
Angela Gronenborn, Berry Birdsall, Eva Hyde, Gordon Roberts, James Feeney, and Arnold Burgen. ¹ H and ³¹ P NMR Characterization of Two Conformations of the Trimethoprim-NADP ⁺ -Dihydrofolate Reductase Complex	145

H. Bernhard Schlegel, Martin Poe, and Karst Hoogsteen. Models for the Binding of Methotrexate to Escherichia coli Dihydrofolate Reductase: Direct Effect of Carboxylate of Aspartic Acid 27 upon Ultraviolet Spectrum of Methotrexate	154
Dean P. Jones, David B. Meyer, Bo Andersson, and Sten Orrenius. Conversion of Catalase to the Secondary Catalase-Peroxide Complex (Compound II) by α -Methyldopa.	159
E. M. K. Lui and G. W. Lucier. Hypophysial Regulation of Cadmium-Induced Depression of the Hepatic Monooxygenase System in the Rat	165
ITSU KANO AND DANIEL W. NEBERT. Ornithine Decarboxylase Induction in Liver- and Hepatoma-Derived Cell Cultures: No Detectable Differences between Control and 3-Methylcholanthrene-Treated Cells	172
PHILLIP MUSHLIN, ROBERT C. BOERTH, AND JACK N. WELLS. Selective Phosphodiesterase Inhibition and Alterations of Cardiac Function by Alkylated Xanthines	179
PHILLIP MUSHLIN, ROBERT C. BOERTH, AND JACK N. WELLS. Xanthine Derivatives That Selectively Inhibit Cyclic GMP Hydrolysis Potentiate Cardiac Contractile Effects of Isoproterenol but Not Those of Bethanecol	190
SIDNEY D. NELSON, DAVID C. DAHLIN, ELMER J. RAUCKMAN, AND GERALD M. ROSEN. Peroxidase-Mediated Formation of Reactive Metabolites of Acetaminophen	195
Bruce A. Harris, Priscilla P. Saunders, and William Plunkett. Metabolism of 9-β-D-Xylofuranosyladenine by the Chinese Hamster Ovary Cell	200
GERALD S. MARKS, STEPHEN B. ZIMMER, STEPHEN E. DINIZO, BRUCE A. MICO, KENT L. KUNZE, AND PAUL R. ORTIZ DE MONTELLANO. Studies of the Porphyrin-Inducing Activity of Ethynyl Compounds and Conformationally Restricted and Unrestricted Analogues of Allylisopropylacetamide in Chick Embryo Liver Cell Culture	206
JEFFREY D. SAFFER AND ROBERT I. GLAZER. Inhibition of Histone H1 Phosphorylation by Sangivamycin and Other Pyrrolopyrimidine Analogues	211
L. W. Scheibel and A. Adler. Antimalarial Activity of Selected Aromatic Chelators. II. Substituted Quinolines and Quinoline-N-oxides	218
SHORT COMMUNICATIONS V. A. TKACHUK AND M. WOLLEMANN. The Effect of Alprenolol on the Beta-Receptor and Adenylate Cyclase Activity in Rabbit Heart Membranes	224
Saburo Ayukawa, Joyce M. Fisher, and Marco Rabinovitz. Proteolytic Susceptibility of Hemoglobin Synthesized in the Presence of Amino Acid Analogues	227
YC. CHENG, G. DUTSCHMAN, E. DE CLERCQ, A. S. JONES, S. G. RAHIM, G. VERHELST, AND R. T. WALKER. Differential Affinities of 5-(2-Halogenovinyl)-2'-Deoxyuridines for Deoxythymidine Kinases of Various Origins	230
SERRINE S. LAU AND VINCENT G. ZANNONI. Bromobenzene Metabolism in the Rabbit: Specific Forms of Cytochrome P-450 Involved in 2,3- and 3,4-Epoxidation	234
Number 2, September 1981	
SHORT COMMUNICATIONS TIZIANA MENNINI, ELENA POGGESI, SUSANNA COTECCHIA, ANTONIO DE BLASI, AND ROSARIO SAMANIN. Changes in Serotonin, but Not Catecholamine, Receptor Binding in the Brain of Morphine-Dependent Rats	237
N. Subramanian and T. A. Slotkin. Solubilization of a [3H]Cimetidine Binding Site from Rat Brain: A Clonidine-Sensitive H-2 Receptor Subtype?	240
JOHN R. CANN, LAWRENCE W. NICHOL, AND DONALD J. WINZOR. Micellarization of Chlor-promazine: Implications in the Binding of the Drug to Brain Tubulin	244
R. SUZANNE ZUKIN AND STEPHEN R. ZUKIN. Demonstration of [3H]Cyclazocine Binding to Multiple Opiate Receptor Sites	246
Nancy E. Larsen, Debra Mullikin-Kilpatrick, and Arthur J. Blume. Two Different Modifications of the Neuroblastoma × Glioma Hybrid Opiate Receptors Induced by N-Ethylmaleimide	255
ALAIN PUGET, PHILIPPE JAUZAC, JEAN-MARIE ZAJAC, AND JEAN-CLAUDE MEUNIER. Opiate Receptors in the Rat Brain: Specific Labeling of Multiple Membrane Components with [3H]Etorphine?	263

STEVEN V. FISCHEL AND FEDOR MEDZIHRADSKY. Scatchard Analysis of Opiate Receptor Binding	269
MICHEL BAUDRY, ELIZABETH SMITH, AND GARY LYNCH. Influences of Temperature, Detergents, and Enzymes on Glutamate Receptor Binding and Its Regulation by Calcium in Rat Hippocampal Membranes	280
WILLIAM C. DAVIS AND MAHARAJ K. TICKU. Ethanol Enhances [3H]Diazepam Binding at the Benzodiazepine-γ-Aminobutyric Acid Receptor-Ionophore Complex	287
P. B. M. W. M. TIMMERMANS, F. KARAMAT ALI, H. Y. KWA, A. M. C. SCHOOP, F. P. SLOTHORST-GRISDIJK, AND P. A. VAN ZWIETEN. Identical Antagonist Selectivity of Central and Peripheral Alpha ₁ -Adrenoceptors	295
ROBERT ALVAREZ, ADAIR TAYLOR, JASMINE J. FAZZARI, AND JOHN R. JACOBS. Regulation of Cyclic AMP Metabolism in Human Platelets: Sequential Activation of Adenylate Cyclase and Cyclic AMP Phosphodiesterase by Prostaglandins	302
Peter H. Fishman, Pierre Mallorga, and John F. Tallman. Catecholamine-Induced Densensitization of Adenylate Cyclase in Rat Glioma C6 Cells: Evidence for a Specific Uncoupling of <i>Beta</i> -Adrenergic Receptors from a Functional Regulatory Component of Adenylate Cyclase	310
MICHAEL T. PIASCIK, MARY F. PIASCIK, ROBERT J. HITZEMANN, AND JAMES D. POTTER. Ca ²⁺ -Dependent Regulation of Rat Caudate Nucleus Adenylate Cyclase and Effects on the Response to Dopamine	319
A. M. CHERET, F. PIGNAL, AND M. JM. LEWIN. Effects of H ₂ -Receptor Antagonists Cimetidine, Ranitidine, and ICI 125,211 on Histamine-Stimulated Adenylate Cyclase Activity in Guinea Pig Gastric Mucosa	326
Tam Thanh Quach, Anne-Marie Duchemin, Christiane Rose, and Jean-Charles Schwartz. Specific Desensitization of Histamine H ₁ Receptor-Mediated [³ H]Glycogen Hydrolysis in Brain Slices	331
KATHRYN K. McMahon and Richard J. Schimmel. Evidence for Alpha-Adrenergic Activation and Inactivation of Phosphorylase in Hamster Adipocytes	339
L. G. AGUAYO, B. PAZHENCHEVSKY, J. W. DALY, AND E. X. ALBUQUERQUE. The Ionic Channel of the Acetylcholine Receptor: Regulation by Sites Outside and Inside the Cell Membrane Which Are Sensitive to Quaternary Ligands	345
WILLIAM A. CATTERALL. Inhibition of Voltage-Sensitive Sodium Channels in Neuroblastoma Cells by Antiarrhythmic Drugs	356
M. Volpi, R. I. Sha'Afi, and M. B. Feinstein. Antagonism of Calmodulin by Local Anesthetics: Inhibition of Calmodulin-Stimulated Calcium Transport of Erythrocyte Inside-Out Membrane Vesicles	363
ALDO BALSAMO, BRUNO MACCHIA, FRANCO MACCHIA, ADRIANO MARTINELLI, PIETRO TOGNETTI, AND CARLO A. VERACINI. Conformational Properties of Benzodioxan Derivatives with Alpha-Adrenergic Blocking Activity	371
GARY L. GRUNEWALD, RONALD T. BORCHARDT, MICHAEL F. RAFFERTY, AND POLINA KRASS. Conformational Preferences of Amphetamine Analogues for Inhibition of Phenylethanolamine N-Methyltransferase: Conformationally Defined Adrenergic Agents	377
MARI K. HADDOX, J. R. WOMBLE, DOUGLAS F. LARSON, WILLIAM R. ROESKE, AND DIANE HADDOCK RUSSELL. Isoproterenol Stimulation of Ornithine Decarboxylase Blocked by Propranolol during Ontogeny of the Murine Heart	382
GARTH POWIS, BRUCE A. SVINGEN, AND PEGGY APPEL. Quinone-Stimulated Superoxide Formation by Subcellular Fractions, Isolated Hepatocytes, and Other Cells	387
SUSAN P. C. COLE, RALPH ALLEN WHITNEY, AND GERALD S. MARKS. Ferrochelatase-Inhibitory and Prophyrin-Inducing Properties of 3,5-Diethoxycarbonyl-1,4-dihydro-2,4,6-trimethylpyridine and Its Analogues in Chick Embryo Liver Cells	395
WILLIAM R. WILSON, BRUCE C. BAGULEY, LAURENCE P. G. WAKELIN, AND MICHAEL J. WARING. Interaction of the Antitumor Drug 4'-(9-Acridinylamino)methanesulfon-m-anisidide and Related Acridines with Nucleic Acids	404
JERRY L. RUTH AND YUNG-CHI CHENG. Nucleoside Analogues with Clinical Potential in Antivirus Chemotherapy: The Effect of Several Thymidine and 2'-Deoxycytidine Analogue 5'-Triphosphates on Purified Human (α,β) and Herpes Simplex Virus (Types 1, 2) DNA Polymerase	415
22112 L Vigiticiano	110

STEPHEN M. ADAMS, MICHAEL J. MURPHY, AND LAURENCE S. KAMINSKY. Molecular Orbital Studies of the Metabolism of Fluroxene and Analogous Fluorinated Ether Anesthetics	423
CONNIE KOTAKE, PHILIP C. HOFFMANN, LEON I. GOLDBERG, AND JOSEPH G. CANNON. Comparison of the Effects of Dopamine and Beta-Adrenergic Agonists on Adenylate Cyclase of Renal Glomeruli and Striatum	429
HENRY R. BOURNE, DAVID KASLOW, HARVEY R. KASLOW, MICHAEL P. SALOMON, AND VOJTEK LICKO. Hormone-Sensitive Adenylate Cyclase: Mutant Phenotype with Normally Regulated Beta-Adrenergic Receptors Uncoupled from Catalytic Adenylate Cyclase	435
ALAN POLAND, IVAN MAK, AND EDWARD GLOVER. Species Differences in Responsiveness to 1,4-Bis[2-(3,5-dichloropyridyloxy)]-benzene, a Potent Phenobarbital-Like Inducer of Microsomal Monooxygenase Activity	442
Errata	451
Number 3, November 1981	
SHORT COMMUNICATIONS MICHIHISA MIYAKE AND SHOJI SHIBATA. A Novel Mode of Neurotoxin Action: A Polypeptide Toxin Isolated from Anemonia sulcata Shifts the Voltage Dependence of the Maximal Rate of Rise of Na ⁺ Action Potentials in a Mouse Neuronal Clone	453
MARGARET A. CASCIERI, MARVIN M. GOLDENBERG, AND TEHMING LIANG. Biological Activity of Substance P Methyl Ester	457
Paula H. Stern, Yoko Tanaka, Hector F. DeLuca, Nobuo Ikekawa, and Yoshiro Kobayashi. Bone Resorptive Activity of Side-Chain Fluoro Derivatives of 25-Hydroxy-and 1α,25-Dihydroxyvitamin D ₃ in Culture	460
VINCENT HOMBURGER, MARGUERITE LUCAS, ETELKA ROSENBAUM, GÉRARD VASSENT, AND JOËL BOCKAERT. Presence of Both Beta ₁ - and Beta ₂ -Adrenergic Receptors in a Single Cell Type	463
Tommaso Costa, Laura Russell, Candace B. Pert, and David Rodbard. Halide- and γ -Aminobutyric Acid-Induced Enhancement of Diazepam Receptors in Rat Brain: Reversal by Disulfonic Stilbene Blockers of Anion Channels	470
JOHN W. REGAN, WILLIAM R. ROESKE, JEFFREY B. MALICK, SUSAN H. YAMAMURA, AND HENRY I. YAMAMURA. γ-Aminobutyric Acid Enhancement of CL 218,872 Affinity and Evidence of Benzodiazepine Receptor Heterogeneity	477
Marie-Claude Fournie-Zaluski, Gilles Gacel, Bernard Maigret, Samuel Premilat, and Bernard P. Roques. Structural Requirements for Specific Recognition of μ or δ Opiate Receptors	484
ANWAR-SAAD A. ABD-ELFATTAH AND ADIL E. SHAMOO. Regeneration of a Functionally Active Rat Brain Muscarinic Receptor by D-Penicillamine after Inhibition with Methylmercury and Mercuric Chloride: Evidence for Essential Sulfhydryl Groups in Muscarinic Receptor Binding Sites	492
Anthony P. Young and David S. Sigman. Allosteric Effects of Volatile Anesthetics on the Membrane-Bound Acetylcholine Receptor Protein. I. Stabilization of the High-Affinity State	498
Anthony P. Young, Janis R. Oshiki, and David S. Sigman. Allosteric Effects of Volatile Anesthetics on the Membrane-Bound Acetylcholine Receptor Protein. II. Alteration of α-Bungarotoxin Binding Kinetics	506
N. Shaker, A. T. Eldefrawi, E. R. Miller, and M. E. Eldefrawi. Interaction of Tricyclic Antidepressants with the Ionic Channel of the Acetylcholine Receptor of <i>Torpedo</i> Electric Organ	511
ESAM EL-FAKAHANY AND ELLIOTT RICHELSON. Phenoxybenzamine and Dibenamine Interactions with Calcium Channel Effectors of the Muscarinic Receptor	519
WILLIAM A. CATTERALL AND JEFFREY COPPERSMITH. High-Affinity Saxitoxin Receptor Sites in the Vertebrate Heart: Evidence for Sites Associated with Autonomic Nerve Endings	526
WILLIAM A. CATTERALL AND JEFFREY COPPERSMITH. Pharmacological Properties of Sodium Channels in Cultured Rat Heart Cells	533

;

KLAUS TURNHEIM, ANTON LUGER, AND MARKUS GRASL. Kinetic Analysis of the Amiloride-Sodium Entry Site Interaction in Rabbit Colon	543
MARTIN WEHLING, ARNOLD SCHWARTZ, KYRA WHITMER, GUNTER GRUPP, INGRID GRUPP, AND EARL T. WALLICK. Interaction of Chlormadinone with the Ouabain Binding Site of Na ⁺ ,K ⁺ -ATPase	551
Guiliano Bandoli, Dore A. Clemente, Antonio Grassi, and Giuseppe C. Pappalardo. Molecular Determinants for Drug-Receptor Interactions. 1. Solid-State Structure and Conformation of the Novel Nootropic Agent 2-Pyrrolidone-N-Acetamide: X-Ray and Theoretical SCF-MO Studies	558
RONALD L. GOLDBERG, TOMMASO COSTA, WILLIAM H. HABIG, LEONARD D. KOHN, AND M. CAROLYN HARDEGREE. Characterization of Fragment C and Tetanus Toxin Binding to Rat Brain Membranes	565
HIROYOSHI HIDAKA, MASAHISA ASANO, AND TOSHIO TANAKA. Activity-Structure Relationship of Calmodulin Antagonists: Naphthalenesulfonamide Derivatives	571
H. Hambroeck, R. W. Fischer, E. E. Di Iorio, and K. H. Winterhalter. The Binding of s-Triazine Metabolites to Rodent Hemoglobins Appears Irrelevant to Other Species	579
James G. Kenimer and Marshall Nirenberg. Desensitization of Adenylate Cyclase to Prostaglandin E ₁ or 2-Chloroadenosine	585
SAM WEISS AND GEORGE I. DRUMMOND. Dopamine- and Serotonin-Sensitive Adenylate Cyclase in the Gill of <i>Aplysia californica</i>	592
JEAN-PIERRE HÉNICHART, RAYMOND HOUSSIN, CAROLE GORS, AND FRANÇOIS BAERT. Conformational Analysis of a New Analgesic Triazolinethione: Structural Comparisons with Antipyrine	598
LIBBY M. YUNGER AND RICHARD D. CRAMER, III. Measurement and Correlation of Partition Coefficients of Polar Amino Acids	602
S. HANDWERGER, J. BARRETT, S. BARRY, E. MARKOFF, P. ZEITLER, B. CWIKEL, AND M. SIEGEL. Stimulation of Human Placental Lactogen Release by Arachidonic Acid	609
STEVEN J. WHITE AND ROBERT S. JACOBS. Inhibition of Cell Division and of Microtubule Assembly by Elatone, a Halogenated Sesquiterpene	614
VALENTINE DURUIBE AND GOPI A. TEJWANI. The Effect of Ethanol on the Activities of the Key Gluconeogenic and Glycolytic Enzymes of Rat Liver	621
JON-SVERRE SCHANCHE, TONE SCHANCHE, AND PER MAGNE UELAND. Inhibition of Phospholipid Methyltransferase(s) from Rat Liver Plasma Membranes by Analogues of S-Adenosylhomocysteine	631
MICHAEL HAMRELL, JOHN LASZLO, OLIVER E. BROWN, AND W. DAVID SEDWICK. Toxicity of Methotrexate and Metoprine in a Dihydrofolate Reductase Gene-Amplified Mouse Cell Line	637
HSIN-LI LIN AND ROBERT I. GLAZER. The Comparative Effects of 5-Azacytidine and Dihydro-5-azacytidine on Polysomal RNA in Ehrlich Ascites Cells in Vitro	644
ZONG-RU GUO, STEPHEN W. DIETRICH, CORWIN HANSCH, BRUICE J. DOLNICK, AND JOSEPH R. BERTINO. A Comparison of the Inhibition of Bovine and Murine Leukemia Dihydrofolate Reductase by 4,6-Diamino-1,2-dihydro-2,2-dimethyl-1-(3-X-phenyl)-s-Triazines	649
ROBERT I. GLAZER AND KATHLEEN D. HARTMAN. Cytokinetic and Biochemical Effects of Sangivamycin in Human Colon Carcinoma Cells in Culture	657
IAIN G. C. ROBERTSON, RICHARD M. PHILPOT, ERROL ZEIGER, AND C. ROLAND WOLF. Specificity of Rabbit Pulmonary Cytochrome P-450 Isozymes in the Activation of Several Aromatic Amines and Aflatoxin B ₁	662
JORDAN L. HOLTZMAN, DUANE L. CRANKSHAW, FRANCIS J. PETERSON, AND CARL F. POLNASZEK. The Kinetics of the Aerobic Reduction of Nitrofurantoin by NADPH-Cytochrome P-450 (c) Reductase	669
DAVID CHOU, CARL F. POLNASZEK, YUL YOST, ILO E. LEPPIK, AND JORDAN L. HOLTZMAN. Application of Spin Labeling to Drug Assays. II. Determination of the Binding of [14C]Phenytoin and Spin-Labeled Phenytoins to Albumin and Human Serum	674
GURMIT SINGH AND KENNETH W. RENTON. Interferon-Mediated Depression of Cytochrome P-450-Dependent Drug Biotransformation	681

DAVID E. MOODY, JACQUELINE L. JAMES, GARY A. CLAWSON, AND EDWARD A. SMUCKLER. Correlations among the Changes in Hepatic Microsomal Components after	
Intoxication with Alkyl Halides and Other Hepatotoxins	685
THOMAS H. HUDSON AND GARY L. JOHNSON. Functional Alterations in Components of Pigeon Erythrocyte Adenylate Cyclase following Desensitization to Isoproterenol	694
YASUNORI KANAHO, TAKASHI SATO, AND TATSUZO FUJII. The Affinity of Various Phenothiazine Drugs for Membranes of Intact Human Erythrocytes and Their Membrane-Transforming Activity	704
THOMAS T. KAWABATA, F. PETER GUENGERICH, AND JEFFREY BARON. An Immunohistochemical Study on the Localization and Distribution of Epoxide Hydrolase within Livers of Untreated Rats	709
Author Index for Volume 20	715
Cumulative Subject Index for Volumes 19 and 20	721

INSTRUCTIONS TO AUTHORS

Molecular Pharmacology will publish the results of investigations that shed significant light on drug action or selective toxicity at the molecular level. The term "drug" is defined broadly to include chemical agents that selectively modify biological function.

Suitable papers are those which describe applications of the methods of biochemistry, biophysics, genetics, and molecular biology to problems in pharmacology or toxicology. Also suitable are reports of fundamental investigations which, although not concerned directly with drugs, nevertheless provide an immediate basis for further study of the molecular mechanism of drug action. Observations of phenomena that shed no light upon underlying molecular interactions are not regarded as appropriate for publication.

Specific areas of interest include: stereochemical, electronic, and other parameters of drug architecture; conformational analysis of receptors and their function; drug-enzyme and other interactions between drugs and macromolecules; drug effects upon gene replication and transcription and on protein synthesis; mechanism of action of antibiotics and other growth-inhibitory drugs; induction by drugs of changes in macromolecular structure or allosteric transitions; drug-induced alterations in metabolic pathways; effects of hormones and other drugs on cellular regulatory mechanisms; chemical mutagenesis, carcinogenesis, and teratogenesis; pharmacogenetics, idiosyncrasies, and drug allergies; selective toxicity in a single organism or in different species; drug actions on properties and functions of membranes; mechanisms of drug metabolism; distribution and transport of drug molecules between biological compartments.

"Short Communications" will be considered for rapid publication if their subject matter lies within the scope of the Journal, if they are concise, and if they are considered to be of sufficiently immediate importance to the work of other investigators to justify accelerated publication. They may contain experimental observations, theoretical material, or significant comment upon published investigations.

Page charges. Authors will be billed at the rate of \$30.00 per page after the paper has been published. It is expected that the page charge will be paid if funds are available for that purpose from the author's institution or from the sponsor of this research. Payment of the charge is not a condition for publication. Neither the editors nor the reviewers will have knowledge as to who has paid the charge, and this payment always will be considered entirely voluntary.

Submission of manuscript. Manuscripts are published in English only and should be sent to the Editor, Dr. Norman Kirshner, Department of Pharmacology, Duke University Medical Center, Durham, North Carolina 27710, U.S.A. Manuscripts should be typewritten double spaced with ample margins on one side of the paper, 8½ × 11 inches (ca. 215 × 280 mm). Submit three complete copies of the manuscript and three copies of each figure, plus one original drawing or photograph of each figure. All pages should be numbered consecutively beginning with the title page. Limit your reference listings to the minimal number required to adequately document the manuscript. In most instances 30 references or fewer should suffice.

It is understood that the manuscripts and the results they contain will not have been published previously and are not being submitted elsewhere. Manuscripts are accepted for review with the understanding that all persons listed as authors have given their approval for the submission of the paper; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editor's discretion. Articles and any other material published in Molecular Pharmacology represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editor(s) and the Publisher. If and when a manuscript is published, it will become the sole property of the Journal.

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the Society for Pharmacology and Experimental Therapeutics. No reasonable request by the author for permission to reproduce any of his or her contributions to the journal will be refused.

Organization and style of manuscripts. The policy of the Journal is to allow authors maximum freedom in organizing and presenting

their material, and in expressing their ideas, provided only that clarity and conciseness are achieved.

Certain conventions must be observed. Chemical and mathematical formulas and abbreviations should follow the Instructions to Authors of the Journal of Biological Chemistry (Vol. 255, pp. 1-11, January 10, 1980). Drugs must be referred to by their generic or chemical names throughout the text, but may be identified by trade name in parentheses or a footnote. The systematic name and number given by the Commission on Enzymes of the International Union of Biochemistry should be included for each enzyme of importance in a paper, at the point in the Summary or Introduction where the enzyme is first mentioned. The use of abbreviations should be minimized and abbreviations avoided in the Summary. All essential abbreviations should be defined in a single footnote when first introduced. Abbreviations of journal names should conform to the style of Biological Abstracts. References to papers that have been accepted for publication, but have not appeared, should be cited like other references with the abbreviated name of the journal followed by the words "in press." Copies of such papers should be sent whenever the findings described in them have a direct bearing on the paper being submitted for publication. "Personal Communications" and "Unpublished Observations" should be cited in footnotes to the text and should not be included in the reference list.

A manuscript should include the following, in the order listed: (1) Title. Numbered footnotes to the title should be avoided; acknowledgment of financial support should be given in an unnumbered footnote to the title. (2) Names of authors, their laboratory and institution. (3) A running title, not exceeding 60 characters and spaces. (4) Summary preceded by authors' names and title of article. For example:

SUMMARY

DAIRMAN, W., AND S. UDENFRIEND. Studies on the mechanism of the L-3,4-dihydroxyphenylalanine-induced decrease in tyrosine hydroxylase activity. *Mol. Pharmacol.* 8:293-299 (1972).

(5) Text. Footnotes should be referred to by superscript numbers and references by numbers in parentheses. (6) References, numbered according to order of citation in the text, including title and complete pagination. Examples: 1. Goren, J. H., L. G. Bauce, and W. Vale. Forces and structural limitations of binding of thyrotropin-

releasing receptor: the pyroglutamic acid moiety. Mol. Pharmacol. 13:606-614 (1977). 2. Sandler, M. Variations in monoamine oxidase activity in some human disease states, in Monoamine Oxidase and Its Inhibition. Ciba Foundation Symposium 39. Elsevier, Amsterdam, 327-340 (1976) (7). Footnotes, numbered according to order of appearance in the text. (8) Tables. (9) Figures. (10) Legends to figures. (11) Name and address of person to receive galley proof.

Tables. These should be numbered with arabic numerals and designed to fit the single-column width of the full-page width. Every table should have an explanatory title and sufficient experimental detail in a paragraph following the title to be intelligible without references to the text (unless the procedure is given in the Methods section, or under another table or figure). Footnotes to tables should appear beneath the tables themselves and should be designated by lower-case italic superscript letters, a, b, c, etc.

Figures. These should be numbered with arabic numerals. Each of the three manuscript copies should contain all the figures, but only the original set need be of quality suitable for reproduction. These should be unmounted glossy photographs (or original Indiaink drawings). Usually figures will be reduced to one column width (85 mm) and all numbers after such reduction should be at least 1.5

mm high. The figures must be ready, in all respects, for direct reproduction: no lettering or other art work will be done by the publisher. If symbols are not explained on the face of the figure, only standard characters, of which the printer has type, may be used $(\times, \bigcirc, \bullet, \square, \square, \triangle, \triangle, \bigcirc)$. The back of each photograph should bear its number, and the legend TOP at the appropriate edge. The list of legends for the figures should give captions and sufficient experimental detail, as required for tables.

Galley proof. The cost of all changes on galley proof, other than printer's errors, will be charged to authors. The Editors are very much interested in having accepted contributions appear in the earliest possible issue of the Journal, and therefore request that galley proof be returned within 24 hours after its receipt. In exceptional cases, a "Note added in proof" may be attached and will be published if the Editor approves.

Reprints and page charges. An order form for reprints as well as information on the estimation of page charges will be mailed with galley proof. Please direct questions on reprints, page charges, or other business matters to Dr. Houston Baker, Executive Officer, American Society for Pharmacology and Experimental Therapeutics, 9650 Rockville Pike, Bethesda, Md. 20014. Telephone (301)530-7060