

# MOLECULAR PHARMACOLOGY

July 2012

Volume 82

Number 1

molpharm.aspetjournals.org

ISSN 1521-0111

## ARTICLES

- Membrane Potential-Dependent Inhibition of the Na<sup>+</sup>,K<sup>+</sup>-ATPase by *para*-Nitrobenzyltriethylammonium Bromide  
*R. Daniel Peluffo and Joshua R. Berlin* 1
- Functional Evaluation of a Fluorescent Schweinfurthin: Mechanism of Cytotoxicity and Intracellular Quantification  
*Craig H. Kuder, Ryan M. Sheehy, Jeffrey D. Neighbors, David F. Wiemer, and Raymond J. Hohl* 9
- Influence of the Accessory Protein SET on M3 Muscarinic Receptor Phosphorylation and G Protein Coupling  
*Violaine Simon, Sukru S. Oner, Joelle Cohen-Tannoudji, Andrew B. Tobin, and Stephen M. Lanier* 17
- Fyn Inhibition by Cycloalkane-Fused 1,2-Dithiole-3-thiones Enhances Antioxidant Capacity and Protects Mitochondria from Oxidative Injury  
*Ja Hyun Koo, Woo Hyung Lee, Chan Gyu Lee, and Sang Geon Kim* 27
- The *SLCO1A2* Gene, Encoding Human Organic Anion-Transporting Polypeptide 1A2, Is Transactivated by the Vitamin D Receptor  
*Jyrki J. Eloranta, Christian Hiller, Moritz Jüttner, and Gerd A. Kullak-Ublick* 37
- Neratinib Reverses ATP-Binding Cassette B1-Mediated Chemotherapeutic Drug Resistance In Vitro, In Vivo, and Ex Vivo  
*Xiao-qin Zhao, Jing-dun Xie, Xing-gui Chen, Hong May Sim, Xu Zhang, Yong-ju Liang, Satyakam Singh, Tanaji T. Talele, Yueli Sun, Suresh V. Ambudkar, Zhe-Sheng Chen, and Li-wu Fu* 47
- Role of the Transporter Regulator Protein (RS1) in the Modulation of Concentrative Nucleoside Transporters (CNTs) in Epithelia  
*Ekaitz Errasti-Murugarren, Paula Fernández-Calotti, Mayke Veyhl-Wichmann, Maximilian Diepold, Itziar Pinilla-Macua, Sandra Pérez-Torras, Helmut Kipp, Hermann Koepsell, and Marçal Pastor-Anglada* 59
- Novel Transcriptome Profiling Analyses Demonstrate that Selective Peroxisome Proliferator-Activated Receptor  $\gamma$  (PPAR $\gamma$ ) Modulators Display Attenuated and Selective Gene Regulatory Activity in Comparison with PPAR $\gamma$  Full Agonists  
*Yejun Tan, Eric S. Muise, Hongyue Dai, Richard Raubertas, Kenny K. Wong, G. Marie Thompson, Harold B. Wood, Peter T. Meinke, Pek Yee Lum, John R. Thompson, and Joel P. Berger* 68
- Effects of Nucleotide Analogs at the P2X3 Receptor and Its Mutants Identify the Agonist Binding Pouch  
*Thomas Riedel, Sara Wiese, Anna Leichsenring, and Peter Illes* 80
- Crotamine Pharmacology Revisited: Novel Insights Based on the Inhibition of K<sub>v</sub> Channels  
*Steve Peigneur, Diego J. B. Orts, Alvaro R. Prieto da Silva, Nancy Oguiura, Malvina Boni-Mitake, Eduardo B. de Oliveira, André J. Zaharenko, Jose C. de Freitas, and Jan Tytgat* 90

Architecture and Pore Block of Eukaryotic Voltage-Gated Sodium Channels in View of NavAb Bacterial Sodium Channel Structure <i>Denis B. Tikhonov and Boris S. Zhorov</i>	97
<p>☐ Methemoglobin Formation by Triapine, Di-2-pyridylketone-4,4-dimethyl-3-thiosemicarbazone (Dp44mT), and Other Anticancer Thiosemicarbazones: Identification of Novel Thiosemicarbazones and Therapeutics That Prevent This Effect <i>Patricia Quach, Elaine Gutierrez, Maram Talal Basha, Danuta S. Kalinowski, Philip C. Sharpe, David B. Lovejoy, Paul V. Bernhardt, Patric J. Jansson, and Des R. Richardson</i></p>	105
<p>☐ Muscarinic Type 3 Receptor Induces Cytoprotective Signaling in Salivary Gland Cells through Epidermal Growth Factor Receptor Transactivation <i>Mikihito Kajiya, Isao Ichimonji, Christine Min, Tongbo Zhu, Jun-O Jin, Qing Yu, Soulafa A. Almazrooa, Seunghee Cha, and Toshihisa Kawai</i></p>	115
<p>Balancing Antiviral Potency and Host Toxicity: Identifying a Nucleotide Inhibitor with an Optimal Kinetic Phenotype for HIV-1 Reverse Transcriptase <i>Christal D. Sohl, Rajesh Kasiviswanathan, Jiae Kim, Ugo Pradere, Raymond F. Schinazi, William C. Copeland, Hiroaki Mitsuya, Masanori Baba, and Karen S. Anderson</i></p>	125
<p>☐ The Polyphenolic Ellagitannin Vescalagin Acts As a Preferential Catalytic Inhibitor of the <math>\alpha</math> Isoform of Human DNA Topoisomerase II <i>Céline Auzanneau, Danièle Montaudon, Rémi Jacquet, Stéphane Puyo, Laurent Pouységu, Denis Deffieux, Assia Elkaoukabi-Chaibi, Francesca De Giorgi, François Ichas, Stéphane Quideau, and Philippe Pourquier</i></p>	134
<b>ERRATUM</b>	
<p>Correction to “Polymorphism and Ligand Dependent Changes in Human Glucagon-Like Peptide-1 Receptor (GLP-1R) Function: Allosteric Rescue of Loss of Function Mutation”</p>	142

☐ Supplemental material is available online at <http://molpharm.aspetjournals.org>.

*About the cover:* A cytoplasmic view (top left) of the superimposed KcsA-based (red) and NavAb-based (green) models of Nav1. For clarity, S5 helices not shown. Tetracaine is shown as rods with red oxygens, blue nitrogens, and orange carbons. A side view (top right) has two repeats removed for clarity and the selectivity-filter residues (DEKA, Asp-Glu-Lys-Ala) shown as sticks. Orthogonal side views (bottom) of the NavAb-based model of Nav1.4 with the local anesthetic-sensing residue Tyr<sup>4122</sup> shown as sticks. Some residues that control the hydrophobic access pathway to the closed channels are space-filled. See article by Tikhonov and Zhorov on page 97 of this issue.